MILK OF MAGNESIA- magnesium hydroxide suspension KROGER COMPANY

KRO mom mnt

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are

taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- · dose may be taken once a day preferably at bedtime, in divided doses, or as directed

by a doctor

• drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12	30 mL to 60 mL
years and over	
children 6 to 11 years	15 mL to 30 mL
children under 6 years ask a doctor	

Other information

- each 15 mL contains: magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed

Inactive ingredients

flavor, purified water, saccharin sodium, sodium hypochlorite

Questions or comments?

1-800-632-6900

Principal Display Panel

COMPARE TO the active ingredient of PHILLIPS'® MILK OF MAGNESIA *See back panel

NDC 30142-547-12

Milk of Magnesia

SALINE LAXATIVE

Magnesium Hydroxide 1200 mg per 15 mL

Gentle, Dependable Overnight Relief

*1 Doctor Recommended Saline Laxative Active Ingredient¹ †In the U.S. Source: AlphalmpactRx

Sugar Free Stimulant Free

Cramp Free

Mint Flavor

215-19212-0 REV GC0320

12 FL OZ (355 mL)

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN,

Purpose

Active ingredient (in each 15 mL)

Use • relieves occasional constinuation (irregularity)

generally produces bowel movement in ½ to 6 hours

Ask a doctor before use if you have

- · kidney disease · stomach pain, nausea or vomiting a magnesium-restricted diet
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • shake well before use

- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information • each 15 mL contains: magnesium 500 mg avoid freezing · store at room temperature tightly closed

REV GC0320

Inactive ingredients flavor, purified water, saccharin sodium, sodium hypochlorite

Questions or comments? 1-800-632-6900

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202 QUALITY GUARANTEE 800-632-6900 | www.kroger.com

*Phillips'® is a registered trademark of Bayer HealthCare LLC, Pittsburgh, PA 15205. Bayer HealthCare LLC is not affiliated with The Kroger Co. or this product.



MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:30142-547

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)		

Product Characteristics			
Color	white (opaque)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging				
# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1 NDC:30142-547-	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2020	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	03/01/2020	

Labeler - KROGER COMPANY (006999528)

Registrant - GCP Laboratories (965480861)

Establishment			
Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(30142-547)

Revised: 11/2023 KROGER COMPANY