

MILK OF MAGNESIA- magnesium hydroxide suspension
KROGER COMPANY

KROGER mom

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
 - do not exceed the maximum recommended daily dose in a 24 hour period
 - dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
 - drink a full glass (8 oz) of liquid with each dose
-

adults and children 12 years and over	30 mL to 60 mL
children 6 years to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15mL contains: **magnesium 500 mg**
- avoid freezing
- store at room temperature tightly closed

Inactive ingredients

purified water, sodium hypochlorite

Questions or comments?

1-800-632-6900

package Label

COMPARE TO the active ingredient of PHILLIPS®
MILK OF MAGNESIA *See back panel

NDC 30142-649-12



Milk of Magnesia

SALINE LAXATIVE
Magnesium Hydroxide
1200 mg per 15 mL

Gentle, Dependable
Overnight Relief

[†] Doctor Recommended Saline Laxative Active Ingredient[†]
[†]In the U.S. Source: AlphalimpactRx

**Sugar Free
Stimulant Free**

Cramp Free

Original Flavor

215-19112-0
REV GC0320

12 FL OZ (355 mL)

Drug Facts

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
NECKBAND IS MISSING OR BROKEN.**

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Use

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- a magnesium-restricted diet
- a sudden change in bowel habits that lasts over 14 days
- kidney disease
- stomach pain, nausea or vomiting

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed

915-19112-0
REV GC0320

Inactive ingredients

purified water, sodium hypochlorite

Questions or comments? 1-800-632-6900

DISTRIBUTED BY THE KROGER CO.,
CINCINNATI, OHIO 45202

QUALITY GUARANTEE
800-632-6900 | www.kroger.com

*Phillips® is a registered trademark of Bayer HealthCare LLC, Pittsburgh, PA 15205. Bayer HealthCare LLC is not affiliated with The Kroger Co. or this product.



0 41260 01014 9

MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-649
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-649-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	03/01/2020	

Labeler - KROGER COMPANY (006999528)**Registrant** - GCP Laboratories (965480861)**Establishment**

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(30142-649)

Revised: 11/2023

KROGER COMPANY