

CHILDRENS MAPAP- acetaminophen tablet, chewable

Major Pharmaceuticals

Major 44-450-children

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - sore throat
 - flu
 - toothache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

*or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

1-800-426-9391

Principal Display Panel

MAJOR®

NDC 0904-6645-24

Compare to the active ingredient
in Children's Tylenol® Chewables†

Children's
Māpap®

ACETAMINOPHEN

160 mg Chewable Tablets

Pain reliever / Fever reducer

ASPIRIN FREE • IBUPROFEN FREE

AGES

2-11

Chew or crush
tablets completely
before swallowing.

**24 Chewable Tablets,
160 mg EACH**

Actual Size

Bubble Gum Flavor

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

(800) 616-2471

www.major-rugby.com

Rev. 11/24 M-17 Re-order No. 700846

†This product is not manufactured or distributed by
Kenvue Inc., owner of the registered trademark
Children's Tylenol® Chewables.

50844 REV0424E45008

Drug Facts
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient
(in each chewable tablet)
Acetaminophen 160 mg.....Pain reliever/fever reducer

Uses
temporarily relieves minor aches and pains due to:
■ headache ■ sore throat ■ flu
■ toothache ■ the common cold
temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen.
Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.
Ask a doctor or pharmacist before use if your child has liver disease.
Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.
Stop use and ask a doctor if:
■ pain gets worse or lasts more than 3 days
■ fever gets worse or lasts more than 3 days
■ redness or swelling is present
■ any new symptoms appear
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
This product does not contain directions or complete warnings for adult use
do not give more than directed
■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
■ chew or crush tablets completely before swallowing.
do not swallow tablets whole

Drug Facts (continued)
Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

NDC 0904-6645-24
Compare to the active ingredient in Children's Tylenol® Chewables!

MAJOR®

Children's

Māpap®

ACETAMINOPHEN

160 mg Chewable Tablets

Pain reliever / Fever reducer

ASPIRIN FREE • IBUPROFEN FREE

AGES
2-11

24 Chewable Tablets,
160 mg EACH

Chew or crush tablets completely before swallowing.

Actual Size



Bubble Gum Flavor

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print Area
Lot no. & Exp. Date

Distributed by:
MAJOR PHARMACEUTICALS
Indianapolis, IN 46268
(800) 616-2471
www.major-rugby.com
Rev 11/24 M-17 Re-order No. 700846

B-1212-450-08-R
REV0424E45008



Drug Facts (continued)
Questions or comments?
1-800-426-9391
This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Tylenol® Chewables.
50844 REV0424E45008

Drug Facts (continued)
Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
Ask a doctor before use if your child has liver disease.
Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.
Stop use and ask a doctor if:
■ pain gets worse or lasts more than 3 days
■ fever gets worse or lasts more than 3 days
■ redness or swelling is present
■ any new symptoms appear
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
This product does not contain directions or complete warnings for adult use
do not give more than directed
■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
■ chew or crush tablets completely before swallowing.
do not swallow tablets whole

Directions
This product does not contain directions or complete warnings for adult use

Other information
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ avoid high humidity
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number

Inactive ingredients
citric acid, croscollonite, D&C red #27 aluminum lake, D&C red #30 aluminum lake, extrates hydrate, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Drug Facts (continued)
repeat dose every 4 hours while symptoms last
do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

*or as directed by a doctor

Major 44-450

CHILDRENS MAPAP

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6645
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	pink	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	BUBBLE GUM	Imprint Code	44;450
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6645-24	4 in 1 CARTON	02/25/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/25/2005	

Labeler - Major Pharmaceuticals (191427277)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0904-6645)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0904-6645) , pack(0904-6645)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0904-6645)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0904-6645)

Revised: 12/2024

Major Pharmaceuticals