

**MAXIMUM STRENGTH ANTACID- aluminum hydroxide, magnesium hydroxide,
simethicone liquid
KROGER COMPANY**

kro ant max cherry

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide (equivalent to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- symptoms referred to as gas
- upset stomach due to these symptoms

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use

- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls two times a day or as directed by a doctor
- do not exceed 8 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor

Other information

- each 5 mL teaspoonful contains: **magnesium 165 mg, sodium 5 mg**
- store at room temperature tightly closed
- protect from freezing

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or Comments?

1-800-632-6900

package label

COMPARE TO the active ingredient of MAALOX®
 MAXIMUM STRENGTH *See back panel

NDC 30142-638-12



Maximum Strength

Antacid

Advanced
 Antacid &
 Anti-Gas



**FAST
 RELIEF:**

Heartburn &
 Acid Indigestion
 Pressure &
 Bloating

Cherry Flavor

12 FL OZ (355 mL)

215-11322-0 REV GC0320

Drug Facts

**TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY
 BAND ON CAP IS BROKEN OR MISSING.**

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 400 mg (equivalent to dried gel, USP)	Antacid
Magnesium hydroxide 400 mg	Antacid
Simethicone 40 mg	Antigas

Purposes

Uses relieves • heartburn • sour stomach
 • acid indigestion • symptoms referred to as gas
 • upset stomach due to these symptoms

Warnings

Ask a doctor before use if you have
 • kidney disease • a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are taking a
 prescription drug.** Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last for more than 2 weeks

**If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children.**

Directions

• shake well before use
 • adults and children 12 years of age and older: take 2 to 4
 teaspoonfuls two times a day or as directed by a doctor
 • do not exceed 8 teaspoonfuls in a 24 hour period or use the
 maximum dosage for more than 2 weeks
 • children under 12 years of age: ask a doctor

Other information

• each 5 mL teaspoonful contains: magnesium 165 mg, sodium 5 mg
 • store at room temperature tightly closed • protect from freezing

Inactive ingredients

benzyl alcohol, butylparaben,
 carboxymethylcellulose sodium, flavor, hypromellose,
 microcrystalline cellulose, propylparaben, purified water,
 saccharin sodium, sorbitol solution

Questions or comments? 1-800-632-6900

DIST. BY THE KROGER CO.,
 CINCINNATI, OHIO 45202
 QUALITY GUARANTEE
 800-632-6900 | www.kroger.com

*Maalox® is a registered trademark
 of GSK Consumer Health Inc.,
 Wilmington, DE 19808. GSK
 Consumer Health Inc. is not affiliated
 with The Kroger Co. or this product.
 915-11322-1 REV GC0520



MAXIMUM STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-638
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -	ALUMINUM	400 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-638-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/01/2020	

Labeler - KROGER COMPANY (006999528)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(30142-638)

