

ALCOHOL PREP PADS- isopropyl alcohol swab
Cardinal Health 200, Inc.

Cardinal Medium Alcohol Prep Pads

Active Ingredients

Isopropyl Alcohol USP, 70% v/v

Purpose

Antiseptic

Uses

For preparation of skin prior to injection

Warnings

For external use only

Flammable. Keep away from fire or flame

Do not use

- with electrocautery procedures
- in the eyes
- on mucus membrane
- on irritated skin

Stop use and ask doctor if

- irritation or redness develops
- if condition persists for more than 72 hours

Caution

In case of deep or punctured wounds, consult a doctor

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions for use

- wipe injection site vigorously and discard

Inactive Ingredient

purified water

Principal Display Panel

CardinalHealth

NDC 63517-600-01

REF MW-APM100

alcohol prep pads

EN - Medium 70% Isopropyl alcohol prep pad

FR - Tampon imbibé d'alcool isopropylique a 70%, moyen

ES - Almohadilla mediana impregnada en alcohol isopropilico al 70%

CardinalHealth

X100

CardinalHealth™ x100

REF MW-APM100 NDC 63517-600-01

alcohol prep pads

EN - Medium 70% Isopropyl alcohol prep pad
FR - Tampon imbibé d'alcool isopropylique à 70 %, moyen
ES - Almohadilla mediana impregnada en alcohol isopropilico al 70 %

CardinalHealth™ x100

Drug Facts	
Active Ingredient	Purpose
Isopropyl Alcohol USP, 70% v/v.....	Antiseptic
Use: For preparation of skin prior to injection	
Warnings:	
For external use only	
Flammable. Keep away from fire or flame	
Do not use	• with electrocautery procedures
• in the eyes	• on mucus membranes
• on irritated skin	
Stop use and ask doctor if	• irritation or redness develops
• if condition persists for more than 72 hours	
Caution: In case of deep or puncture wounds, consult a doctor	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions for use • wipe injection site vigorously and discard	
Inactive Ingredient: purified water	

CardinalHealth

NDC 63517-600-02

REF MW-APM

alcohol prep pads

EN - Medium 70% Isopropyl alcohol prep pad

FR - Tampon imbibé d'alcool isopropylique a 70%, moyen

ES - Almohadilla mediana impregnada en alcohol isopropilico al 70%


CardinalHealth

X200

CardinalHealth™ x200

REF MW-APM NDC 63517-600-02

alcohol prep pads



EN - Medium 70% Isopropyl alcohol prep pad
FR - Tampon imbibé d'alcool isopropylique à 70 %, moyen
ES - Almohadilla mediana impregnada en alcohol isopropílico al 70 %

CardinalHealth™ x200

Drug Facts	
Active Ingredient Isopropyl Alcohol USP, 70% v/v.....	Purpose Antiseptic
Use: For preparation of skin prior to injection	
Warnings: For external use only Flammable. Keep away from fire or flame Do not use •with electrocautery procedures •in the eyes •on mucus membranes •on irritated skin Stop use and ask doctor if •irritation or redness develops •if condition persists for more than 72 hours Caution: In case of deep or puncture wounds, consult a doctor Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions for use •wipe injection site vigorously and discard	
Inactive Ingredient: purified water	

CardinalHealth

NDC 63517-600-50

REF MW-APM50

alcohol prep pads

EN - Medium 70% Isopropyl alcohol prep pad

FR - Tampon imbibé d'alcool isopropylique a 70%, moyen

ES - Almohadilla mediana impregnada en alcohol isopropílico al 70%

CardinalHealth

X50


alcohol prep pads

EN - Medium 70% Isopropyl alcohol prep pad
FR - Tampon imbibé d'alcool isopropylique à 70 %, moyen
ES - Almohadilla mediana impregnada en alcohol isopropílico al 70 %

CardinalHealth™ x50

REF MW-APM50 NDC 63517-600-50

alcohol prep pads



EN - Medium 70% Isopropyl alcohol prep pad
FR - Tampon imbibé d'alcool isopropylique à 70 %, moyen
ES - Almohadilla mediana impregnada en alcohol isopropílico al 70 %

CardinalHealth™ x50

Drug Facts		Drug Facts (cont.)	
Active Ingredient Isopropyl Alcohol USP, 70% v/v	Purpose Antiseptic	Stop use and ask doctor if •irritation or redness develops •if condition persists for more than 72 hours Caution: In case of deep or puncture wounds, consult a doctor Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Use: For preparation of skin prior to injection			
Warnings: For external use only Flammable. Keep away from fire or flame Do not use •with electrocautery procedures •in the eyes •on mucus membranes •on irritated skin		Directions for use •wipe injection site vigorously and discard	
Inactive Ingredient: purified water			

STERILE

SINGLE USE ONLY

59°F 15°C TEMPERATURE LIMITATION

86°F 30°C

DO NOT USE IF PACKAGE OPENED OR DAMAGED

CardinalHealth™ x50

ALCOHOL PREP PADS

isopropyl alcohol swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63517-600
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63517-600-50	50 in 1 CARTON	02/08/2016	
1		1 mL in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:63517-600-01	100 in 1 CARTON	02/08/2016	
2		1 mL in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:63517-600-02	200 in 1 CARTON	02/08/2016	
3		1 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/08/2016	

Labeler - Cardinal Health 200, Inc. (961027315)

Registrant - Cardinal Health 200, Inc. (961027315)