

SMOOTH LAX- polyethylene glycol powder
Walgreens

Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350,
17 g (cap filled to line)

Purpose

Osmotic laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol.

Do not use

If you have kidney disease, except under the advice and supervision of a doctor.

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug.

When using this product

you may have loose, watery, more frequent stools.

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line
- adults and children 17 years of age and older:
 - fill to top of line in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounce of beverage (cold, hot, or room temperature) then drink
 - use once a day
 - use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredient

none

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel**Smooth LAX®**

Polyethylene Glycol 3350

Powder for Oral Solution,

Osmotic Laxative

- Relieves occasional constipation / irregularity
- Softens stool
- Unflavored powder
- Grit free

FL OZ (mL)

Compare to MiraLAX® active ingredient≠≠

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Polyethylene glycol 3350 increases frequency of bowel movements and softens the stool

≠≠This product is not manufactured or distributed by Bayer Healthcare LLC, distributor of MiraLAX®.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Package Label

Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED*

Smooth LAX[®]
Polyethylene Glycol 3350
Powder for Oral Solution,
Osmotic Laxative

- Relieves occasional constipation/
irregularity
- Softens stool
- Unflavored powder
- Grit free

30 ONCE-DAILY DOSES **NET WT** 17.9 OZ (510 g)

Compare to MiraLAX[®] active ingredient^{††}

NDC 0363-0465-17

PLD-A381C LB003420

Drug Facts	
Active ingredient (in each dose) Polyethylene glycol 3350, 17 g (cap filled to line)	Purpose Osmotic laxative
Uses	
<ul style="list-style-type: none"> ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days 	
Warnings	
Allergy alert: Do not use if you are allergic to polyethylene glycol. Do not use if you have kidney disease, except under the advice and supervision of a doctor.	
Ask a doctor before use if you have <ul style="list-style-type: none"> ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome 	
Ask a doctor or pharmacist before use if you are taking a prescription drug. When using this product you may have loose, watery, more frequent stools.	

Drug Facts (continued under label)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Polyethylene glycol 3350 increases frequency of bowel movements and softens the stool.

[‡] Walgreens Pharmacist Survey Study, November 2014.

^{††} This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of MiraLAX[®]. ORG0715-F

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2015 Walgreen Co.
ITEM 920703 W10064-0815-F



Lot No.:

Exp. Date:

PLD-A381C LB003421

Drug Facts (continued)
Stop use and ask a doctor if <ul style="list-style-type: none"> ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
Directions <ul style="list-style-type: none"> ■ do not take more than directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line ■ adults and children 17 years of age and older: <ul style="list-style-type: none"> ■ fill to top of line in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ use once a day ■ use no more than 7 days ■ children 16 years of age or under: ask a doctor
Other information <ul style="list-style-type: none"> ■ store at 20-25°C (68-77°F)
Inactive ingredients none
Questions or comments? Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

PEEL HERE

Well at Walgreens Smooth LAX

SMOOTH LAX
polyethylene glycol powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0465
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0465-17	510 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-0465-26	765 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0363-0465-41	119 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:0363-0465-83	238 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA091077	08/31/2015	

Labeler - Walgreens (008965063)

Revised: 11/2015

Walgreens