# EQUALINE CHILDRENS COLD AND COUGH- brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution United Natural Foods, Inc. dba UNFI

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### SuperValu Inc. Children's Cold & Cough Drug Facts

#### Active ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg Dextromethorphan HBr, USP 10 mg Phenylephrine HCl, USP 5 mg

#### **Purposes**

Antihistamine Cough suppressant Nasal decongestant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily restores freer breathing through the nose

### Warnings

#### Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

#### Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

### Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

### When using this product

- · do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

#### Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours

do not use

#### Other information

- each 10 mL contains: sodium 4 mg
- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

#### Questions or comments?

1-877-932-7948

### **Principal Display Panel**

compare to Children's Dimetapp® Cold & Cough active ingredients

children's

cold & cough

brompheniramine maleate (antihistamine)

dextromethorphan HBr (cough suppressant)

phenylephrine HCl (nasal decongestant)

relieves nasal symptoms

stuffy nose

runny nose

sneezing

plus other symptoms

itchy, watery eyes

cough

for ages 6 yrs. & over

grape flavor

**ALCOHOL FREE** 

4 FL OZ (118mL)



for ages 6 yrs. & over ugnoo & blo၁ cullaren's

**E**ONTINE

#### Drug Facts

### Active ingredients (in each 10 mL)

#### Purposes

# (In each Ton) Brompheniramine maleate, USP 2 mg......Antihistamine Dextromethorphan HBr, USP 10 mg...Cough suppressan Phenylephrine HCI, USP 5 mg.......Nasal decongestan

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies temporarily relieves these symptoms due to hay fever (allergic rhinitis): **u**runny nose

- sneezing
   itchy, watery eyes
   itching of the nose or throat
- temporarily restores freer breathing through the nos

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

#### Ask a doctor before use if you have

- heart disease high blood pressure
   thyroid disease diabetes
   trouble urinating due to an enlarged prostate gland
- glaucoma
   cough that occurs with too much phlegm (mucus)
   a breathing problem such as emphysema or
   chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

- When using this product

  do not use more than directed

  may cause marked drowsiness
- avoid alcoholic beverages alcohol, sedatives, and tranquilizers may increase
- drowsiness

  be careful when driving a motor vehicle or operating
- machinery

  excitability may occur, especially in children

#### Drug Facts (continued)

- Stop use and ask a doctor if
  you get nervous, dizzy, or sleepless
  symptoms do not get better within 7 days or are
  accompanied by fever
  cough lasts for more than 7 days, comes back, or
- is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a

#### If pregnant or breast-feeding, ask a health

professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provid
  keep dosage cup with product

■ mL = milliliter		
	age	

age	dose	
adults and children 12 years and over	20 mL every 4 hours	
children 6 to under 12 years	10 mL every 4 hours	
children under 6 years	do not use	

Other information
■ each 10 mL contains: sodium 4 mg
■ store at 20°-25°C (68°-77°F)

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

#### Questions or comments?



GLUTEN FREE
Distributed by SUPERVALU INC.
Eden Prairie, MN 55344 USA
We're committed to your
satisfaction and guarantee
the quality of this product.
Contact us at 1-877-932-7948, o
www.supervalu-ourowhbrands.co
Please have package available.

\*This product is not manufactured or distributed by Pfizer, distributor of Children's Dimetapp® Cold & Cough.

DO NOT USE IF PRINTED NECKRAND IS



LOT NO.

EXP.

: 98726 EL C3



### **EQUALINE CHILDRENS COLD AND COUGH**

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution

### **Product Information**

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:41163-987

**Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>BROMPHENIRAMINE MALEATE</b> (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII: H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL	
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SORBITOL (UNII: 506T60A25R)			

Product Characteristics		
Color	PURPLE (Clear bluish-red)	Score
Shape		Size
Flavor	GRAPE	Imprint Code
Contains		

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-987- 26	1 in 1 CARTON	07/27/2012	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/27/2012	

## Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 8/2023