

KROGER NIGHTTIME SLEEP-AID- diphenhydramine hydrochloride liquid
KROGER COMPANY

KROGER Nighttime Sleep-Aid 12 FL OZ

Drug Facts

Active ingredient (in each 30 mL dose cup)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema, or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning:

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222

Directions

- take only one dose per day (24 hours)
- Only use dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
Children under 12 yrs	Do not use

Other information

- each 30 mL dose cup contains: **potassium 5 mg; sodium 10 mg**
- store at room temperature

Inactive ingredients

anhydrous citric acid, FD&C blue 1, FD&C red 40, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum.

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

Compare to the active ingredient in ZzzQuil™ Nighttime Sleep-Aid*

NDC 41226-730-12

Nighttime**Sleep-Aid**

Diphenhydramine HCl

- Non-habit forming
- Makes you fall asleep fast

Berry Flavor

Naturally & artificially flavored

No added alcohol

Not for pain. Not for Colds.

Just for Sleep

12 FL. OZ. (354 mL)

TAMPER EVIDENT: Do not use if printed shrink band is missing or broken

*This product is not manufactured or distributed by Proctor & Gamble, the distributor of ZzzQuil™ Nighttime Sleep-Aid.

Distributed by:

7.875" width

Compare to the active ingredient in ZzzQuil™ Nighttime Sleep-Aid*

NDC 41226-730-12

Nighttime Sleep-aid

Diphenhydramine HCl
Non-Habit Forming

Makes you fall asleep fast

Berry Flavor
Naturally and Artificially Flavored

No added alcohol
Not for Pain. Not for Colds. Just for Sleep.

12 FL. OZ. (354 mL)

TAMPER EVIDENT: Do not use if printed shrink band is missing or broken

Drug Facts (continued)

Other information

- each 30 mL dose cup contains: potassium 5 mg; sodium 10 mg
- store at room temperature

Inactive ingredients anhydrous citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions or comments? 1-866-467-2748

*This product is not manufactured or distributed by Procter & Gamble, the distributor of ZzzQuil™ Nighttime Sleep-Aid.

Distributed by:

Drug Facts

Active ingredient (in each 30 mL dose cup)	Purpose
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema, or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions ■ take only one dose per day (24 hours)

■ only use dose cup provided	
adults & children 12 yrs & over	30 mL at bedtime if needed or as directed by a doctor
children under 12 yrs	do not use

CORNER 0.5" CORNER 0.5"

3.5" height

LOT: 73012XXCLR

EXP: 0 00000 00000 0

KROGER NIGHTTIME SLEEP-AID

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41226-730
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-730-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/27/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	05/27/2024	

Labeler - KROGER COMPANY (006999528)

Revised: 6/2024

KROGER COMPANY