

CLEAR EYES REDNESS RELIEF- naphazoline hydrochloride and glycerin liquid
CLEAR EYES REDNESS RELIEF HANDY POCKET PAL- naphazoline hydrochloride
and glycerin liquid
Prestige Brands Holdings, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Clear Eyes Redness Relief

Clear Eyes Redness Relief

Drug Facts

Active Ingredients

Glycerin 0.25%

Purpose

Lubricant

Active Ingredients

Naphazoline hydrochloride 0.012%

Purpose

Redness Reliever

Uses

- relieves redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or to relieve dryness of the eye

Warnings

For external use only.

Do not use

if solution changes color or becomes cloudy.

Ask a doctor before use

if you have narrow angle glaucoma.

When using this product

- to avoid contamination, do not touch tip to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become temporarily enlarged

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or symptoms last for more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Instill 1 to 2 drops in the affected eye(s) up to four times daily.

Other Information

- store at 20°-25°C (68°-77°F)
- remove contact lenses before using

Inactive Ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Questions?

1-877-274-1787 Cleareyes.com.

Clear Eyes Redness Relief, Handy Pocket Pal

Drug Facts

Active Ingredients

Glycerin 0.25%

Purpose

Lubricant

Active Ingredients

Naphazoline hydrochloride 0.012%

Purpose

Redness Reliever

Uses

- relieves redness of the eye due to minor eye irritations
- for use as a protectant against further irritation or to relieve dryness of the eye for the temporary relief of burning and irritation due to dryness of the eye

Warnings

For external use only.

Do not use

if solution changes color or becomes cloudy.

Ask a doctor before use if you have

narrow angle glaucoma.

When using this product

- to avoid contamination, do not touch tip to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become temporarily enlarged

Stop use & ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or symptoms last for more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Instill 1 to 2 drops in the affected eye(s) up to four times daily.

Other Information

- store at 20° -25°C (68° -77°F)
- remove contact lenses before using

Inactive Ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Questions?

1-877-274-1787 cleareyes.com

PRINCIPAL DISPLAY PANEL

CLEAR EYES[®]
REDNESS RELIEF
LUBRICANT/REDNESS RELIEVER EYE DROPS
STERILE 0.5 FL OZ (15 mL)

Drug Facts KEEP CARTON FOR FUTURE REFERENCE

Active ingredients Glycerin 0.25% Lubricant
Naphazoline hydrochloride 0.012% Redness reliever

Purposes

Uses •relieves redness of the eye due to minor eye irritations •for the temporary relief of burning and irritation due to dryness of the eye •for use as a protectant against further irritation or to relieve dryness of the eye

Warnings
For external use only.
Do not use if solution changes color or becomes cloudy.
Ask a doctor before use if you have narrow angle glaucoma.

When using this product

- to avoid contamination, do not touch tip to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become temporarily enlarged

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or symptoms last for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions Instill 1 to 2 drops in the affected eye(s) up to four times daily.

Other information • store at 20°-25°C (68°-77°F)
▪ remove contact lenses before using

Inactive ingredients benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Questions? 1-877-274-1787 ClearEyes.com

UP TO 12 HOURS OF SOOTHING COMFORT

UP TO 12 HOURS OF SOOTHING COMFORT

TRANSFORM YOUR DAY™

CLEAR EYES[®]
REDNESS RELIEF

To open cap, push down and turn.

6 78112 25415 6

CLEAR EYES[®]
REDNESS RELIEF
LUBRICANT/REDNESS RELIEVER EYE DROPS

relieves redness,
dryness, burning & irritation

STERILE 0.5 fl oz (15mL)

BOTTLE IMAGE IS ACTUAL SIZE

PRINCIPAL DISPLAY PANEL

CLEAR EYES[®]
 REDNESS RELIEF
 LUBRICANT/REDNESS RELIEVER EYE DROPS
 POCKET PAL[®]
 STERILE 0.2 FL OZ (6 mL)



CLEAR EYES REDNESS RELIEF

naphazoline hydrochloride and glycerin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-797
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.12 mg in 1 mL
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BORIC ACID (UNII: R57ZHV85D4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-797-01	1 in 1 BOX	04/27/2011	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:67172-797-15	1 in 1 CARTON	04/27/2011	
2		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
3	NDC:67172-797-06	1 in 1 CARTON	04/27/2011	
3		6 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	04/27/2011	

CLEAR EYES REDNESS RELIEF HANDY POCKET PAL

naphazoline hydrochloride and glycerin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-796
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	.00012 mg in 1 mL
GLYCERIN (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X)	GLYCERIN	.0025 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BORIC ACID (UNII: R57ZHV85D4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-796-01	1 in 1 BOX	11/01/2012	
1		6 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	11/01/2012	

Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 9/2023

Prestige Brands Holdings, Inc.