

**ICY HOT WITH LIDOCAINE NO-MESS- menthol and lidocaine liquid
Chattem, Inc.**

Icy Hot with Lidocaine No-Mess Applicator

ICY HOT with LIDOCAINE NO MESS

Drug Facts

Active ingredients

Purposes

Lidocaine HCl
4%.....Topical
anesthetic

Menthol
1%.....Topical
analgesic

Warnings

For external use only

Flammable

- keep away from heat and open flame

Do not use

- on puncture wounds, cuts, irritated or swollen skin
- in large quantities, particularly over raw surfaces or blistered areas
- with a heating pad or a medicated patch to the area of use

Uses

When using this product

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- avoid applying into skin folds
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- severe burning sensation, redness or irritation develop
- experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and older:

- apply a thin layer to affected area not more than 3 to 4 times daily
- massage into painful area until thoroughly absorbed into skin
- wash hands thoroughly with soap and water after each use

children under 12 years of age: consult a doctor

Inactive ingredients:

alcohol denat. (40%), aminomethyl propanol, citric acid, glycerin, hydroxypropyl methylcellulose, water

PRINCIPAL DISPLAY PANEL

ICY HOT
LIDOCAINE
Plus Menthol
NO MESS

Applicator
NET WT 2.5 oz (70.8 g)



ICY HOT WITH LIDOCAINE NO-MESS

menthol and lidocaine liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-1715
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C00X)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-1715-1	70.8 g in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2018	
2	NDC:41167-1715-3	42.5 g in 1 BOTTLE; Type 0: Not a Combination Product	01/21/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/01/2018	

Labeler - Chattem, Inc. (003336013)

Revised: 10/2023

Chattem, Inc.