

MINERAL TINTED FACE SUNSCREEN SPF 30 - LIGHT/ MEDIUM- zinc oxide and titanium dioxide cream

MINERAL TINTED FACE SUNSCREEN SPF 30 - MEDIUM/ DARK- zinc oxide and titanium dioxide cream

Unsun Cosmetics

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mineral Tinted Face Sunscreen SPF 30

Drug Facts

<i>Medicinal ingredients</i>	<i>Purpose</i>
Titanium dioxide 5.5%	Sunscreen
Zinc oxide 6.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

Skin Cancer/Skin Aging Alert

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging
For external use only. Do not use on damaged or broken skin. **When using this product** avoid contact with eyes. If contact occurs, rinse thoroughly with water. **Stop use and ask a doctor** if rash occurs.

Keep out of reach of children. If swallowed, call a poison control center or get medical help right away.

Directions

Adults and children over 6 months of age: Apply liberally and evenly 15 minutes before sun exposure. Reapply after 80 minutes of swimming or perspiring heavily or immediately after towel drying or washing, at least every 2 hours. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.– 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Non-medicinal ingredients

Water/Aqua/Eau, Caprylic/Capric Triglyceride, Isoamyl Laurate, Glycerin, Polyglyceryl-2 Sesquioleate, Coconut Alkanes, Polyglyceryl-3 Ricinoleate, Crambe Abyssinica (Abyssinian) Seed Oil, Sorbitan Sesquioleate, Polyhydroxystearic Acid, Heptyl Undecylenate, Alumina, Stearic Acid, Magnesium Sulfate, Sodium Chloride, Coco-Caprylate/Caprates, Benzyl Alcohol, Butyrospermum Parkii (Shea) Butter, Carthamus Tinctorius (Safflower) Seed Oil, Aloe Barbadensis Leaf Juice, Beeswax/Cera Alba/Cire d'Abeille, Cocos Nucifera (Coconut) Oil, Cucumis Sativus (Cucumber) Fruit Extract, Olea Europaea (Olive) Fruit Oil, Ascorbic Acid, Beta Vulgaris (Beet) Root Extract, Citric Acid, Citrus Aurantium Amara (Bitter Orange) Fruit Extract, Citrus Aurantium Sinensis Peel Extract, Citrus Reticulata (Tangerine) Fruit Extract, Glycine Soja (Soybean) Oil, Hydrolyzed Corn Starch, Lactic Acid, p-Anisic Acid, Tocopherol, Triethoxycaprylylsilane, Iron Oxides (CI 77491, CI 77492, CI 77499).

Other information

- protect this product from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 50 mL Tube Label - Light Medium

unsun™

MINERAL TINTED
FACE SUNSCREEN
LOTION

30

BROAD SPECTRUM
SPF 30

WATER RESISTANT
(80 MINUTES)

NPN xxxxx

LIGHT - MEDIUM

1.7 FL OZ | 50 mL

Tone Indicates
Non-Print Areas

Drug Facts

Medicinal ingredients	Purpose
Titanium dioxide 5.5%.....	Sunscreen
Zinc oxide 6.5%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging. **For external use only. Do not use on damaged or broken skin.** **When using this product** avoid contact with eyes. If contact occurs, rinse thoroughly with water. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, call a poison control center or get medical help right away.

Directions

Adults and children over 6 months of age: Apply liberally and evenly 15 minutes before sun exposure. Reapply after 80 minutes of swimming or perspiring heavily or immediately after towel drying or washing, at least every 2 hours. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Non-medicinal ingredients Water/Aqua/Eau, Caprylic/Capric Triglyceride, Isoamyl Laurate, Glycerin, Polyglyceryl-2 Sesquiolate, Coconut Alkanes, Polyglyceryl-3 Ricinoleate, Crambe Abyssinica (Abyssinian) Seed Oil, Sorbitan Sesquiolate, Polyhydroxystearic Acid, Heptyl Undecylate, Alumina, Stearic Acid, Magnesium Sulfate, Sodium Chloride, Coco-Caprylate/Caprate, Benzyl Alcohol, Butyrospermum Parkii (Shea) Butter, Carthamus Tinctorius (Safflower) Seed Oil, Aloe Barbadosensis Leaf Juice, Beeswax/Cera Alba/Cire d' Abeille, Cocos Nucifera (Coconut) Oil, Cucumis Sativus (Cucumber) Fruit Extract, Olea Europaea (Olive) Fruit Oil, Ascorbic Acid, Beta Vulgaris (Beet) Root Extract, Citric Acid, Citrus Aurantium Amara (Bitter Orange) Fruit Extract, Citrus Aurantium Sinensis Peel Extract, Citrus Reticulata (Tangerine) Fruit Extract, Glycine Soja (Soybean) Oil, Hydrolyzed Corn Starch, Lactic Acid, p-Anisic Acid, Tocopherol, Triethoxycaprylylsilane, Iron Oxides (CI 77491, CI 77492, CI 77499).

Other information • protect this product from excessive heat and direct sun

Made in the USA of foreign and domestic components.
UNSun Cosmetics, Inc | 23371 Mulholland Drive
Woodland Hills, California, 91354 | www.unsuncosmetics.com
Imported by:

Lot No. xxxxx

Exp. xx/xxxx



MINERAL TINTED
FACE SUNSCREEN
LOTION

30

BROAD SPECTRUM
SPF 30

WATER RESISTANT
(80 MINUTES)

NPN xxxxxx

LIGHT - MEDIUM

1.7 FL OZ | 50 mL

PRINCIPAL DISPLAY PANEL - 50 mL Tube Label - Medium Dark

unsun™

MINERAL TINTED
FACE SUNSCREEN
LOTION

30

BROAD SPECTRUM
SPF 30

WATER RESISTANT
(80 MINUTES)

NPN xxxxx

MEDIUM - DARK

1.7 FL OZ | 50 mL

Tone Indicates
Non-Print Areas

Drug Facts

Medicinal ingredients	Purpose
Titanium dioxide 5.5%.....	Sunscreen
Zinc oxide 6.5%.....	Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging. **For external use only. Do not use on damaged or broken skin.** When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, call a poison control center or get medical help right away.

Directions

Adults and children over 6 months of age: Apply liberally and evenly 15 minutes before sun exposure. Reapply after 80 minutes of swimming or perspiring heavily or immediately after towel drying or washing, at least every 2 hours. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Non-medicinal ingredients Water/Aqua/Eau, Caprylic/Capric Triglyceride, Isoamyl Laurate, Glycerin, Polyglyceryl-2 Sesquioleate, Coconut Alkanes, Polyglyceryl-3 Ricinoleate, Crambe Abyssinica (Abyssinian) Seed Oil, Sorbitan Sesquioleate, Polyhydroxystearic Acid, Heptyl Undecylate, Alumina, Stearic Acid, Magnesium Sulfate, Sodium Chloride, Coco-Caprylate/Caprate, Benzyl Alcohol, Butyrospermum Parkii (Shea) Butter, Carthamus Tinctorius (Safflower) Seed Oil, Aloe Barbadensis Leaf Juice, Beeswax/Cera Alba/Cire d' Abeille, Cocos Nucifera (Coconut) Oil, Cucumis Sativus (Cucumber) Fruit Extract, Olea Europaea (Olive) Fruit Oil, Ascorbic Acid, Beta Vulgaris (Beet) Root Extract, Citric Acid, Citrus Aurantium Amara (Bitter Orange) Fruit Extract, Citrus Aurantium Sinensis Peel Extract, Citrus Reticulata (Tangerine) Fruit Extract, Glycine Soja (Soybean) Oil, Hydrolyzed Corn Starch, Lactic Acid, p-Anisic Acid, Tocopherol, Triethoxycaprylylsilane, Iron Oxides (CI 77491, CI 77492, CI 77499).

Other information • protect this product from excessive heat and direct sun

Made in the USA of foreign and domestic components.
UNSUN Cosmetics, Inc | 23371 Mulholland Drive
Woodland Hills, California, 91354 | www.unsuncosmetics.com
Imported by:

Lot No. xxxxx

Exp. xx/xxxx



MINERAL TINTED
FACE SUNSCREEN
LOTION

30

BROAD SPECTRUM
SPF 30

WATER RESISTANT
(80 MINUTES)

NPN xxxxx

MEDIUM - DARK

1.7 FL OZ | 50 mL

MINERAL TINTED FACE SUNSCREEN SPF 30 - LIGHT/ MEDIUM

zinc oxide and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73455-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.055 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
COCONUT ALKANES (UNII: 1E5KJY107T)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)	
CRAMBE HISPANICA SUBSP. ABYSSINICA SEED OIL (UNII: 0QW9S92J3K)	
Sorbitan Sesquioleate (UNII: 0W8RRI5W5A)	
Heptyl Undecylenate (UNII: W77QUB6GXO)	

Product Characteristics

Color	BROWN (tan)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73455-011-28	1 in 1 BOX	04/15/2019	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/15/2019	

MINERAL TINTED FACE SUNSCREEN SPF 30 - MEDIUM/ DARK

zinc oxide and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73455-111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.055 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
COCONUT ALKANES (UNII: 1E5KJY107T)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)	
CRAMBE HISPANICA SUBSP. ABYSSINICA SEED OIL (UNII: 0QW9S92J3K)	
Sorbitan Sesquioleate (UNII: 0W8RRI5W5A)	
Heptyl Undecylenate (UNII: W77QUB6GXO)	

Product Characteristics

Color	BROWN (beige)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73455-111-30	1 in 1 BOX	04/15/2019	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/15/2019	

Labeler - Unsun Cosmetics (080766704)

Establishment

Name	Address	ID/FEI	Business Operations
Pack On Demand		610511326	MANUFACTURE(73455-011, 73455-111)

Revised: 3/2022

Unsun Cosmetics