

OXYGEN- oxygen gas

Ogles Oxygen, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen, USP

Principal for Oxygen Product

Danger: May cause or intensify fire; oxidizer.
Contains gas under pressure; may explode if heated.



C.A.S. NO. 7782-44-7



adapthealth
ogles oxygen

5901 Goshen Springs Road • Suite G – Norcross, GA 30071
P: 800-868-8822

Oxygen, Compressed
USP UN1072

Produced by Air Liquefaction

| Size | Contents |
|---|------------------|
| <input type="checkbox"/> MD 165 LTRS. | 2216 PSI AT 70°F |
| <input type="checkbox"/> D 359 LTRS. | 2000 PSI AT 70°F |
| <input type="checkbox"/> E 655 LTRS. | 2000 PSI AT 70°F |
| <input type="checkbox"/> M60 1699 LTRS. | 2216 PSI AT 70°F |
| <input type="checkbox"/> MM 3450 LTRS. | 2216 PSI AT 70°F |

**Do Not Remove
This Product Label.**

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx Only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by established registered as a drug manufacturer in accordance with the federal Food, Drug and Cosmetic Act.

Danger: Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C(125°F) Read and follow the Safety Data Sheet (SDS) before use.

Oxygen, Compressed

USP UN1072

Produced by Air Liquefaction

Do Not Remove

This Product Label.

Danger: May cause or intensify fire; oxidizer.

Contains gas under pressure; may explode if heated.

Warning: For emergency use only when administered by properly trained personnel for oxygen

deficiency and resuscitation. For all other medical applications. **Rx Only.** Uninterrupted use of high

concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of

arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing

unless used in conjunction with resuscitative equipment. Keep out of reach of children.

Federal law

requires that this container be refilled with oxygen USP only by established registered as a drug

manufacturer in accordance with the federal Food, Drug and Cosmetic Act.

Danger: Do not handle until all safety precautions have been read and understood. Keep and

store away from clothing and other combustible materials. Keep valves and fittings free from

grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak

if safe to do so. Use a back flow preventive device in the piping. Use only with equipment cleaned

for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from

sunlight when ambient temperature exceeds 52°C(125°F) Read and follow the Safety Data Sheet

(SDS) before use.

LOT
EXPIRATION DATE

Representative Labeling
pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:74911-001 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 99 L in 100 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:74911-001-01 | 165 L in 1 CYLINDER; Type 0: Not a Combination Product | 04/07/2020 | |
| 2 | NDC:74911-001-02 | 359 L in 1 CYLINDER; Type 0: Not a Combination Product | 04/07/2020 | |
| 3 | NDC:74911-001-03 | 655 L in 1 CYLINDER; Type 0: Not a Combination Product | 04/07/2020 | |
| 4 | NDC:74911-001-04 | 1699 L in 1 CYLINDER; Type 0: Not a Combination Product | 04/07/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| unapproved medical gas | | 04/07/2020 | |

Labeler - Ogles Oxygen, LLC (079708390)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|-------------------|----------------|---------------|----------------------------|
| Ogles Oxygen, LLC | | 079708390 | manufacture(74911-001) |

Revised: 12/2023

Ogles Oxygen, LLC