

40% OXYGEN/NITROGEN MIX- 40% oxygen/nitrogen mix gas
NexAir LLC

40% Oxygen/ Nitrogen Mix

COMPRESSED GAS, OXIDIZING, N.O.S. (NITROGEN, OXYGEN)

UN3156

% OXYGEN USP

% NITROGEN NF MIXTURE

RX ONLY

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. CONTAINS GAS UNDER PRESSURE MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only equipment compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: (7782-44-7) (7727-37-9)

NET CONTENTS

Contains Cubic Feet at 70 F and PSIG

DO NOT REMOVE THIS PRODUCT LABEL.

nexAir

Distributed by nexAir, LLC www.nexair.com

1385 Corporate Ave. Memphis, TN 38132 888-639-2474

**COMPRESSED GAS,
OXIDIZING, N.O.S.**
(NITROGEN, OXYGEN)
UN3156



% OXYGEN USP
% NITROGEN NF
MIXTURE

Rx Only

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use back flow prevention device in the piping. Use only with equipment compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 32 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use. CAS: (7782-44-7) (7727-37-9)

NET CONTENTS

Contains Cubic Feet at 70 °F and PSIG

DO NOT REMOVE THIS PRODUCT LABEL.



Distributed by nexAir, LLC • www.nexAir.com
1385 Corporate Ave. • Memphis, TN 38132 • 888-639-2474

40% OXYGEN/NITROGEN MIX

40% oxygen/nitrogen mix gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:12213-200
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	400 mL in 1 L

Inactive Ingredients

Ingredient Name	Strength
NITROGEN (UNII: N762921K75)	600 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:12213-200-01	5984 L in 1 CYLINDER; Type 0: Not a Combination Product	04/09/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205865	04/09/2020	

Labeler - NexAir LLC (927024422)

Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		010263301	manufacture(12213-200)

Revised: 11/2023

NexAir LLC