HARUHOME HAND SANITIZER- alcohol liquid George K Hood LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Active Ingredient(s)

Alcohol 80% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information


- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, hydrogen peroxide, purified water USP

Package Label - Principal Display Panel





118.294 mL NDC: 7490-001-04

alcohol liquid

Product Type HUMAN OTC DRUG Item Code (Source) NDC:74950-003

Route of Administration TOPICAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength
ı	ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	80 mL in 100 mL

Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6 A3C0 OX)	1.45 mL in 100 mL			
HYDRO GEN PERO XIDE (UNII: BBX060AN9V)	0.125 mL in 100 mL			
WATER (UNII: 059QF0KO0R)				

Item Code Package Description Marketing Start Date Marketing End Date NDC:74950-003- 118 294 mL in 1 BOTTLE SPRAY: Type 0: Not a Combination

1 NDC:74950-003- 118.294 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product 03/30/2020

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/30/2020	

Labeler - George K Hood LLC (122360994)

Establishment							
Name	Address	ID/FEI	Business Operations				
George K Hood Legacy LLC		122360994	manufacture(74950-003)				

Revised: 4/2020 George K Hood LLC