# ESOMEPRAZOLE MAGNESIUM - esomeprazole magnesium capsule, delayed release

INNOVUS PHARMACEUTICALS, INC.

-----

#### Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg\*

#### Drug Facts

Active ingredient (in each capsule)

\*Esomeprazole 20 mg (Each delayed-release capsule corresponds to 21.75 mg esomeprazole magnesium dihydrate USP)

#### Purpose

Acid reducer

#### Uses

- treats frequent heartburn (occurs **<u>2 or more</u>** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

#### Warnings

#### Allergy alert:

- Do not use if you are allergic to esomeprazole.
- Esomeprazole may cause severe skin reactions.

Symptoms may include: ■ Skin reddening ■ blisters ■ rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain.

These may be signs of a serious condition. See your doctor.

#### Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn

- unexplained weight loss
- nausea or vomiting
- stomach pain

#### Ask a doctor or pharmacist before use if you are

• taking a prescription drug. Acid reducers may interact with certain prescription drugs.

#### Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

#### 14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

#### **Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

• Meets USP dissolution test 2

#### Inactive ingredients

colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid and ethyl acrylate copolymer dispersion, mono and di glycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains liquid glucose, starch (maize) and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide.

#### **Questions or comments?**

call 1-855-274-4122 (Monday – Friday 8:30 AM to 5:00 PM EST)

Distributed By: Innovus Pharmaceuticals, Inc. Englewood, CO 80112 www.crclehealth.com

Made in India

Code: TS/DRUGS/22/2009

### PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsule Container Label)

NDC 57483-225-14 C'rcle<sup>™</sup> Heartburn Relief EsomepraCare<sup>®</sup>

Esomeprazole Magnesium Delayed-Release Capsules USP

20 mg\* / Acid Reducer

See new warning information

#### 24

hour Treats Frequent Heartburn

#### **14 CAPSULES**

One 14-day course of treatment May take 1 to 4 days for full effect

# Top Ply



Warnings

5-14	Do not use if seal imprinted with SEALED for YOUR PROTECTION under the bottle cap is broken or missing.				
KEEP CARTON FOR COMPLETE WARNINGS AND IMPORTANT INFORMATION.					
	Englewood, CO	ributed By: vvus Pharmaceuticals, Inc. lewood, CO 80112 w.crclehealth.com			
	Made in India	Code: TS/DRUGS/22/2009			
	100720-1	01.23			

nted with TION under or missing.	Active ingredient (in each *Esomeprazole 20 mg (Each delayed-release capsule cor	A	Cid reducer a Lan H
E WARNINGS	esomeprazole magnesium dihydra		Ť
MATION.	Uses treats frequent	P1432285	
	heartburn (occurs <u>2 or more</u> days a week) ■ not intended for immediate relief of		
GS/22/2009	heartburn; this drug may take 1 to 4 days for full effect	NO	Varnish

Top Ply (Page #1)

#### P1432285 LM-5094

Intervalent: Do not use if you are allergic to esomeprazole. Esomeprazole may cause severe skin reactions. Symptoms may include: Skin reddening bilsters rash.
If an allergic reaction occurs, stop use and seek medical help right away. Do not use if you have: Trouble or pain swallowing food, vomiting with blood, or bloody or black stools heartburn with
Ightheadedness, sweating or dizziness chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness frequent chest pain.
These may be signs of a serious condition. See your doctor. Ask a doctor before use if you have: The had heartburn over 3 months. This may be a sign of a more serious condition.
If equent wheezing, particularly with heartburm unexplained weight loss masse or vomiting stomach pain. Ask a doctor or pharmacist before use if you are may be a signs of a serious condition.
If equent wheezing, particularly with heartburm unexplained weight loss massea or vomiting stomach pain. Ask a doctor or pharmacist before use if you are may be a sign of a more serious condition.
If equent wheezing, particularly with heartburm weight loss massea or vomiting stomach pain. Ask a doctor or pharmacist before use if you are may be a sign of a more serious condition.
If equent wheezing, particularly with heartburm gescription fung. Stop use and ask a doctor if more if an 14 days
you need to take more than 1 course of treatment every 4 months you get diarrhea you develop a rash or joint pain. If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Directions may adults 18 years of age and older

HINGE

#### Back of Top Ply (Page #2)

### **Bottom Ply**

HINGE

This product is to be used once a day (every 24 hours), every day for 14 days in may take T to 4 days for full effect. 14-Day Course of Treatment is swallow the course of the attraction of the morning in take every day for 14 days in do not take more than 1 capsule a day is swallow whole. Do not crush or chew capsules. If do not take for more than 14 days unless directed by your doctor. Repeated 14-Day Courses (if needed) is your may repeat a 14-day course every 4 months in do not take for more than 14 days or more often than every 4 months unless directed by a doctor is (if needed) is your may repeat a 14-day course every 4 months is a do not take for more than 14 days or more often than every 4 months unless directed by a doctor is (if needed) is your may repeat a 14-day course every 4 months is be caused by a serious condition. Other information is read the directions and warnings before use is every the provide the directions. It contains important information is one at 20-25°C (68-77°F) is methacylic acid and ethyl excitite ingredients collidal silicon divide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonale, magnesium oxide, methacylic acid and ethyl eacrylate cooplymer dispersion, mono and di glycerides, polysorbate 80, propylene glycol, shellac, sodium lawyl suffat, strong ammonia solution, sugar spheres (which contains liquid glucose, starch grants) and is sucrose), taic, titanium dioxide, triethyl citrate and yellow ino xode. Questions or comments? call 1-85-274-4122 (Monday - Friday 8:30 AM to 5:00 PM EST)

P1432285 LM-5094

Base (Page #3) Bottom Ply

## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (42 Capsule Container Carton)


Compare to active ingredient of Nexium<sup>®</sup> 24 HR<sup>†</sup> C'rcle<sup>™</sup> Heartburn Relief EsomepraCare<sup>®</sup> NDC 57483-225-42

**Esomeprazole Magnesium Delayed-Release Capsules USP** 20 mg\* / Acid Reducer

See new warning information 24 hour Treats Frequent Heartburn

#### 42 CAPSULES TRIPLE PACK 3X14 count bottles inside

Three 14-day courses of treatment May take 1 to 4 days for full effect



ESOMEPRAZOLE M	AGNESIUM					
esomeprazole magnesium		release				
Product Information						
Product Type	HUMAN OTC DRUG	G	ltem Code (Source)	1	NDC:574	83-225
Route of Administration	ORAL					
Active Ingredient/Activ	ve Moiety					
	Ingredient Name	e			is of ngth	Strength
ESOMEPRAZOLE MAGNESIUM	I DIHYDRATE (UNII: 3	36H71644E	Q) (ESOMEPRAZOLE -	ESOMEPF	•	20 mg
UNII:N3PA6559FT)				LJOMEN		20 mg
Inactive Ingredients						
	Ingredien	nt Name				Strength
SILICON DIOXIDE (UNII: ETJ7Z6						
FD&C BLUE NO. 1 (UNII: H3R47						
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)						
HYDROXYPROPYL CELLULOSE			SN6OH)			
HYPROMELLOSE, UNSPECIFIE		0)				
MAGNESIUM CARBONATE (UN						
MAGNESIUM OXIDE (UNII: 3A3U						
METHACRYLIC ACID - ETHYL		MER (1:1)	TYPE A (UNII: NX76LV	5T8J)		
GLYCERYL MONOSTEARATE						
POLYSORBATE 80 (UNII: 60ZP						
PROPYLENE GLYCOL (UNII: 6D	C9Q167V3)					
SHELLAC (UNII: 46N107B710)						
SODIUM LAURYL SULFATE (UN	NII: 368GB5141J)					
AMMONIA (UNII: 5138Q19F1X)						
DEXTROSE, UNSPECIFIED FO		12)				
STARCH, CORN (UNII: 08232NY	(3SJ)					
SUCROSE (UNII: C151H8M554)						
TALC (UNII: 7SEV7J4R1U)						
TITANIUM DIOXIDE (UNII: 15FI)	K9V2JP)					
TDIETUVI CITDATE (UNUL 0704	5QXD6UM)					
INEINIL CIIKAIE (UNII: 8296						
	EX438O2MRT)					
	EX438O2MRT)					
FERRIC OXIDE YELLOW (UNII:						
FERRIC OXIDE YELLOW (UNII: Product Characteristic		Score		r	no score	
	S	Score Size			no score .4mm	
FERRIC OXIDE YELLOW (UNII: Product Characteristic Color	: <b>S</b> HITE		Code	1		

Packaging				
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:57483-225- 42	3 in 1 CARTON	05/25/2023	
14 in 1 BOTTLE; Type 0: Not a Combination Product				
Μ	arketing l	nformation		
Μ	<b>arketing</b>   Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Labeler - INNOVUS PHARMACEUTICALS, INC. (962507187)

Registrant - Aurohealth LLC (078728447)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Aurobindo Pharma Limited		650381903	ANALYSIS(57483-225), MANUFACTURE(57483-225)		

Revised: 4/2024

INNOVUS PHARMACEUTICALS, INC.