MEDISEPTIC ANTINFECTANT- benzalkonium chloride liquid Katan Technologies USA, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MediSeptic Anti Infectant Hand Sanitizer

Medis eptic

Application:

Apply approx. 3-5ml of undiluted product into hollow hands and rub in. In particular take into account thumbs and fingertips, as they have most frequent contact with contaminated surfaces and objects.

Frequency: Repeat as needed, to renew two hour long term protection.

Application time: 1 minute

Mediseptic

Inactive Ingredients:

Water

Organic acids

ORganic polymers

Glycerin

MediSeptic

Use:

Hygienic hand disinfection

Use disinfectant safely. Always read label and product information before use.

Medis eptic

Active Ingredient: Benzalkonium chloride0.1%antibacterial

Medis eptic

Safety information: • Keep out of reach of children. Purpose: antimicrobial for hand sanitizing

Medis eptic

Warnings

For external use only. Keep out of reach of children. Not for food use. Do not ingest.

Medis eptic

- Keep out of reach of children.
- Do not mix with acids and alkalis.
- Store below 30C/86F.
- Dispose of empty container in accordance with local regulations.
- Safety data sheet available upon request.
- Keep container tightly closed after use and keep cool.

MediSeptic Anitinfectant

MediSeptic

protect yourself everyday

Anti Infectant Spray

for hygienic hand disinfection in accordance with DIN EN 1500

120 Min. Long-Term Efficacy

- Continuous protection for 2 hours
- Proven efficacy against bacteria and viruses (99.999%)
- Skin-friendly and alcohol-free

Use:

Hygienic hand disinfection

Application:

Apply approx. 3-5ml of undiluted product into hollow hands and rub in. In particular take into account thumbs and fingertips, as they have the most frequent contact with contaminated surfaces and objects.

Frequency: Repeat as needed, to renew two-hour long term protection.

Application time: 1 minute

Safety information:

- Keep out of reach of children.
- Do not mix with acids and alkalis.
- Store below 30C/86F.
- Dispose of empty container in accordance with local regulations.
- Safety data sheet available upon request.
- Keep container tightly closed after use and keep cool.

Non-hazardous substance according to CLP-regulation


Alcohol-free

Non-toxic

Without surfactants and aldehydes

Non-flammable

Use disinfectant safely. Always read label and product information before use.



| oenzalkonium chloride liquid | | | | | | |
|--|-----------------|----------------|--------------------------|-----------------|-------------------|--|
| Product Information | | | | | | |
| Product T ype | HUMAN OTC DRUG | Item Code (Sou | Item Code (Source) | | NDC:71315-800 | |
| Route of Administration | TOPICAL | | | | | |
| | | | | | | |
| Active Ingredient/Active | Moiety | | | | | |
| | Ingredient Name | | Basis of | Strength | Strengt | |
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) | | | BENZALKONIUM CHLORIDE | | 0.1 g in 100 g | |
| | | | | | | |
| Inactive Ingredients | | | | | | |
| | | Strength | | | | |
| SALICYLIC ACID (UNII: O414PZ4LPZ) | | | | 0.25 g in 100 g | | |
| POVIDONE K15 (UNII: E54VE15114) | | | | 0.24 g in 100 g | | |
| CALCIUM FLUORIDE (UNII: O3B55K4YKI) | | | | 0.01g in 100g | | |
| GLYCERIN (UNII: PDC6A3C0OX | | 0.9 g in 100 g | | | | |
| WATER (UNII: 059QF0KO0R) | | | 98.5 g in 100 g | | | |

| Packaging | | | | | | | | |
|-------------------------|----------------------|----------------|---|-------------------------|-----------------------|--|--|--|
| # | Item Code | | Package Description | Marketing Start Date | Marketing End Date | | | |
| 1 | NDC:71315-800- 50 | 500 g Produ | in 1 BOTTLE, PLASTIC; Type 0: Not a Combination ct | 0 5/0 1/20 20 | | | | |
| 2 | NDC:71315-800- 10 | 100 g Produ | in 1 BOTTLE, PLASTIC; Type 0: Not a Combination ct | 05/01/2020 | | | | |
| 3 | NDC:71315-800- 25 | 250 g Produ | in 1 BOTTLE, PLASTIC; Type 0: Not a Combination ct | 05/01/2020 | | | | |
| 4 | NDC:71315-800- 01 | 10 g i | n 1 BOTTLE, SPRAY; Type 0: Not a Combination Produc | et 05/01/2020 | | | | |
| 5 | NDC:71315-800- 05 | 50 g i | n 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 0 5/0 1/20 20 | | | | |
| | | | | | | | | |
| Marketing Information | | | | | | | | |
| Marketing Category | | ory | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | |
| OTC monograph not final | | final | part333A (|) 5/0 1/20 20 | | | | |

Labeler - Katan Technologies USA, LLC (063773754)

Revised: 5/2020

Katan Technologies USA, LLC