

VIREX- asclepias tuberosa, echinacea purpurea, trifolium pratense, natrum muriaticum, phytolacca decandra, euphrasia officinalis, lac vaccinum (nspc), thuja occidentalis, calcarea arsenicica, camphora, influenzinum, cytomegalovirus nosode, morbillinum, variolinum, coxsackie a2 nosode, coxsackie a3 nosode, coxsackie a4 nosode, coxsackie a7 nosode, coxsackie b1 nosode, coxsackie b3 nosode, coxsackie b5 nosode, coxsackie a5 nosode, adenoviren nosode, epstein barr virus nosode, coxsackie b4 nosode spray

Nutritional Specialties, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Asclepias Tuberosa 3X, Echinacea Purpurea 3X, Trifolium Pratense 3X, Natrum Muriaticum 4X, Phytolacca Decandra 4X, Euphrasia Officinalis 6X, Lac Vaccinum 6X, Thuja Occidentalis 6X, 12X, 30X, Calcarea Arsenicica 12X, Camphora 12X, Influenzinum 12X, 30X, 60X, Cytomegalovirus Nosode 15X, 30X, 60X, Morbillinum 16X, 30X, 60X, Variolinum 16X, 30X, 60X, Coxsackie A2 Nosode 9C, Coxsackie A3 Nosode 9C, Coxsackie A4 Nosode 9C, Coxsackie A7 Nosode 9C, Coxsackie B1 Nosode 9C, Coxsackie B3 Nosode 9C, Coxsackie B5 Nosode 9C, Coxsackie A5 Nosode 15C, Adenoviren Nosode 15C, 30C, Epstein-Barr Virus Nosode 15C, 30C, Coxsackie B4 Nosode 18C.

PURPOSE:

Aids in temporary relief of symptoms including occasional headaches, sweats, chills, runny nose, and minor aches of muscles and joints.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Professional Use Only

If pregnant or breast-feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

INDICATIONS:

Aids in temporary relief of symptoms including occasional headaches, sweats, chills, runny nose, and minor aches of muscles and joints.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Alcohol USP 20%, Purified Water USP.

QUESTIONS:

**MANUFACTURED EXCLUSIVELY FOR
NUTRITIONAL SPECIALTIES, INC.**

PO BOX 97227

PITTSBURG, PA 15229

www.phpltd.com

PACKAGE LABEL DISPLAY:

Professional

Health Products

HOMEOPATHIC

NDC 83027-0050-1

VIREX

2 FL. OZ (60 ml)

Professional Use Only

WARNINGS: If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening.

† Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



VIREX

X17 (reorder code)

Active Ingredients: Asclepias Tuberosa 3x. Echinacea Purpurea 3x. Trifolium Pratense 3x. Natrum Muriaticum 4x. Phytolacca Decandra 4x. Euphrasia Officinalis 6x. Lac Vaccinum 6x. Thuja Occidentalis 6x, 12x, 30x. Calcarea Arsenicica 12x. Camphora 12x. Influenzinum 12x, 30x, 60x. Cytomegalovirus Nosode 15x, 30x, 60x. Morbillinum 16x, 30x, 60x. Variolinum 16x, 30x, 60x. Coxsackie A2 Nosode 9c. Coxsackie A3 Nosode 9c. Coxsackie A4 Nosode 9c. Coxsackie A7 Nosode 9c. Coxsackie B1 Nosode 9c. Coxsackie B3 Nosode 9c. Coxsackie B5 Nosode 9c. Coxsackie A5 Nosode 15c. Adenoviren Nosode 15c, 30c. Epstein-Barr Virus Nosode 15c, 30c. Coxsackie B4 Nosode 18c.

Inactive Ingredients: Alcohol USP 20%, Purified Water USP.

2 FL. OZ. (60 ml)

Indication: Aids in temporary relief of symptoms including occasional headaches, sweats, chills, runny nose, and minor aches of muscles and joints.†

Directions For Use: Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

Professional Health Products MANUFACTURED EXCLUSIVELY FOR NUTRITIONAL SPECIALTIES, INC. PO BOX 97227 PITTSBURGH, PA 15229 www.phpltd.com rev. 1.0

VIREX

asclepias tuberosa, echinacea purpurea, trifolium pratense, natrum muriaticum, phytolacca decandra, euphrasia officinalis, lac vaccinum (nspc), thuja occidentalis, calcarea arsenicica, camphora, influenzzinum, cytomegalovirus nosode, morbillinum, variolinum, coxsackie a2 nosode, coxsackie a3 nosode, coxsackie a4 nosode, coxsackie a7 nosode, coxsackie b1 nosode, coxsackie b3 nosode, coxsackie b5 nosode, coxsackie a5 nosode, adenoviren nosode, epstein barr virus nosode, coxsackie b4 nosode spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83027-0050
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCLEPIAS TUBEROSA ROOT (UNII: 1ZL82U5D18) (ASCLEPIAS TUBEROSA ROOT - UNII:1ZL82U5D18)	ASCLEPIAS TUBEROSA ROOT	3 [hp_X] in 1 mL
ECHINACEA PURPUREA WHOLE (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA WHOLE	3 [hp_X] in 1 mL
TRIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) (TRIFOLIUM PRATENSE FLOWER - UNII:4JS0838828)	TRIFOLIUM PRATENSE FLOWER	3 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	4 [hp_X] in 1 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	4 [hp_X] in 1 mL
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	6 [hp_X] in 1 mL
COW MILK (UNII: 917J3173FT) (COW MILK - UNII:917J3173FT)	COW MILK	6 [hp_X] in 1 mL
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	6 [hp_X] in 1 mL
CALCIUM ARSENATE (UNII: 95OX15I8ZU) (ARSENATE ION - UNII:G1DBI405OK)	CALCIUM ARSENATE	12 [hp_X] in 1 mL

CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	12 [hp_X] in 1 mL
INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) ANTIGEN (UV, FORMALDEHYDE INACTIVATED) (UNII: 34C49NV47P) (INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) - UNII:NGL844Y7X6)	INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) ANTIGEN (UV, FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) ANTIGEN (UV, FORMALDEHYDE INACTIVATED) (UNII: P483J7GX6D) (INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) - UNII:GRN94TP8YV)	INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) ANTIGEN (UV, FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
INFLUENZA B VIRUS B/AUSTRIA/1359417/2021 BVR-26 ANTIGEN (UV, FORMALDEHYDE INACTIVATED) (UNII: TBV2PPG6EF) (INFLUENZA B VIRUS B/AUSTRIA/1359417/2021 BVR-26 HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) - UNII:28EAH8253X)	INFLUENZA B VIRUS B/AUSTRIA/1359417/2021 BVR-26 ANTIGEN (UV, FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (UV, FORMALDEHYDE INACTIVATED) (UNII: H2198F8ZNA) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) - UNII:3VSF1BF3SR)	INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (UV, FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
HUMAN HERPESVIRUS 5 (UNII: 7COI029E6K) (HUMAN HERPESVIRUS 5 - UNII:7COI029E6K)	HUMAN HERPESVIRUS 5	15 [hp_X] in 1 mL
MEASLES VIRUS (UNII: HT3R7C012Q) (MEASLES VIRUS - UNII:HT3R7C012Q)	MEASLES VIRUS	16 [hp_X] in 1 mL
VARIOLA VIRUS (UNII: 7J6DBS5FRN) (VARIOLA VIRUS - UNII:7J6DBS5FRN)	VARIOLA VIRUS	16 [hp_X] in 1 mL
HUMAN COXSACKIEVIRUS A2 (UNII: 82KK5J435E) (HUMAN COXSACKIEVIRUS A2 - UNII:82KK5J435E)	HUMAN COXSACKIEVIRUS A2	9 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS A (UNII: 6F61V9UVRC) (HUMAN COXSACKIEVIRUS A - UNII:6F61V9UVRC)	HUMAN COXSACKIEVIRUS A	9 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS A7 (UNII: P3026TK92O) (HUMAN COXSACKIEVIRUS A7 - UNII:P3026TK92O)	HUMAN COXSACKIEVIRUS A7	9 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS B1 (UNII: ADL68M27WD) (HUMAN COXSACKIEVIRUS B1 - UNII:ADL68M27WD)	HUMAN COXSACKIEVIRUS B1	9 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS B3 (UNII: 69O1DAO10G) (HUMAN COXSACKIEVIRUS B3 - UNII:69O1DAO10G)	HUMAN COXSACKIEVIRUS B3	9 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS B5 (UNII: 63E6RXM429) (HUMAN COXSACKIEVIRUS B5 - UNII:63E6RXM429)	HUMAN COXSACKIEVIRUS B5	9 [hp_C] in 1 mL
HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 ANTIGEN (UNII: FKD3DUK39I) (HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 - UNII:FKD3DUK39I)	HUMAN ADENOVIRUS E SEROTYPE 4 STRAIN CL-68578 ANTIGEN	15 [hp_C] in 1 mL
HUMAN HERPESVIRUS 4 (UNII: 2A26YW7PNX) (HUMAN HERPESVIRUS 4 - UNII:2A26YW7PNX)	HUMAN HERPESVIRUS 4	15 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS B (UNII: NCM5G1A67U) (HUMAN COXSACKIEVIRUS B - UNII:NCM5G1A67U)	HUMAN COXSACKIEVIRUS B	18 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a	04/13/2022	

0050-1	Combination Product	04/13/2023	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/13/2023	

Labeler - Nutritional Specialties, Inc. (032744609)

Revised: 4/2023

Nutritional Specialties, Inc.