

**GLYCERIN- glycerin suppository**  
**DSC Laboratories Inc.**

-----  
**DSC Labs Adult Glycerin Suppositories**

**Active ingredient (in each suppository)**

Glycerin 2.1g

**Purpose**

Laxative

**Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**

May cause rectal discomfort or a burning sensation.

**Ask a doctor before using any laxative if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions-single daily dosage**

adult and children 6 years and over - 1 suppository, or as directed by a doctor

children 2 to under 6 years - use Child Suppositories

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

## Other information

- Store container tightly closed.
- Keep away from excessive heat.

## Inactive ingredients

purified water, sodium hydroxide, stearic acid

## Questions or comments?

1-800-492-5988

## Label

**DSC Labs** Compare to Fleet® Glycerin Suppositories®

**Glycerin Suppositories**  
**LAXATIVE**

For fast, gentle relief of occasional constipation

**50 Adult Suppositories**

**Do not use if printed inner seal is damaged or missing.**

**Drug Facts**

**Active Ingredient (in each suppository)** Glycerin 2.1g.....Laxative

**Purpose**.....Laxative

**Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**

For rectal use only  
May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using product

These symptoms may indicate a serious condition.

Keep out of reach of children.  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Single daily dosage

adults and children 6 years and over	1 suppository, or as directed by a doctor
children 2 to under 6 years	use Child Suppositories

Insert suppository well up into rectum.  
Suppository need not melt completely to produce laxative action.

**Other information**

- Store container tightly closed.
- Keep away from excessive heat.

**Inactive ingredients**  
purified water, sodium hydroxide, stearic acid

Manufactured by: DSC Laboratories  
1979 Latimer Dr., Muskegon, MI 49442  
1-800-492-5988

\*This product is not manufactured or distributed by C.B. Fleet Co., Inc. owner of the registered trademark Fleet®

72050

7 84056 72050 0

**NO VARNISH AREA**

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Adult Glycerin Suppositories, 50 count

Manufactured by

DSC Laboratories Inc.

1979 Latimer Dr.

Muskegon, MI 49442 USA

DSCLabs\_50ct

## GLYCERIN

glycerin suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52316-725
<b>Route of Administration</b>	RECTAL		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)		GLYCERIN	2.1 g	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>		<b>Strength</b>		
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
WATER (UNII: 059QF0KO0R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52316-725-50	50 in 1 JAR; Type 0: Not a Combination Product	04/17/2020	
2	NDC:52316-725-25	25 in 1 JAR; Type 0: Not a Combination Product	06/22/2020	12/11/2020
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	04/17/2020		

**Labeler** - DSC Laboratories Inc. (097807374)

**Registrant** - DSC Laboratories Inc. (097807374)

### **Establishment**

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(52316-725)

Revised: 12/2023

DSC Laboratories Inc.