

NIGHTTIME SLEEP AID- acetaminophen, diphenhydramine tablet
Hi-Tech Nutraceuticals, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sleep Aid

| Active ingredients (in each caplet) | Purpose |
|--|---------------------|
| Acetaminophen 500 mg..... | Pain Reliever |
| Diphenhydramine HCl 25 mg..... | Nighttime Sleep Aid |

Ask a doctor before use if you have:

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate
- glaucoma

Ask a doctor or pharmacist before use if you are:

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Keep out of reach of children.

If pregnant or breast-feeding, ask a health professional before use.

Active ingredients (in each caplet)**Purpose**

| | |
|--------------------------------|---------------------|
| Acetaminophen 500 mg..... | Pain Reliever |
| Diphenhydramine HCl 25 mg..... | Nighttime Sleep Aid |

Questions or comments? Call 1.800.222.1888

Stop use and ask a doctor if:

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

When using this product:

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Warnings:

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Inactive ingredients:

hypromellose, magnesium stearate, sodium starch glycolate

Uses:

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Other information:

- store between 20-25°C (68-77°F)
 - do not use if printed seal under cap is cut, torn or missing
-

Directions:

do not take more than directed (see overdose warning)

- adults and children 12 years and over - take 2 caplets at bedtime
- do not take more than 2 caplets of this product in 24 hours
- children under 12 years do not use



Compare to
Tylenol® PM
 Extra Strength
 active ingredients†

NIGHTTIME SLEEP AID

Acetaminophen, Diphenhydramine

- Pain Reliever
- Nighttime Sleep Aid

30 CAPLETS

NIGHTTIME SLEEP AID

acetaminophen, diphenhydramine tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69732-005 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|----------------------------------|----------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 25 mg |
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |

Product Characteristics

| | | | |
|-----------------|---------|---------------------|--------------------------|
| Color | white | Score | score with uneven pieces |
| Shape | CAPSULE | Size | 19mm |
| Flavor | | Imprint Code | HTP525 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69732-005-01 | 30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/30/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part343 | 04/30/2020 | |

Labeler - Hi-Tech Nutraceuticals, LLC (606221443)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------------|---------|-----------|---------------------|
| Hi-Tech Nutraceuticals, LLC | | 080787135 | pack(69732-005) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------------|---------|-----------|------------------------|
| Hi-Tech Nutraceuticals, LLC | | 606221443 | manufacture(69732-005) |

Revised: 12/2022

Hi-Tech Nutraceuticals, LLC