SUBUNI BREAST PACK- niacinamide, adenosine liquid MERLIN

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

adenosine, niacinamide

Water

Sorbitol

Methylpropanediol

Dipropylene Glycol

Propylene Glycol

Glycerin

Betaine

Trehalose

Sodium Hyaluronate

Phenoxyethanol

Hydroxyethylcellulose

Polysorbate 80

Anemarrhena Asphodeloides Root Extract

Punica Granatum Fruit Extract

Honey Extract

Hydrolyzed Elastin

Broussonetia Extract

Malva Sylvestris (Mallow) flower / leaf / stem extract

Mentha Piperita (Peppermint) leaf extract

Primula Veris flower extract

Alchemilla Vulgaris flower / leaf / stem extract

Veronica Officinalis flower / leaf / stem extract

Melissa Officinalis leaf extract

Achillea Millefolium flower / leaf / stem extract

Allantoin

Carbomer

Lavandula Spica (Lavender) Flower Oil

Disodium EDTA

Acetyl Hexapeptide-8

wrinkle care, whitening

■ if following abnormal symptoms persist, discontinue use

Irritation around the eyes, ears, mucous membranes, including the mouth, under the skin irritation and rashes

- Stop immediately and consult a doctor if you experience
- 1) Hypersensitivity symptoms such as erythema, itching and dermatitis.
- 2) Skin Irritation
- 3) Following Instructions when using medication
- (1) For external use only (Do not use internally)
- (2) Avoid getting into the eyes (if contact occurs, wash well with clean water)
- Be careful not to inhale or use excessively for a long time (ingesting ethanol repeatedly causes

irritation to mucous membranes and headaches or other symptoms may appear. When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as swelling, inflammation or sickness may occur due to absorption through the skin.

It is not recommended to use this one areas that have been medically treated with a cast or bandage.

- Do not use in combination with soap or antibacterial cleansing agents.
- Keep Out of Reach of Children.

Take out breast pack from pouch and remove one sheet from both sheets. (Same with opposite breast pack.)

Put nipple in the center of the hole and place sheet in desired direction.


Press sheet according to shape of breast evenly.


□Relax for 15~20 mins and make sure essence is absorbed into breast. □ You can massage your breast after with left essence.


for external use only

SUBUNI BREAST PACK

Usage









- Take out breast pack from pouch and remove one sheet from both sheets.
 (Same with opposite breast pack.)
- 2 Put nipple in the center of the hole and place sheet in desired direction.
- 3 Press sheet according to shape of breast evenly.
- 4 Relax for 15~20 mins and make sure essence is absorbed into breast.
 - You can massage your breast after with left essence.

SUBUNI BREAST PACK

niacinamide, adenosine liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75397-0002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

NIACINAMIDE (UNII: 25X5118 RD4) (NIACINAMIDE - UNII:25X5118 RD4)	NIACINAMIDE	2 g in 100 g
ADENO SINE (UNII: K72T3FS567) (ADENO SINE - UNII:K72T3FS567)	ADENOSINE	0.04 g in 100 g

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
GLYCERIN (UNII: PDC6A3C0OX)		
HYALURO NATE SO DIUM (UNII: YSE9 PPT4TH)		
ALLANTO IN (UNII: 344S277G0Z)		

l	Packaging			
# Item Code Package Description		Marketing Start Date	Marketing End Date	
ı	1 NDC:75397-0002-1	25 g in 1 POUCH; Type 0: Not a Combination Product	04/04/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/04/2020	

Labeler - MERLIN (695803875)

Registrant - MERLIN (695803875)

Establishment			
Name	Address	ID/FEI	Business Operations
MERLIN		695803875	manufacture(75397-0002)

Revised: 4/2020 MERLIN