CD2-X11 BASE- sodium chlorite spray, metered Wausau Chemical

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Disposal:

Dispose of contents/container to an approved waste disposal plant.

Hazards/Precautions:

Causes severe skin burns and eye damage.

Very toxic to aquatic life.

Do not breathe mists.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

First Aid:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Handling Instructions:

For external use only. Not for use in sanitizing dairy equipment. Avoid contact with eyes. Avoid contact with food.

Storage & Handling:

Do not mix with any other teat dip or other product. Store at room temperature and out of direct sunlight.

Avoid freezing - If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

Store locked up.

Avoid release to the environment.

DIRECTIONS:

Measure equal volumes of CD2-X11 Base and CD2-X11-LD Activator into a clean container along with 20 parts water, and mix until the color is uniform throughout. Mixing container should be cleaned after each mixture is consumed.

APPLICATION:

Pre-Milking: If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping.

Before each cow is milked, dip the teats as far up as possible. Leave CD2 teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

Post-Milking: Immediately after milking, dip teats at least 2/3 of their length in CD2 teat dip. Allow to air dry. DO NOT WIPE. CD2 teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

Always use freshly mixed, full strength CD2 teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2 teat dip. CD2 teat dip may be diluted with water and safely flushed down the drain.

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2 should be used with a compatible pre-dip or udder wash.

Active Ingredient:

Wausau Chemical Corporation

2001 N River Drive

Wausau, WI 54403

800-950-6656

CD2- X11 Base



PRE- & POST-MILKING TEAT DIP CONCENTRATE FOR USE ONLY WITH CD2-X11 ACTIVATOR CONCENTRATE

Active Ingredient: 3.7% Sodium Chlorite

Hazards

Causes severe skin burns and eye damage. Very toxic to aquatic life.



DANGER

First Aid:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Caution:

Do not breathe mists. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/ eye protection/ face protection.

Avoid release to the environment. Collect spillage.

Store locked up. Dispose of contents/ container to an approved waste disposal plant. For external use only. Not for use in sanitizing dairy equipment. Do not mix with any other teat dip or other product. Avoid contact with food. Store at room temperature and out of direct sunlight.

UN1908

Chlorite Solutions, 8, PGIII

DIRECTIONS FOR USE:

Measure equal parts CD2-X11 Base Concentrate and CD2-X11-LD Activator Concentrate into a clean container along with 20 parts water, and mix until the color is uniform throughout. Mixing container should be cleaned after each mixture is consumed.

APPLICATION:

Pre-Milking: If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave CD2 teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

Post-Milking: Immediately after milking, dip teats at least 2/3 of their length in CD2 teat dip. Allow to air dry. DO NOT WIPE. CD2X teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

Always use freshly mixed, full strength CD2 teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2 teat dip. CD2 teat dip may be dilute with water and safely flushed down the drain.

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2 should be used with a compatible pre-dip or udder wash.

Avoid Freezing — If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.



ontent	s:		
	\sim	111	

□ 15 Gal/130# (64892-020-17)
□ 55 Gal/476# (64892-020-21)

275 Gal/2380# (64892-020-88)

Mfg Code: 200107
Exp. Date: MMDDYY

CD2-X11 BASE

sodium chlorite spray, metered

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:64892-020

Route of Administration TOPICAL

Active Ingredient/Active Moiety

П	J J		
	Ingredient Name	Basis of Strength	Strength
	Sodium Chlorite (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z631	H374SB6) Sodium Chlorite	38.1 g in 1 L

Packaging

Ш	1 ackaging			
:	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:64892-020-17	56.78 L in 1 CONTAINER		
	NDC:64892-020-21	208.2 L in 1 DRUM		
	NDC:64892-020- 88	1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

0			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		0 1/0 7/20 20	

Labeler - Wausau Chemical (006136220)

Registrant - Wausau Chemical (006136220)

Establishment			
Name	Address	ID/FEI	Business Operations
Wausau Chemical		006136220	manufacture, api manufacture

Revised: 1/2020 Wausau Chemical