

**GENESIS 52- teat dip liquid  
IBA**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Genesis 52**

**ACTIVE INGREDIENT**

**ACTIVE INGREDIENT:**

Iodine.....0.50%

**INERT INGREDIENTS**

Glycerine.....2.00%

Other Inerts.....97.50%

(Includes Buffering Agents, Stabilizing Agents and Surfactants)

TOTAL.....100%

pH of 5.5 at time of manufacture

**GENERAL RECOMMENDATIONS**

**GENERAL RECOMMENDATIONS**

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

**AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.**

**FIRST AID PROCEDURES**

**FIRST AID PROCEDURES**

**EYE CONTACT:** IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

**SKIN CONTACT:** FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

**INGESTION:** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION  
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**

## **RECOMMENDED PROCEDURES FOR TEAT SANITATION**

### **RECOMMENDED PROCEDURES FOR TEAT SANITATION**

#### **A. PRE-MILKING (PRE-DIPPING)**

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Dip or spray the cow's teats full length with **GENESIS 52 TEAT DIP**.
4. Wait approximately 30 seconds
5. Remove all teat dip by thoroughly drying the teats and teat orifices with a clean, single service paper towels(s)
6. Attach milking kit

#### **B. POST-MILKING (POST-DIPPING)**

Immediately after milking, dip or spray all teats full length with **GENESIS 52 TEAT DIP**.  
**Ensure good coverage of all sides of the teats and teat orifices.**

## **WARNING**

### **WARNING**

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.

### **\*SPECIAL NOTE TO PROCEDURES**

**AS WITH ANY PRODUCT, CHECK WITH  
YOUR USDA APPROVED ORGANIC  
CERTIFICATION AGENCY BEFORE USE.**

## **Genesis 52**

A highly effective pre-milking and post-milking iodine teat dip

NDC 29983-1049-9



# GENESIS 52 SANITIZING TEAT DIP

**A Highly Effective Pre-Milking and Post-Milking Iodine Teat Dip**  
*Contains Superior Levels of Free Iodine for Fast Kill of Mastitis Causing Organisms*  
*All Raw Materials Contained in This Product are NPE (Nonylphenol Ethoxylate) Free*

**Developed Especially for Use on Organic Dairy Farms or Where NPE Free Teat Dips Are Required**

**ACTIVE INGREDIENT:**

Iodine..... 0.50%  
(Provides A Full .5% Available Iodine As Used)

**INERT INGREDIENTS:**

Glycerine..... 2.00%

Other Inerts..... 97.50%

(Includes Buffering Agents, Stabilizing Agents and Surfactants)

**TOTAL:..... 100.00%**

pH of 5.5 at time of manufacture

**GENERAL RECOMMENDATIONS**

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

**AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.**


**FIRST AID PROCEDURES**

**EYE CONTACT:** IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

**SKIN CONTACT:** FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

**INGESTION:** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION  
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**



**RECOMMENDED PROCEDURES FOR TEAT SANITATION**  
**A. PRE-MILKING (PRE-DIPPING)**

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Dip, spray or foam the cow's teats full length with **GENESIS 52 TEAT DIP**.
4. Wait approximately 30 seconds.
5. Remove all teat dip by thoroughly drying the teats and teat orifices with a clean, single service paper towel(s).
6. Attach milking unit.

**B. POST-MILKING (POST-DIPPING)**

Immediately after milking, dip or spray all teats full length with **GENESIS 52 TEAT DIP**. Ensure good coverage of all sides of the teats and teat orifices.

**WARNING**

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

## **A PART OF THE COMPLETE IBA SANITATION PROGRAM**

EXP. DATE:

LOT NO.:

NET CONTENTS: 275 GALLONS

IBA STOCK # 260162

321W

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

## GENESIS 52

teat dip liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:29983-1049
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.50 kg in 100 kg

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:29983-1049-8	210.56 kg in 1 DRUM		
2	NDC:29983-1049-9	1052.78 kg in 1 CONTAINER		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		04/24/2014	

**Labeler** - IBA (019494160)

**Registrant** - IBA (019494160)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Morgan Gallacher Inc. DBA Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack