

LORIS BZK ANTISEPTIC WIPES- benzalkonium chloride swab
LernaPharm Loris Inc.

Drug Facts

Active Ingredients

Benzalkonium chloride, 0.13% v/v

Purpose

First Aid Antiseptic

Uses

First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings

For External Use Only

- Do not use in the eyes or apply over large areas of the body.
- In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor.
- Stop use and consult a doctor if the condition persists or gets worse.
- Do not use for longer than 1 week unless directed by a doctor.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

- Tear open pouch and use as part of your daily cleansing routine.
- Clean the affected area.
- Apply this product on the area 1 to 3 times daily.
- May be covered with a sterile bandage.
- If bandaged, let dry first.

Other Information

Store at room temperature between 59-86 °F (15-30 °C). If contact with eyes occurs, flush eyes with water.


Inactive Ingredients

Purified water

Questions or comments?

Call 1-866-322-4634, weekdays between 8:00 am and 6:00 pm EST

Place holder text



光標大小: 9X4MM

70 mm	70 mm	70 mm	70 mm																																						
<p>7 mm</p> <p>136 mm</p> <p>7 mm</p> <p>4.5 mm</p>	<table border="1"> <tr><th colspan="2">Drug Facts</th></tr> <tr><td>Active ingredient Benzalkonium chloride, 0.13% v/v</td><td>Purpose First Aid Antiseptic</td></tr> <tr><td colspan="2">Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.</td></tr> <tr><td colspan="2">Warnings: For external use only. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Do not use • in the eyes or apply over large areas of the body • for longer than 1 week unless directed by a doctor. Stop use and consult a doctor if the condition persists or gets worse.</td></tr> <tr><td colspan="2">Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.</td></tr> <tr><td colspan="2">Directions: • Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.</td></tr> <tr><td colspan="2">Other information: • Store at room temperature between 59-86 °F (15-30°C)</td></tr> <tr><td colspan="2">Inactive ingredients: Purified water</td></tr> <tr><td colspan="2">Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 6:00 pm EST</td></tr> </table>	Drug Facts		Active ingredient Benzalkonium chloride, 0.13% v/v	Purpose First Aid Antiseptic	Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.		Warnings: For external use only. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Do not use • in the eyes or apply over large areas of the body • for longer than 1 week unless directed by a doctor. Stop use and consult a doctor if the condition persists or gets worse.		Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.		Directions: • Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.		Other information: • Store at room temperature between 59-86 °F (15-30°C)		Inactive ingredients: Purified water		Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 6:00 pm EST		<table border="1"> <tr><th colspan="2">Drug Facts</th></tr> <tr><td>Active ingredient Benzalkonium chloride, 0.13% v/v</td><td>Purpose First Aid Antiseptic</td></tr> <tr><td colspan="2">Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.</td></tr> <tr><td colspan="2">Warnings: For external use only. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Do not use • in the eyes or apply over large areas of the body • for longer than 1 week unless directed by a doctor. Stop use and consult a doctor if the condition persists or gets worse.</td></tr> <tr><td colspan="2">Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.</td></tr> <tr><td colspan="2">Directions: • Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.</td></tr> <tr><td colspan="2">Other information: • Store at room temperature between 59-86 °F (15-30°C)</td></tr> <tr><td colspan="2">Inactive ingredients: Purified water</td></tr> <tr><td colspan="2">Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 6:00 pm EST</td></tr> </table>	Drug Facts		Active ingredient Benzalkonium chloride, 0.13% v/v	Purpose First Aid Antiseptic	Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.		Warnings: For external use only. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Do not use • in the eyes or apply over large areas of the body • for longer than 1 week unless directed by a doctor. Stop use and consult a doctor if the condition persists or gets worse.		Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.		Directions: • Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.		Other information: • Store at room temperature between 59-86 °F (15-30°C)		Inactive ingredients: Purified water		Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 6:00 pm EST		<p style="text-align: center;">Hold upright</p> <p style="text-align: center;">Product # 126-03U NDC: 68356-126-03</p> <p style="text-align: center;">LORIS™ 0.13% BZK</p> <p style="text-align: center;">← TEAR OPEN TEAR OPEN TEAR OPEN TEAR OPEN →</p> <p style="text-align: center;">Three 4-inch antiseptic swabsticks impregnated with 0.13% benzalkonium chloride solution</p> <p style="text-align: center;">DIP DIP</p> <p style="text-align: center;">(NEX)</p> <p style="text-align: center;"><i>For hospital and professional use only</i></p>	<p style="text-align: center;">Hold upright</p> <p style="text-align: center;">Product # 126-03U NDC: 68356-126-03</p> <p style="text-align: center;">LORIS™ 0.13% BZK</p> <p style="text-align: center;">← TEAR OPEN TEAR OPEN TEAR OPEN TEAR OPEN →</p> <p style="text-align: center;">Three 4-inch antiseptic swabsticks impregnated with 0.13% benzalkonium chloride solution</p> <p style="text-align: center;">DIP DIP</p> <p style="text-align: center;">(NEX)</p> <p style="text-align: center;"><i>For hospital and professional use only</i></p>	<p>150 mm</p>
Drug Facts																																									
Active ingredient Benzalkonium chloride, 0.13% v/v	Purpose First Aid Antiseptic																																								
Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.																																									
Warnings: For external use only. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Do not use • in the eyes or apply over large areas of the body • for longer than 1 week unless directed by a doctor. Stop use and consult a doctor if the condition persists or gets worse.																																									
Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.																																									
Directions: • Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.																																									
Other information: • Store at room temperature between 59-86 °F (15-30°C)																																									
Inactive ingredients: Purified water																																									
Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 6:00 pm EST																																									
Drug Facts																																									
Active ingredient Benzalkonium chloride, 0.13% v/v	Purpose First Aid Antiseptic																																								
Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.																																									
Warnings: For external use only. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Do not use • in the eyes or apply over large areas of the body • for longer than 1 week unless directed by a doctor. Stop use and consult a doctor if the condition persists or gets worse.																																									
Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.																																									
Directions: • Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.																																									
Other information: • Store at room temperature between 59-86 °F (15-30°C)																																									
Inactive ingredients: Purified water																																									
Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 6:00 pm EST																																									
	PMS 2607	10 mm																																							

4.5 mm	54 mm - Front	54 mm - Back	54 mm - Back	54 mm - Back																																	
<p>4.5 mm</p> <p>55 mm</p>	<p style="text-align: center;">NDC 68356-126-04</p> <p style="text-align: center;">LORIS™ 0.13% BZK</p> <p style="text-align: center;">Benzalkonium Chloride Antiseptic Wipes</p> <p style="text-align: center;">For external use only</p> <p style="text-align: center;">Manufactured by LemaPharm (LORIS) Inc. 2323 rue Halpern Ville St. Laurent, Quebec, Canada H4S 1S3</p>	<p style="text-align: center;">NDC 68356-126-04</p> <p style="text-align: center;">LORIS™ 0.13% BZK</p> <p style="text-align: center;">Benzalkonium Chloride Antiseptic Wipes</p> <p style="text-align: center;">For external use only</p> <p style="text-align: center;">Manufactured by LemaPharm (LORIS) Inc. 2323 rue Halpern Ville St. Laurent, Quebec, Canada H4S 1S3</p>	<table border="1"> <tr><th colspan="2">Drug Facts</th></tr> <tr><td>Active ingredients Benzalkonium chloride, 0.13% v/v</td><td>Purpose First Aid Antiseptic</td></tr> <tr><td colspan="2">Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.</td></tr> <tr><td colspan="2">Warnings: For external use only. • Do not use in the eyes or apply over large areas of the body. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. • Stop use and consult a doctor if the condition persists or gets worse. • Do not use for longer than 1 week unless directed by a doctor.</td></tr> <tr><td colspan="2">Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.</td></tr> <tr><td colspan="2">Directions: Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.</td></tr> <tr><td colspan="2">Other information: • Store at room temperature between 59-86 °F (15-30°C)</td></tr> <tr><td colspan="2">Inactive ingredients: Purified water</td></tr> </table>	Drug Facts		Active ingredients Benzalkonium chloride, 0.13% v/v	Purpose First Aid Antiseptic	Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.		Warnings: For external use only. • Do not use in the eyes or apply over large areas of the body. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. • Stop use and consult a doctor if the condition persists or gets worse. • Do not use for longer than 1 week unless directed by a doctor.		Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.		Directions: Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.		Other information: • Store at room temperature between 59-86 °F (15-30°C)		Inactive ingredients: Purified water		<table border="1"> <tr><th colspan="2">Drug Facts</th></tr> <tr><td>Active ingredients Benzalkonium chloride, 0.13% v/v</td><td>Purpose First Aid Antiseptic</td></tr> <tr><td colspan="2">Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.</td></tr> <tr><td colspan="2">Warnings: For external use only. • Do not use in the eyes or apply over large areas of the body. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. • Stop use and consult a doctor if the condition persists or gets worse. • Do not use for longer than 1 week unless directed by a doctor.</td></tr> <tr><td colspan="2">Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.</td></tr> <tr><td colspan="2">Directions: Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.</td></tr> <tr><td colspan="2">Other information: • Store at room temperature between 59-86 °F (15-30°C)</td></tr> <tr><td colspan="2">Inactive ingredients: Purified water</td></tr> </table>	Drug Facts		Active ingredients Benzalkonium chloride, 0.13% v/v	Purpose First Aid Antiseptic	Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.		Warnings: For external use only. • Do not use in the eyes or apply over large areas of the body. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. • Stop use and consult a doctor if the condition persists or gets worse. • Do not use for longer than 1 week unless directed by a doctor.		Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.		Directions: Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.		Other information: • Store at room temperature between 59-86 °F (15-30°C)		Inactive ingredients: Purified water		<p>Center</p>
Drug Facts																																					
Active ingredients Benzalkonium chloride, 0.13% v/v	Purpose First Aid Antiseptic																																				
Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.																																					
Warnings: For external use only. • Do not use in the eyes or apply over large areas of the body. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. • Stop use and consult a doctor if the condition persists or gets worse. • Do not use for longer than 1 week unless directed by a doctor.																																					
Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.																																					
Directions: Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.																																					
Other information: • Store at room temperature between 59-86 °F (15-30°C)																																					
Inactive ingredients: Purified water																																					
Drug Facts																																					
Active ingredients Benzalkonium chloride, 0.13% v/v	Purpose First Aid Antiseptic																																				
Uses: First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.																																					
Warnings: For external use only. • Do not use in the eyes or apply over large areas of the body. • In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. • Stop use and consult a doctor if the condition persists or gets worse. • Do not use for longer than 1 week unless directed by a doctor.																																					
Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.																																					
Directions: Tear open pouch and use as part of your daily cleansing routine. • Clean the affected area. • Apply this product on the area 1 to 3 times daily. • May be covered with a sterile bandage. • If bandaged, let dry first.																																					
Other information: • Store at room temperature between 59-86 °F (15-30°C)																																					
Inactive ingredients: Purified water																																					

LORIS BZK ANTISEPTIC WIPES

benzalkonium chloride swab

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:68356-126

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68356-126-02	2.6 g in 1 PACKET; Type 0: Not a Combination Product	11/21/2012	
2	NDC:68356-126-04	2.6 g in 1 PACKET; Type 0: Not a Combination Product	11/21/2012	
3	NDC:68356-126-01	100 in 1 BOX	11/21/2012	
3		2.6 g in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:68356-126-03	3 in 1 PACKAGE	11/21/2012	
4		2.5 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	11/21/2012	

Labeler - LernaPharm Loris Inc. (206940905)

Establishment

Name	Address	ID/FEI	Business Operations
LernaPharm Loris Inc.		206940905	manufacture(68356-126) , label(68356-126)

Revised: 2/2023

LernaPharm Loris Inc.