# RITE AID FUNGAL - undecylenic acid liquid Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## drug facts

#### Section from Carton Label Follows:

## Active ingredient Purpose

Undecylenic acid 25% w/v......Antifungal

Section from Carton Label Follows:

## Active ingredient Purpose

Undecylenic Acid 25% w/v.....Antifungal

#### Uses

Treats most athletes foot (tinea pedis) and ringworm (tinea corporis)

Section from **Warnings** section of Carton label follows:

# KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN

If accidental ingestion occurs, immediately contact a physician, emergency medical facility or Poison Control Center for help.

Section from Directions portion of carton label follows:

### **Directions**

- Using soap and water, clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor.
- Use the brush applicator provided for easy application to the affected area
- For toe usage, change shoes and socks at least once daily and wear well fitting, ventilated shoes
- Pay particular attention to spaces between the toes for athletes foot
- For athletes foot and ringworm, use the product daily for 4 weeks. If condition persists longer, consult a physician
- This product is not effective on the scalp or nails
- Children must be supervised in the use of this product

From **Warnings** Section of Carton Label:

## Warnings For external use only.

**Ask a doctor before use** on children under 2 years of age

**When using this product**avoid contact with the eyes

## Stop use and consult a doctor if

- Irritation occurs - you do not notice improvement within 4 weeks

# KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN

If accidental ingestion occurs, immediately contact a physician, emergency medical facility or Poison Control Center for help.

Section from Directions portion of carton label follows:

#### **Directions**

- Using soap and water, clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor.
- Use the brush applicator provided for easy application to the affected area
- For toe usage, change shoes and socks at least once daily and wear well fitting, ventilated shoes
- Pay particular attention to spaces between the toes for athletes foot
- For athletes foot and ringworm, use the product daily for 4 weeks. If condition persists longer, consult a physician
- This product is not effective on the scalp or nails
- Children must be supervised in the use of this product

From Inactive Ingredients section of Carton Label:

**Inactive Ingredients** Isopropyl Palmitate



DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

### **Drug Facts**

Active ingredient Undecylenic acid 25% w/v Purpose

#### Uses

Treats most athletes foot (tinea pedis), and ringworm (tinea corporis)

#### Warnings

For external use only

Ask a doctor before use on children under 2 years of age

When using this product avoid contact with eyes Stop use and consult a doctor if • irritation occurs • you do not notice improvement within

4 weeks KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN. If accidental ingestion occurs, immediately contact a physician, emergency medical facility or Poison Control Center for help.

#### **Directions**

- Using soap and warm water, clean the affected
- area, and dry thoroughly.

  Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a
- doctor. Use the brush applicator provided for easy

- Use the brush applicator provided for easy application to the affected area.
   For toe usage, change shoes and socks at least once daily and wear well fitting, ventilated shoes.
   Pay particular attention to spaces between the toes for athletes foot.
   For athletes foot and ringworm, use the product daily for 4 weeks. If condition persists longer, consult a physician.
   This product is not effective on the scalp or nails.
   Children must be supervised in the use of this product.

#### Other Information

- This product should be stored at room temperature 15° 30°C (59° 86°F) Keep from freezing. If freezing occurs, warm to room temperature.

#### Inactive Ingredient







1 FL OZ (30 mL)



### WHEN TO USE:

Rite Aid® Maximum Strength Antifungal Liquid is for the effective treatment of most fungal infections of the skin.

**Usage:** Simply apply Rite Aid<sup>®</sup> Maximum Strength Antifungal Liquid over the affected area.

Non-prescription antifungal products do not work directly on the scalp or nails.

## RITE AID FUNGAL

undecylenic acid liquid

#### **Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:11822-0250

<b>-</b>	•			•
Rante	Λt	Ad	minic	tration

TOPICAL

Active Ingredient/Active Moiety	Active	Ingre	dient/	Active	Moiety
---------------------------------	--------	-------	--------	--------	--------

ı	reave ingredient/reave wrotery		
	Ingredient Name	Basis of Strength	Strength
	UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	288 mg in 1 mL

## **Inactive Ingredients**

macuve mgredients				
Ingredient Name	Strength			
ISOPROPYL PALMITATE (UNII: 8 CRQ2TH6 3 M)	712 mg in 1 mL			

]	Packaging				
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:11822-0250-1	1 in 1 CARTON			
1		30 mL in 1 BOTTLE, WITH APPLICATOR			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333C	06/01/2008		

## Labeler - Rite Aid Corporation (014578892)

## Registrant - Pharma Pac, LLC (140807475)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharma Pac, LLC		140807475	manufacture

Revised: 2/2011 Rite Aid Corporation