

**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AZUCAR BLANCA 110-C- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AVELLANA 270-C- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CHOCOTRUFAS 430-N- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 VAINILLA 140-C- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 PANELA 320-C- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CACAO 350-N- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CHANTILLY 130-F- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CHOCOCHIP 330-C- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 NUEZ 180-F- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 TOFFEE 240-C- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 ESPRESSO 450-C- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 DULCE DE LECHE 260-N- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AZUCAR MORENO 300-N- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 BOMBON 400-N- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CANELA 280-F- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AVENA 170-N- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 MIEL 200-C- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 ALMENDRA 230-N- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 BROWNIE 380-F- octinoxate, zinc oxide cream**  
**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CAMELO 210-F- octinoxate, zinc oxide cream**  
**Ventura Corporation LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Studio Look base de alta cobertura para el rostro con FPS 20**

**Active Ingredients Purpose**

Octinoxate 4.00% Sunscreen

Zinc Oxide 2.40% Sunscreen

**Uses**

Helps Prevent Sunburn

**Keep out reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** rash occurs.

### **Warnings**

**Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn not skin cancer or early skin aging.

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**For external use only**

### **Directions**

Apply liberally and evenly 15 minutes before sun exposure

Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sweating

Children under 6 months of age: ask a doctor.

### **Other information**

Protect the product in this container from excessive heat and direct sun

Water, Dimethicone, PEG-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Trimethylsiloxysilicate, HDI/TRIMETHYLOL Hexyllactone Crosspolymer, PEG/PPG-18/18 Dimethicone, Silica, Lecithin, Silica Dimethyl Silylate, Polypropylsilsesquioxane, Polysilicone-11, Sodium Chloride, Phenoxyethanol, Jojoba Esters, Disteardimonium Hectorite, Tocopheryl Acetate, Dimethicone/Vinyl Dimethicone Crosspolymer, CETYL PEG/PPG-10/1 Dimethicone, POLYGLYCERYL-4 ISOSTEARATE, Helianthus Annuus (Sunflower) Seed Wax, Hexyl Laurate, Caprylyl Glycol, Chlorphenesin, Fragrance, Acacia Deccurens Flower Wax, Polyglycerin-3, Laureth-12, Benzyl Alcohol, Linalool, Hexyl Cinnamal, Limonene.

May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Azucar Blanca

Net. Wt. 1.05 oz e(30 g)





Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>		
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA		

Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	ITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Chantilly 130-F

Net. Wt. 1.05 oz e(30 g)



La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

Drug Facts	Purpose
<b>Active Ingredients</b>	
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10


cyzone<sup>TM</sup>

Studio LOOK

**BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20**

**Drug Facts (continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.



Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Vainilla 140-C  
 Net. Wt. 1.05 oz e(30 g)





Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
Metodo de Impresión 1: OFFSET		
Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS		
Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE		

Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET

Color Impresión de Retira 1: NO LLEVA

Color Hot Stamping: NO LLEVA

Repujado: NO LLEVA

Acabado 1: BARNIZ BRILLANTE

Acabado 2: BARNIZ MATE

Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA

Observaciones:

LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL
---------------------------------------	----------------------------------	------------------------------------	----------------------------	-------------

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look


Base De Alta Cobertura Para El Rostro Con FPS 20 Avena 170-N

Net. Wt. 1.05 oz e(30 g)



**EN PROCESO**  
**NO REPRODUCIR**  
Scarlet Araujo / MAQUILLAJE / NUEVO(4)





Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
Studio Look  
Base De Alta Cobertura Para El Rostro Con FPS 20 Nuez 180-F



Net. Wt. 1.05 oz e(30 g)



**EN PROCESO  
NO REPRODUCIR**

Scarlet Araujo / MAQUILLAJE / NUEVO(4)

La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

**Active Ingredients**

Octinoxate 4.00%.....Sunscreen  
Zinc Oxide 2.40%.....Sunscreen

**Purpose**

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.**

■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes

before sun exposure. ■ Reapply at least every 2 hours  
■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>ll</sup>

Studio LOOK

**BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20**

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
(continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

**PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.


[www.cyzone.com](http://www.cyzone.com)

Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Miel 200-C  
 Net. Wt. 1.05 oz e(30 g)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de

CYZONE

**Drug Facts**  
(continued)

polypropylsilsesquioxane,  
polysilicone-11,

contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

**Active Ingredients**

Octinoxate 4.00%.....Sunscreen  
Zinc Oxide 2.40%.....Sunscreen

**Purpose**

**Uses**

■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions ■** Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information ■** Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10

dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Caramelo 210-F  
Net. Wt. 1.05 oz e(30 g)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>™</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com



Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	mitsuko irei JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)




Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Almendra 230-N

Net. Wt. 1.05 oz e(30 g)





La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>ll</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium h e c t o r i t e , tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

**PUERTO RICO:** Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p>		

Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Toffee 240-C

Net. Wt. 1.05 oz e(30 g)



La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor


**Other information** ■ Protect the product in this

CYZONE<sup>®</sup>

Studio LOOK

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. May contain: titanium dioxide, iron oxides, triethoxycaprylylsilane.



Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Dulce De Leche 260-N

Net. Wt. 1.05 oz e(30 g)







La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hd/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, ◀

cyzone<sup>TM</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
 PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
Metodo de Impresión 1: OFFSET		

Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS				
Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE				
Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET				
Color Impresión de Retira 1: NO LLEVA				
Color Hot Stamping: NO LLEVA				
Repujado: NO LLEVA				
Acabado 1: BARNIZ BRILLANTE				
Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Avellana 270-C

Net. Wt. 1.05 oz e(30 g)





Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Canela 280-F

Net. Wt. 1.05 oz e(30 g)



**EN PROCESO  
NO REPRODUCIR**

Scarlet Araujo / MAQUILLAJE / NUEVO(4)

La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>™</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
(continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)




Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Azucar Moreno 300-N

Net. Wt. 1.05 oz e(30 g)



La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>ci</sup>

StudioLOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Panela 320-C  
 Net. Wt. 1.05 oz e(30 g)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que emparea el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>®</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
 PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz e (30 g)

**Drug Facts**  
 (continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com



Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Chocochip 330-C  
 Net. Wt. 1.05 oz e(30 g)







La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate.

CYZONE<sup>TM</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp., Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
Metodo de Impresión 1: OFFSET		
Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS		
Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE		
Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET		
Color Impresión de Retira 1: NO LLEVA		
Color Hot Stamping: NO LLEVA		

Repujado: NO LLEVA				
Acabado 1: BARNIZ BRILLANTE				
Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Cacao 350-N

Net. Wt. 1.05 oz e(30 g)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.


**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours.

cyzone<sup>ll</sup>

Studio LOOK

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylsilane.



Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Brownie 380-F  
 Net. Wt. 1.05 oz e(30 g)





La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

CYZONE<sup>13</sup>

StudioLOOK

**BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20**

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
(continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

**PUERTO RICO:** Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja	
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC

Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE		
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA		
Observaciones:		
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL
MAGDA PRADA SOLICITANTE		FIRMA LEGAL


CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Bombon 400-N  
Net. Wt. 1.05 oz e(30 g)





■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions ■** Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information ■** Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

**BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20**

Net Wt. 1.05 oz. e (30 g)

cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

**PUERTO RICO:** Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
Metodo de Impresión 1: OFFSET				
Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS				
Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE				
Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET				
Color Impresión de Retira 1: NO LLEVA				
Color Hot Stamping: NO LLEVA				
Repujado: NO LLEVA				
Acabado 1: BARNIZ BRILLANTE				
Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Chocotrufa 430-N  
Net. Wt. 1.05 oz e(30 g)



**EN PROCESO  
NO REPRODUCIR**

Scarlet Araujo / MAQUILLAJE / NUEVO(4)

La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>™</sup>

StudioLOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
(continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com




Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
Studio Look  
Base De Alta Cobertura Para El Rostro Con FPS 20 Espresso 450-C  
Net. Wt. 1.05 oz e(30 g)





La Base Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsiloxane, trimethylsiloxysilicate, hdi/trimethylol hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>™</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsiloxane, polysiloxane-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorophenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
Metodo de Impresión 1: OFFSET				
Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS				
Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE				
Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET				
Color Impresión de Retira 1: NO LLEVA				
Color Hot Stamping: NO LLEVA				
Repujado: NO LLEVA				
Acabado 1: BARNIZ BRILLANTE				
Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL



## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AZUCAR BLANCA 110-C

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43596-0863
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYL CINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0KO0R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0863-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	04/01/2020		

**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AVELLANA 270-C**  
 octinoxate, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0873
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISO STEARATE (UNII: 820DPX33S7)	

HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE (UNII: 92RU3N3Y1O)
ISODODECANE (UNII: A8289P68Y2)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
BENZYL ALCOHOL (UNII: LKG8494WBH)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0K00R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0873-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CHOCOTRUFAS 430-N

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0881
--------------	----------------	--------------------	----------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-12 (UNII: OAH19558U1)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0881-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 VAINILLA 140-C

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0865
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

GLYCERIN (UNII: PDC6A3C0OX)
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TRIMETHYLSILOXYLICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0K00R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0865-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 PANELA 320-C

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0876
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	

POLYGLYCERYL-4 ISO STEARATE (UNII: 820DPX33S7)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE (UNII: 92RU3N3Y1O)
ISODODECANE (UNII: A8289P68Y2)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
BENZYL ALCOHOL (UNII: LKG8494WBH)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0K00R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0876-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CACAO 350-N

octinoxate, zinc oxide cream

### Product Information



<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43596-0878
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
TRIMETHYLSILOXYLSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0K00R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-12 (UNII: OAH19558U1)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0878-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
CHANTILLY 130-F**

octinoxate, zinc oxide cream

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0864
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PS0G0W)	

FERROSO FERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0K00R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0864-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	04/01/2020		

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CHOCOCHIP 330-C

octinoxate, zinc oxide cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0877	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	2.4 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	

<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>POLYMETHYLSILSESQUOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0K00R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0877-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 NUEZ 180-F

octinoxate, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43596-0867
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
LAURETH-12 (UNII: OAH19558U1)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0K00R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0867-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

# STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 TOFFEE 240-C

octinoxate, zinc oxide cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0871
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0K00R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0871-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 ESPRESSO 450-C

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0882
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

FERROSO FERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0K00R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CHLORPHENESIN (UNII: I670DAL4SZ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE (UNII: 92RU3N3Y1O)
ISODODECANE (UNII: A8289P68Y2)
.ALPHA.-HEXYL CINNAMALDEHYDE (UNII: 7X6O37OK2I)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
BENZYL ALCOHOL (UNII: LKG8494WBH)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0882-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20**



# DULCE DE LECHE 260-N

octinoxate, zinc oxide cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0872
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-12 (UNII: OAH19558U1)	

LINALOOL, (+/-)- (UNII: D81QY6I88E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
PHENOXYETHANOL (UNII: HE492ZZ3T)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0872-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	04/01/2020		

<b>STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AZUCAR MORENO 300-N</b>				
octinoxate, zinc oxide cream				
<b>Product Information</b>				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0875	
Route of Administration	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
Ingredient Name		Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	4 g in 100 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	2.4 g in 100 g	
<b>Inactive Ingredients</b>				
Ingredient Name				Strength
CHLORPHENESIN (UNII: I670DAL4SZ)				
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)				
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)				
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)				
HEXYL LAURATE (UNII: 4CG9F9W01Q)				
DIMETHICONE (UNII: 92RU3N3Y10)				
ISODODECANE (UNII: A8289P68Y2)				
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)				
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)				

LIMONENE, (+)- (UNII: GFD7C86Q1W)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0KO0R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0875-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 BOMBON 400-N

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0880
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0K00R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-12 (UNII: OAH19558U1)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0880-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

# STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CANELA 280-F

octinoxate, zinc oxide cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0874
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	

LAURETH-12 (UNII: OAH19558U1)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0874-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	04/01/2020		

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AVENA 170-N

octinoxate, zinc oxide cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0866	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
CHLORPHENESIN (UNII: I670DAL4SZ)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)		
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)		
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)		
.ALPHA.-HEXYL CINNAMALDEHYDE (UNII: 7X6O37OK2I)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
LIMONENE, (+)- (UNII: GFD7C86Q1W)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
FERROSO FERRIC OXIDE (UNII: XM0M87F357)		
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)		

TRIMETHYLSILOXY SILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE (UNII: 92RU3N3Y1O)
ISODODECANE (UNII: A8289P68Y2)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
BENZYL ALCOHOL (UNII: LKG8494WBH)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
GLYCERIN (UNII: PDC6A3C0OX)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0K00R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0866-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 MIEL 200-C

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0868
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y10)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0K00R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-12 (UNII: OAH19558U1)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0868-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	



# STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 ALMENDRA 230-N

octinoxate, zinc oxide cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0870
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYL CINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0K00R)	

SODIUM CHLORIDE (UNII: 451W471Q8X)

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)

LAURETH-12 (UNII: OAH19558U1)

LINALOOL, (+/-)- (UNII: D81QY6I88E)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0870-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 BROWNIE 380-F

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0879
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	

CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0K00R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CHLORPHENESIN (UNII: I670DAL4SZ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
DIMETHICONE (UNII: 92RU3N3Y1O)
ISODODECANE (UNII: A8289P68Y2)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
BENZYL ALCOHOL (UNII: LKG8494WBH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0879-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CAMELO 210-F

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0869
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g
--	------------	----------------

## Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONE (UNII: 92RU3N3Y10)	
ISODODECANE (UNII: A8289P68Y2)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0K00R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-12 (UNII: OAH19558U1)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0869-1	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2020	

**Labeler** - Ventura Corporation LTD (602751344)

### Establishment

Name	Address	ID/FEI	Business Operations
BEL STAR S A		880160197	manufacture(43596-0863, 43596-0864, 43596-0865, 43596-0866, 43596-0867, 43596-0868, 43596-0869, 43596-0870, 43596-0871, 43596-0872, 43596-0873, 43596-0874, 43596-0875, 43596-0876, 43596-0877, 43596-0878, 43596-0879, 43596-0880, 43596-0881, 43596-0882)

Revised: 7/2020

Ventura Corporation LTD