

**BIOMIN RESTORE PLUS- sodium fluoride paste, dentifrice
DRCOLLINS, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BioMin Restore Plus

Purpose

Anticavity & Sensitivity Relief

Indications for Use

Fluoride dentifrice for use in the prevention and treatment of dental sensitivity.

Instructions for Use

Remove foil cover from nozzle, do not use if this seal has been broken. Brush twice daily for 2 minutes, ideally first thing in the morning and last thing at night, swirl the foamy dentifrice around your mouth for 30 seconds, and spit out. Do not swallow. Avoid rinsing your mouth with water after brushing. Replace cap after use to keep dentifrice dry.

Warnings and Precautions

Continued tooth pain or sensitivity could indicate an inherent problem that needs professional diagnosis. If symptoms persist consult your dentist. If irritation occurs, discontinue use.

Keep Out of Reach of Children

Keep Out of Reach of Children. For Adults Use Only.

Warning

DO NOT USE IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS

Active Ingredient

Sodium Fluoride. (Fluoride concentration is 530µg/g by weight.)

Inactive Ingredients

Glycerin, Silica, PEG 400, Cocamidapropyl Betaine, Sodium Methyl Cocoyl Taurate, Titanium Dioxide, Aroma, Carbomer, Potassium Acesulfame.

Dosage & Administration

Net Wt. 3.35oz (100g)

75ml e / 100g e / 3.5oz e.

Storage & Handling

Storage temperatures limit: up to 30°C.

Do not use if package is damaged.

Carton



SLS FREE

SENSITIVITY RELIEF

FLUORIDE DENTIFRICE

Net Wt. 3.35oz (100g)

BioMin® F

RESTOREPLUS



SLS FREE

SENSITIVITY RELIEF

FLUORIDE DENTIFRICE

Net Wt. 3.35oz (100g)

BioMin® F

RESTOREPLUS



Refreshing Fluoride Mint Biomimetic Dentifrice with BioMin® F Protection

ALWAYS FOLLOW LABEL INSTRUCTIONS Remove foil cover from nozzle, do not use if this seal has been broken. Brush twice daily for 2 minutes, ideally first thing in the morning and last thing at night, swirl the foamy dentifrice around your mouth for 30 seconds, and spit out. Do not swallow. Avoid rinsing your mouth with water after brushing. Replace cap after use to keep dentifrice dry.

INDICATIONS: Fluoride dentifrice for use in the prevention and treatment of dental sensitivity



DR. COLLINS, INC.
2265 S Grand Ave
Santa Ana, CA 92705

www.drcollins.com | © 2020 Dr. Collins, Inc.

75ml e / 100g e / 3.5oz e



30°C

REF

PMCB 0000

BioMin® is a trade mark of BioMin Technologies Limited. www.biomin.co.uk

WARNINGS AND PRECAUTIONS

Keep out of reach of children. For adult use only. Continued tooth pain or sensitivity could indicate an inherent problem that needs professional diagnosis. If symptoms persist consult your dentist. If irritation occurs, discontinue use. **DO NOT USE IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS.**

INGREDIENTS

Glycerin, Silica, PEG 400, Sodium Fluoride, Cocamidopropyl Betaine, Sodium Methyl Cocoyl Taurate, Titanium Dioxide, Aroma, Carbomer, Potassium Acesulfame. Fluoride concentration is 530 µg/g by weight.



Tube Label

BIOMIN RESTORE PLUS

FLUORIDE DENTIFRICE

SENSITIVITY RELIEF

SLS FREE

with Biomin™ protection

Dr. Collins
Bringing Smiles to Life™

F

ALWAYS FOLLOW LABEL INSTRUCTIONS Remove foil cover from nozzle, do not use if this seal has been broken. Brush twice daily for 2 minutes, ideally first thing in the morning and last thing at night, swirl the foamy dentifrice around your mouth for 30 seconds, and spit out. Do not swallow. Avoid rinsing your mouth with water after brushing. Replace cap after use to keep dentifrice dry.

INDICATIONS Fluoride dentifrice for use in the prevention and treatment of dental sensitivity.

WARNINGS AND PRECAUTIONS Keep out of reach of children. For adult use only. Continued tooth pain or sensitivity could indicate an inherent problem that needs professional diagnosis. If symptoms persist consult your dentist. If irritation occurs, discontinue use. **DO NOT USE IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS.**

DR. COLLINS, INC.
2265 S Grand Ave
Santa Ana, CA 92705

75ml e / 100g e / 3.5oz e

INGREDIENTS Glycerin, Silica, PEG 400, Sodium Fluoride, Cocamidapropyl Betaine, Sodium Methyl Cocoyl Taurate, Titanium Dioxide, Aroma, Carbomer, Potassium Acesulfame. Fluoride concentration is 530 μg/g by weight.

30° C LOT see crimp REF PMTB0053

BIOMIN RESTORE PLUS

sodium fluoride paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:77055-100
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.53 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM METHYL COCOYL TAURATE (UNII: JVL98CG53G)	0.0055 g in 1 g

GLYCERIN (UNII: PDC6A3C0OX)	0.573 g in 1 g
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	0.0055 g in 1 g
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	0.156 g in 1 g
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	0.18 g in 1 g
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	0.0075 g in 1 g
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	0.004 g in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	0.01 g in 1 g
PEPPERMINT (UNII: V95R5KMY2B)	0.0085 g in 1 g

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77055-100-01	1 in 1 CARTON	05/01/2020	
1		100 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part355	05/01/2020	

Labeler - DRCOLLINS, INC. (022002951)

Revised: 4/2020

DRCOLLINS, INC.