

**PAIN RELIEVER- acetaminophen tablet
WALGREEN CO.**

Drug Facts

Active ingredient (in each caplet)

Acetaminophen USP 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning:This product contains acetaminophen.

Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F)
- **do not use if carton is opened, or seal under cap is torn or missing.**

Inactive ingredients

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, magnesium stearate, polyethylene glycol, pregelatinized starch, propylene glycol, sodium starch glycolate, talc, titanium dioxide.

Questions or comments?

1-855-274-4122

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com ©2019 Walgreen Co.

Code: TS/DRUGS/16/2014

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (225 Caplets Bottle)

Walgreens

NDC 0363-0792-35

FOR ADULTS

Pain Relief

**ACETAMINOPHEN 500 mg /
PAIN RELIEVER / FEVER REDUCER**

**EXTRA STRENGTH
CAPLETS**

225 CAPLETS

Walgreens
NDC 0363-0792-35

FOR ADULTS
Pain Reliever
ACETAMINOPHEN 500 mg /
PAIN RELIEVER / FEVER REDUCER

EXTRA STRENGTH
CAPLETS
225 CAPLETS

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

Drug Facts
Active Ingredient (in each caplet)
Acetaminophen USP 500 mg. Pain reliever/fever reducer

Uses ■ Temporarily relieves minor aches and pains due to: ■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ menstrual and menstrual cramps ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product. **Alert:** acetaminophen may cause severe skin reactions. Symptoms may include ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. **Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if you have** liver disease. **Ask a doctor or pharmacist before use if you are taking** the blood thinning drug warfarin. **Stop use and ask a doctor if** ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. **Directions** ■ do not take more than directed (see overdose warning) adults and children 12 years and over: ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days, unless directed by a doctor, children under 12 years: ask a doctor. **Other information** ■ store at 20° to 25°C (68° to 77°F) ■ do not use if seal under cap is torn or missing. **Inactive ingredients** colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, magnesium stearate, polyethylene glycol, pregelatinized starch, propylene glycol, sodium starch glycolate, talc, titanium dioxide.

Questions or comments? 1-855-274-4122

CONTAINS NO ASPIRIN

DISTRIBUTED BY: WALGREENS CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2020 Walgreen Co.

OR60720-F
REV-0820
MADE IN INDIA
Code: TD/RUS/16/2014

PLASTIC BOTTLE
how2recycle.info

P1426499 LM-4253

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (225 Caplets Carton Label)

Walgreens

Compare to Tylenol® Extra strength
Caplets active ingredient *

NDC 0363-0792-35

FOR ADULTS
PAIN RELIEVER
ACETAMINOPHEN 500MG /
PAIN RELIEVER / FEVER REDUCER

EXTRA STRENGTH
CAPLETS

225 CAPLETS



PAIN RELIEVER

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0792
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROXYPROPYL CELLULOSE (160000 WAMW) (UNII: RFW2ET671P)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (White to off White)	Score	no score
Shape	CAPSULE (Biconvex)	Size	18mm
Flavor		Imprint Code	N79
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0792-29	150 in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2020	
2	NDC:0363-0792-35	1 in 1 CARTON	06/12/2020	
2		225 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0363-0792-40	500 in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/12/2020	

Labeler - WALGREEN CO. (008965063)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	manufacture(0363-0792)