

MOTION SICKNESS - absinthium, aconitum nap., antimon. tart., belladonna, bryonia, carbolicum acidum, colchicum, conium, ferrum metallicum, gelsemium, glonoinum, hyoscyamus, ipecac., iris versicolor, lycopodium, nux vom., petroleum, phosphorus, sepia, symphoricarpus racemosus, tabacum, theridion, zingiber, echinacea, hypericum, passiflora, valeriana liquid

Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Motion Sickness

INDICATIONS & USAGE SECTION

Motion Sickness Formulated for associated symptoms of the effects or the sensation of movement such as dizziness, discomfort, headache, nausea and disorientation.

DOSAGE & ADMINISTRATION SECTION

Directions: ORAL USE ONLY - SHAKE WELL. Ages 12 and up, take 6 drops orally (ages 0 to 11, give 3 drops) as needed or as directed by a healthcare professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

OTC - ACTIVE INGREDIENT SECTION

Absinthium 15x, Aconitum nap. 15x, Antimon. tart. 15x, Belladonna 15x, Bryonia 15x, Carbolicum acidum 15x, Colchicum 15x, Conium 15x, Ferrum metallicum 15x, Gelsemium 15x, Glonoinum 15x, Hyoscyamus 15x, Ipecac. 15x, Iris versicolor 15x, Lycopodium 15x, Nux vom. 15x, Petroleum 15x, Phosphorus 15x, Sepia 15x, Symphoricarpus racemosus 15x, Tabacum 15x, Theridion 15x, Zingiber 15x, Echinacea 3x, Hypericum 3x, Passiflora 3x, Valeriana 3x.

OTC - PURPOSE SECTION

Formulated for associated symptoms of the effects or the sensation of movement such as dizziness, discomfort, headache, nausea and disorientation.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

QUESTIONS SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

OTC - PREGNANCY OR BREAST FEEDING SECTION


Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

www.newtonlabs.net
 Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warning: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.



NDC#
55714-2288-1

Motion Sickness

Formulated for associated symptoms of the effects or the sensation of movement such as dizziness, discomfort, headache, nausea and disorientation.

1 fl oz (29.57 ml)

Directions: ORAL USE ONLY - SHAKE WELL.
 Ages 12 and up, take 6 drops orally (ages 0 to 11, give 3 drops) as needed or as directed by a healthcare professional. Sensitive persons begin with 1 drop and gradually increase to full dose.
Active Ingredients: Absinthium 15x, Aconitum nap. 15x, Antimon. tart. 15x, Belladonna 15x, Bryonia 15x, Carboicum acidum 15x, Colchicum 15x, Conium 15x, Ferrum metallicum 15x, Gelsemium 15x, Glonoinum 15x, Hyoscyamus 15x, Ipecac. 15x, Iris versicolor 15x, Lycopodium 15x, Nux vom. 15x, Petroleum 15x, Phosphorus 15x, Sepia 15x, Symphoricarpus racemosus 15x, Tabacum 15x, Theridion 15x, Zingiber 15x, Echinacea 3x, Hypericum 3x, Passiflora 3x, Valeriana 3x.
Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

Stock# N045 Lot#

MOTION SICKNESS

absinthium, aconitum nap., antimon. tart., belladonna, bryonia, carboicum acidum, colchicum, conium, ferrum metallicum, gelsemium, glonoinum, hyoscyamus, ipecac., iris versicolor, lycopodium, nux vom., petroleum, phosphorus, sepia, symphoricarpus racemosus, tabacum, theridion, zingiber, echinacea, hypericum, passiflora, valeriana liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-2288
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Wormwood (UNII: F84709P2XV) (Wormwood - UNII:F84709P2XV)	Wormwood	15 [hp_X] in 1 mL
Aconitum Napellus (UNII: U0NQ8555JD) (Aconitum Napellus - UNII:U0NQ8555JD)	Aconitum Napellus	15 [hp_X] in 1 mL
Antimony Potassium Tartrate (UNII: DL6OZ476V3) (Antimony Cation (3+) - UNII:069647RPT5)	Antimony Potassium Tartrate	15 [hp_X] in 1 mL
Atropa Belladonna (UNII: WQZ3G9PF0H) (Atropa Belladonna - UNII:WQZ3G9PF0H)	Atropa Belladonna	15 [hp_X] in 1 mL

Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 mL
Phenol (UNII: 339NCG44TV) (Phenol - UNII:339NCG44TV)	Phenol	15 [hp_X] in 1 mL
Colchicum Autumnale Bulb (UNII: 993QHL78E6) (Colchicum Autumnale Bulb - UNII:993QHL78E6)	Colchicum Autumnale Bulb	15 [hp_X] in 1 mL
Conium Maculatum Flowering Top (UNII: Q28R5GF371) (Conium Maculatum Flowering Top - UNII:Q28R5GF371)	Conium Maculatum Flowering Top	15 [hp_X] in 1 mL
Iron (UNII: E1UOL152H7) (Iron - UNII:E1UOL152H7)	Iron	15 [hp_X] in 1 mL
Gelsemium Sempervirens Root (UNII: 639KR60Q1Q) (Gelsemium Sempervirens Root - UNII:639KR60Q1Q)	Gelsemium Sempervirens Root	15 [hp_X] in 1 mL
Nitroglycerin (UNII: G59M7S0WS3) (Nitroglycerin - UNII:G59M7S0WS3)	Nitroglycerin	15 [hp_X] in 1 mL
Hyoscyamus Niger (UNII: 4WRK2153HB) (Hyoscyamus Niger - UNII:4WRK2153HB)	Hyoscyamus Niger	15 [hp_X] in 1 mL
Ipecac (UNII: 62IBC8233L) (Ipecac - UNII:62IBC8233L)	Ipecac	15 [hp_X] in 1 mL
Iris Versicolor Root (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC)	Iris Versicolor Root	15 [hp_X] in 1 mL
Lycopodium Clavatum Spore (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 mL
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 mL
Kerosene (UNII: 1C89KKC04E) (Kerosene - UNII:1C89KKC04E)	Kerosene	15 [hp_X] in 1 mL
Phosphorus (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	15 [hp_X] in 1 mL
Sepia Officinalis Juice (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2)	Sepia Officinalis Juice	15 [hp_X] in 1 mL
Symphoricarpos Albus Fruit (UNII: 873JZU3ASZ) (Symphoricarpos Albus Fruit - UNII:873JZU3ASZ)	Symphoricarpos Albus Fruit	15 [hp_X] in 1 mL
Tobacco Leaf (UNII: 6YR2608RSU) (Tobacco Leaf - UNII:6YR2608RSU)	Tobacco Leaf	15 [hp_X] in 1 mL
Theridion Curassavicum (UNII: 9Z8D3HEM8L) (Theridion Curassavicum - UNII:9Z8D3HEM8L)	Theridion Curassavicum	15 [hp_X] in 1 mL
Ginger (UNII: C5529G5JPQ) (Ginger - UNII:C5529G5JPQ)	Ginger	15 [hp_X] in 1 mL
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	3 [hp_X] in 1 mL
Hypericum Perforatum (UNII: XK4IUX8MNB) (Hypericum Perforatum - UNII:XK4IUX8MNB)	Hypericum Perforatum	3 [hp_X] in 1 mL
Passiflora Incarnata Flowering Top (UNII: CLF5YFS11O) (Passiflora Incarnata Flowering Top - UNII:CLF5YFS11O)	Passiflora Incarnata Flowering Top	3 [hp_X] in 1 mL
Valerian (UNII: JWF5YAW3QW) (Valerian - UNII:JWF5YAW3QW)	Valerian	3 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2288-1	29.57 mL in 1 BOTTLE, GLASS		
2	NDC:55714-2288-2	59.14 mL in 1 BOTTLE, GLASS		

3	NDC:55714-2288-0	.5 mL in 1 BOTTLE, GLASS		
---	------------------	--------------------------	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-2288)

Revised: 3/2011

Newton Laboratories, Inc.