

**MINERAL BASED SPF 50 SUNSCREEN- zinc oxide, titanium dioxide stick
THE KROGER COMPANY**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SIMPLE TRUTH KIDS' MINERAL BASED STICK SPF 50 SUNSCREEN

Active ingredients

Titanium Dioxide 7.0%, Zinc Oxide 4.7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

beeswax, butyloctyl salicylate, caprylyl glycol, cetyl alcohol, euphorbia cerifera (candelilla) wax, isopropyl palmitate, isostearic acid, neopentyl glycol diethylhexanoate, ozokerite, paraffin, silica

Label

SIMPLE TRUTH KIDS' MINERAL BASED STICK SPF 50 SUNSCREEN

30142-881-01


White Stock



Drug Facts	
Active Ingredients	Purpose
Titanium Dioxide 7.0% Zinc Oxide 4.7%	Sunscreen
Uses - helps prevent sunburn - If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings	
For external use only	
Do not use on damaged or broken skin.	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if - rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• apply liberally 15 minutes before sun exposure	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
Other Information	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
Inactive Ingredients: beeswax, butylacetyl salicylate, caprylyl glycol, cetyl alcohol, esfenberic acid, (and/or) wax, isopropyl palmitate, lauric acid, nonoxonyl glycol, diethylhexanoate, octylalcohol, paraffin, silica	
Questions or comments? Call toll free 1-800-632-6900	
DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202	

SIMPLE TRUTH KIDS' MINERAL BASED STICK SPF 50 SUNSCREEN BLISTER PACK

30142-881-91



MINERAL BASED SPF 50 SUNSCREEN

zinc oxide, titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-881
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	70 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	47 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CANDELILLA WAX (UNII: WL0328HX19)	
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)	
CERESIN (UNII: Q1LS2UJO3A)	
WHITE WAX (UNII: 7G1J5DA97F)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
PARAFFIN (UNII: I9O0E3H2ZE)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-881-91	1 in 1 BLISTER PACK	12/06/2018	
1	NDC:30142-881-01	13.3 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/06/2018	

Labeler - THE KROGER COMPANY (006999528)

Revised: 4/2021

THE KROGER COMPANY