

**ACETAMINOPHEN- acetaminophen tablet
Granules USA, Inc**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**EXTRA STRENGTH
Pain Relief
Acetaminophen Gelcaps USP, 500 mg
Pain reliever; Fever reducer
Rapid Release
Aspirin free**

Active ingredient

(in each Gelcap)

Acetaminophen, USP 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- toothache
- the common cold
- premenstrual and menstrual cramps
- temporarily reduces fever

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of the reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

overdose warning

In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ **do not take more than directed (see overdose warning)**

adults and children 12 years and over

- take 2 gelcaps every 6 hours while symptoms last
- do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
- do not take more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

Other information

- store at 20°-25°C (68°-77°F). See USP Controlled Room Temperature
- avoid high humidity
- see end panel for lot number and expiration date

Inactive ingredients

ammonium hydroxide, black iron oxide, black iron oxide irradiated, colloidal silicon dioxide, croscarmellose sodium, gelatin, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, hypromellose, iron oxide red, isopropyl alcohol, n-butyl alcohol, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide, yellow iron oxide.

Questions or comments?

call **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST.

Acetaminophen, USP 500 mg Rapid Release Gelcaps

GRANULES CONSUMER HEALTH

***Compare to the active ingredient to Extra Strength Tylenol® Rapid Release Gels**

EXTRA STRENGTH
Pain Relief
Acetaminophen
Gelcaps USP, 500 mg
Pain Reliever; Fever Reducer
 • Rapid Release small size
 • Aspirin Free

FOR ADULTS **100 Gelcaps**



Important: Read all important information before using.

Drug Facts

Active ingredient (in each package) Acetaminophen, USP 500 mg **Purpose** Pain reliever/fever reducer

Warnings Always follow the directions on each package for use. Do not take more than the labeled amount. Do not take more than 4 g daily. Do not take with alcohol or other drugs that contain acetaminophen. Do not take if you are already taking any medicine that contains acetaminophen. Do not take if you are already taking any medicine that contains aspirin. Do not take if you are already taking any medicine that contains salicylic acid. Do not take if you are already taking any medicine that contains salicylic acid. Do not take if you are already taking any medicine that contains salicylic acid.

Directions See back of package for complete directions. See back of package for complete directions. See back of package for complete directions. See back of package for complete directions. See back of package for complete directions.

Other information See back of package for complete directions. See back of package for complete directions. See back of package for complete directions. See back of package for complete directions. See back of package for complete directions.

Contains 100 Gelcaps

8 13874 02048 3

LOT 13874 02048
EXP 02/2025

MADE IN MEXICO **CELING FIVE**

©2023 Celig Five. All rights reserved. For more information, visit us online at www.celingfive.com.

Inside (adhesive side)

Drug Facts (continued)

Directions See back of package for complete directions. See back of package for complete directions. See back of package for complete directions. See back of package for complete directions. See back of package for complete directions.


Other information See back of package for complete directions. See back of package for complete directions. See back of package for complete directions. See back of package for complete directions. See back of package for complete directions.

Contains 100 Gelcaps

©2023 Celig Five. All rights reserved. For more information, visit us online at www.celingfive.com.



i. Inside (adhesive side)



ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69848-008
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	
GELATIN (UNII: 2G86QN327L)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WQ0SDW1A)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
ISOPROPYL ALCOHOL (UNII: ND2M41630Z)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Product Characteristics

Color	gray (Encapsulated with red opaque and blue gray opaque hard gelatin shells)	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	G1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69848-008-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/01/2020	

Labeler - Granules USA, Inc (137098864)

Revised: 1/2023

Granules USA, Inc