

HAND SANITIZER- alcohol gel
EXPORTADORA IN & OUT S DE RL DE CV

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

Ethyl Alcohol v/v 70%

Purposes

Antimicrobial

Uses

- Hand sanitizer to decrease virus and bacteria on the skin that could cause diseases
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When use this product

keep out of eyes, do not use in or near the eyes.

In case of contact eye flush thoroughly with water

avoid contact with broken skin

do not inhale or ingest

When using this product

Keep out of eyes, do not use in or near the eyes

Stop use and ask a doctor if

irritation and redness develop

condition persist for more than 72 hours. Keep out reach of children. If swallowed, get medical help or contact Poison Control Center right away

keep out of reach of children

if swallowed, get medical help or contact a Poison Center right away

Directions

-Put enough product in your palm to cover hands and rub hands together briskly until dry out without wiping

-For children under 6 years of age should be supervised when using OZO

-Not recommended for infants

Other information

Store below 105 F (40C)

May discolor certain fabrics

Harmful to wood finishes and plastics

Inactive ingredients

Purified water (aqua), Vegetable Glycerin and carboxymethyl cellulose

Question o comments?

Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx

For the 20 lt, 200lt and 1000lt label

Keep in original container an away form heat, open flames, combustible materials and hot surfaces, no smoking,- Harmful is Swallowed"

First aid: first check the victim for contact eyes lenses and removes if presents. Flush victim's eye with water or normal saline solution for 20 to 30 minutes while simultaneoulsy calling a hospital or poison control center, Do not put any oinments, oils, medication in the victim's eye without specific instructions from a physician.

IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

INGESTION: DO NOT INDUCE VOMIT. Volatile chemicals have a high risk of being aspirated into the victims lungs during vomiting wich increase the medical problems. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATLY transport the victim to a hospital. If the victim is convulsing or unconscious, do not give anything by mouth, ensure that the victims airway is open and lay the victim on his/her side with the head lower than the body. DO NOT INDUCE VOMITING. IMMEDIATLY transport the victim to a hospital:

Firefighting CAUTION: all these products have a very low flash point: use water spray when fighting fire may be inefficient: CAUTION: Alcohol-resistant foam should be used.SMALL FIRE: Dry Chemicals, co2, water spray or alcohol-resistant foam. LARGE FIRE: Water spray, fog or alcohol resistant foam. Do not use straight streams. Move containers from fire area if you can do it without risk. FIRE INVOLVING TANKS OR CAR/TRAILERS LOADS: Fight fire for maximun distance or use unmanned hose holders or monito nozzles: Cool containers with flooding quantities of water until well after fire is out. Withdraw immediatly in case of rising sounf from venting safety devices or discoloration of thank. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmaned hose holders or monitor nozzles; if this is imposible. Withdraw from area and let the fire burn.

Principal display



✓ Efficiently kills 99.9%
of most illness causing germs

OZONE

HAND SANITIZER GEL



Leaves hands soft
Contains moisturizers

Paraben Free
Phthalate Free
Formaldehyde Donor Free

1 Gallon (3.8 Liters)



Distributed by:
Exportadora In & Out S de RL de CV
Tarascos 3432 Col. Monraz 44670
Guadalajara, Jalisco

Made in México
www.ozo.com.mx



Drug Facts

Active ingredient	Purposes
Ethyl Alcohol v/v - 70%	Antimicrobial

Uses

- Hand sanitizer to decrease bacteria on the skin that could cause disease
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When using this product: keep out of eyes, do not use in or near the eyes.

- In case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest

Stop use and ask a doctor if

- Irritation and redness develop
- Condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping
- For Children under 6 years of age should be supervised when using **OZONE**
- Not recommended for infants

Other information

- Store below 105°F (40°C)
- May discolor certain fabrics
- Harmful to wood finishes and plastics

Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose

Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx

Drug Facts

Active ingredient	Purposes
Ethyl Alcohol v/v - 70%	Antimicrobial

Uses

- Hand sanitizer to decrease bacteria on the skin that could cause disease
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When using this product: keep out of eyes, do not use in or near the eyes.

- In case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest

Stop use and ask a doctor if

- Irritation and redness develop
- Condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping
- For Children under 6 years of age should be supervised when using **OZONE**
- Not recommended for infants

Other information

- Store below 105°F (40°C)
- May discolor certain fabrics
- Harmful to wood finishes and plastics

Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose

Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx

✓ Efficiently kills 99.9%
of most illness causing germs

OZONE

HAND SANITIZER GEL



Leaves hands soft
Contains moisturizers

Paraben Free
Phthalate Free
Formaldehyde Donor Free

2 FL OZ (60 ml)



Distributed by:
Exportadora In & Out S de RL de CV
Tarascos 3432 Col. Monraz 44670
Guadalajara, Jalisco

Made in México
www.ozo.com.mx





✓ Efficiently kills 99.9% of most illness causing germs

OZONE

HAND SANITIZER GEL

✓ Leaves hands soft
Contains moisturizers

Paraben Free
Phthalate Free
Formaldehyde Donor Free

8.45 FL OZ (250 ml)



Distributed by:

Exportadora In & Out S de RL de CV
Tarascos 3432 Col. Monraz 44670
Guadalajara, Jalisco
Made in México
www.ozo.com.mx



Drug Facts

Active ingredient	Purposes
Ethyl Alcohol v/v - 70%	Antimicrobial

Uses

- Hand sanitizer to decrease bacteria on the skin that could cause disease
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When using this product: keep out of eyes, do not use in or near the eyes.

- In case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest

Stop use and ask a doctor if

- Irritation and redness develop
- Condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping
- For Children under 6 years of age should be supervised when using OZONE
- Not recommended for infants

Other information

- Store below 105°F (40°C)
- May discolor certain fabrics
- Harmful to wood finishes and plastics

Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose

Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx



OZO

✓ Efficiently kills 99.9% of most illness causing germs

OZONE

HAND SANITIZER GEL

✓ Leaves hands soft
Contains moisturizers

Paraben Free
Phthalate Free
Formaldehyde Donor Free

33.8 FL OZ (1 Liter)



Distributed by:
Exportadora In & Out S de RL de CV
Tarascos 3432 Col. Monraz 44670
Guadalajara, Jalisco

Made in México
www.ozo.com.mx



Drug Facts

Active ingredient	Purposes
Ethyl Alcohol v/v - 70%	Antimicrobial

Uses

- Hand sanitizer to decrease bacteria on the skin that could cause disease
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When using this product: keep out of eyes, do not use in or near the eyes.

- In case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest

Stop use and ask a doctor if

- Irritation and redness develop
- Condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping
- For Children under 6 years of age should be supervised when using OZONE
- Not recommended for infants

Other information

- Store below 105°F (40°C)
- May discolor certain fabrics
- Harmful to wood finishes and plastics

Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose

Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx



✓ Efficiently kills 99.9%
of most illness causing germs

OZONE

HAND SANITIZER GEL

Leaves hands soft
Contains moisturizers



Paraben Free
Phthalate Free
Formaldehyde Donor Free

16.9 FL OZ (500 ml)

Drug Facts

Active ingredient	Purposes
Ethyl Alcohol v/v - 70%	Antimicrobial

Uses

- Hand sanitizer to decrease bacteria on the skin that could cause disease
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When using this product: keep out of eyes, do not use in or near the eyes.

- In case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest

Stop use and ask a doctor if

- Irritation and redness develop
- Condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping
- For Children under 6 years of age should be supervised when using OZO
- Not recommended for infants

Other information

- Store below 105°F (40°C)
- May discolor certain fabrics
- Harmful to wood finishes and plastics

Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose

Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx



Distributed by:
Exportadora In & Out S de RL de CV
Tarascos 3432 Col. Monraz 44670
Guadalajara, Jalisco

Made in México

www.ozo.com.mx



Drug Facts

Active ingredient Ethyl Alcohol v/v - 70% **Purposes** Antimicrobial

Uses

- Hand sanitizer to decrease bacteria on the skin that could cause disease
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When using this product: keep out of eyes, do not use in or near the eyes.

- In case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest

Stop use and ask a doctor if

- Irritation and redness develop
- Condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping
- For Children under 6 years of age should be supervised when using OZONE
- Not recommended for infants

Other information

- Store below 105°F (40°C)
- May discolor certain fabrics
- Harmful to wood finishes and plastics

Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose

Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx

Efficiently kills 99.9% of most illness causing germs

OZONE

HAND SANITIZER GEL

Leaves hands soft
Contains moisturizers

Paraben Free
Phthalate Free
Formaldehyde Donor Free

5.28 Gallons (20 Liters)



Keep in original container and away from heat, open flames, combustible materials and hot surfaces. - No Smoking - Harmful if swallowed

First Aid EYES: First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

INGESTION: DO NOT INDUCE VOMITING. Volatile chemicals have a high risk of being aspirated into the victim's lungs during vomiting which increases the medical problems. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATELY call a hospital or poison control center. IMMEDIATELY transport the victim to a hospital. If the victim is convulsing or unconscious, do not give anything by mouth; ensure that the victim's airway is open and lay the victim on his/her side with the head lower than the body. DO NOT INDUCE VOMITING. IMMEDIATELY transport the victim to a hospital.

Firefighting CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient. CAUTION: Alcohol-resistant foam should be used. SMALL FIRE: Dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRE: Water spray, fog or alcohol-resistant foam. Do not use straight streams. Move containers from the area if you can do it without risk. FIRE INVOLVING TANKS OR CISTERNES: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let the burn.



Distributed by:
Exportadora In & Out S de RL de CV
Tarcosco 3432 Col. Monraz 44670
Guadalajara, Jalisco
Made in México
www.ozo.com.mx



Drug Facts

Active ingredient Ethyl Alcohol v/v - 70% **Purposes** Antimicrobial

Uses

- Hand sanitizer to decrease bacteria on the skin that could cause disease
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When using this product: keep out of eyes, do not use in or near the eyes.

- In case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest

Stop use and ask a doctor if

- Irritation and redness develop
- Condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping
- For Children under 6 years of age should be supervised when using OZONE
- Not recommended for infants

Other information

- Store below 105°F (40°C)
- May discolor certain fabrics
- Harmful to wood finishes and plastics

Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose

Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx

Efficiently kills 99.9% of most illness causing germs

OZONE

HAND SANITIZER GEL

Leaves hands soft
Contains moisturizers

Paraben Free
Phthalate Free
Formaldehyde Donor Free

52.8 Gallons (200 Liters)



Keep in original container and away from heat, open flames, combustible materials and hot surfaces. - No Smoking - Harmful if swallowed

First Aid EYES: First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

INGESTION: DO NOT INDUCE VOMITING. Volatile chemicals have a high risk of being aspirated into the victim's lungs during vomiting which increases the medical problems. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATELY call a hospital or poison control center. IMMEDIATELY transport the victim to a hospital. If the victim is convulsing or unconscious, do not give anything by mouth; ensure that the victim's airway is open and lay the victim on his/her side with the head lower than the body. DO NOT INDUCE VOMITING. IMMEDIATELY transport the victim to a hospital.

Firefighting CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient. CAUTION: Alcohol-resistant foam should be used. SMALL FIRE: Dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRE: Water spray, fog or alcohol-resistant foam. Do not use straight streams. Move containers from the area if you can do it without risk. FIRE INVOLVING TANKS OR CISTERNES: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let the burn.



Distributed by:
Exportadora In & Out S de RL de CV
Tarcosco 3432 Col. Monraz 44670
Guadalajara, Jalisco
Made in México
www.ozo.com.mx



Drug Facts

Active ingredient Ethyl Alcohol v/v - 70% **Purposes** Antimicrobial

Uses

- Hand sanitizer to decrease bacteria on the skin that could cause disease
- Recommended for repeated use

Warnings

For external use only: hands

Flammable, keep away from fire or flame

When using this product: keep out of eyes, do not use in or near the eyes.

- In case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest

Stop use and ask a doctor if

- Irritation and redness develop
- Condition persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping
- For Children under 6 years of age should be supervised when using OZONE
- Not recommended for infants

Other information

- Store below 105°F (40°C)
- May discolor certain fabrics
- Harmful to wood finishes and plastics

Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose

Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx

Efficiently kills 99.9% of most illness causing germs

OZONE

HAND SANITIZER GEL

Leaves hands soft
Contains moisturizers

Paraben Free
Phthalate Free
Formaldehyde Donor Free

264.17 Gallons (1000 Liters)



Keep in original container and away from heat, open flames, combustible materials and hot surfaces. - No Smoking - Harmful if swallowed

First Aid EYES: First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

INGESTION: DO NOT INDUCE VOMITING. Volatile chemicals have a high risk of being aspirated into the victim's lungs during vomiting which increases the medical problems. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATELY call a hospital or poison control center. IMMEDIATELY transport the victim to a hospital. If the victim is convulsing or unconscious, do not give anything by mouth; ensure that the victim's airway is open and lay the victim on his/her side with the head lower than the body. DO NOT INDUCE VOMITING. IMMEDIATELY transport the victim to a hospital.

Firefighting CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient. CAUTION: Alcohol-resistant foam should be used. SMALL FIRE: Dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRE: Water spray, fog or alcohol-resistant foam. Do not use straight streams. Move containers from the area if you can do it without risk. FIRE INVOLVING TANKS OR CISTERNES: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let the burn.



Distributed by:
Exportadora In & Out S de RL de CV
Tarcosco 3432 Col. Monraz 44670
Guadalajara, Jalisco
Made in México
www.ozo.com.mx



Drug Facts	
Active ingredient Ethyl Alcohol v/v - 70%	Purposes Antimicrobial
Uses	
<ul style="list-style-type: none"> Hand sanitizer to decrease bacteria on the skin that could cause disease Recommended for repeated use 	
Warnings	
For external use only: hands	
Flammable, keep away from fire or flame	
When using this product: keep out of eyes, do not use in or near the eyes.	
<ul style="list-style-type: none"> In case of contact with eyes, flush thoroughly with water Avoid contact with broken skin Do not inhale or ingest 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> Irritation and redness develop Condition persists for more than 72 hours. 	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions	
<ul style="list-style-type: none"> Put enough product in your palm to cover hands and rub hands together briskly until dry without wiping For Children under 6 years of age should be supervised when using OZONE Not recommended for infants. 	
Other information	
<ul style="list-style-type: none"> Store below 105°F (40°C) May discolor certain fabrics Harmful to wood finishes and plastics 	
Inactive ingredients Purified Water (Aqua), Vegetable Glycerin and Carboxymethyl cellulose	
Question or comments? Visit www.ozo.com.mx or e-mail us customerservice@ozo.com.mx	

✓ Efficiently kills 99.9% of most illness causing germs

OZONE

HAND SANITIZER GEL

Leaves hands soft
Contains moisturizers

Paraben Free
Phthalate Free
Formaldehyde Donor Free

1.01 FL OZ (30 ml)




Distributed by:
Exportadora In & Out S de RL de CV
Tarascos 3432 Col. Monraz 44670
Guadalajara, Jalisco
Made in México
www.ozo.com.mx



7 81159 30585 6

efficiently kills 99.9%
of most illness causing germs
ozone
hand sanitizer gel
leaves hands soft
contains moisturizers
paraben free
phthalate free
formaldehyde Donor Free

HAND SANITIZER			
alcohol gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:77210-0002
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)		ALCOHOL	70 mL in 100 mL
Inactive Ingredients			
Ingredient Name		Strength	
WATER (UNII: 059QF0K00R)			
GLYCERIN (UNII: PDC6A3C0OX)		3.2 mL in 100 mL	
CARBOXYMETHYLCELLULOSE (UNII: 05JZI7B19X)		5 mL in 100 mL	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77210-0002-2	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/07/2020	
2	NDC:77210-0002-3	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/07/2020	
3	NDC:77210-0002-4	60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/07/2020	
4	NDC:77210-0002-6	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/07/2020	
5	NDC:77210-0002-5	250 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/07/2020	
6	NDC:77210-0002-7	3800 mL in 1 JUG; Type 0: Not a Combination Product	05/07/2020	
7	NDC:77210-0002-8	20000 mL in 1 JUG; Type 0: Not a Combination Product	05/07/2020	
8	NDC:77210-0002-9	200000 mL in 1 DRUM; Type 0: Not a Combination Product	05/07/2020	
9	NDC:77210-0002-1	1000000 mL in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK; Type 0: Not a Combination Product	05/07/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	05/07/2020	

Labeler - EXPORTADORA IN & OUT S DE RL DE CV (951577298)

Revised: 6/2020

EXPORTADORA IN & OUT S DE RL DE CV