

**TOBACCO WITHDRAWAL - arsenicum alb., benzoicum acidum, berber. vulg., bryonia, caladium seguinum, cantharis, ceanothus, chelidonium majus, chionanthus virginica, cinchona, daphne indica, ignatia, iris versicolor, lycopodium, nicotinum, nux vom., rhus toxicodendron, scutellaria lateriflora, tabacum, echinacea, taraxacum, valeriana pellet
Newton Laboratories, Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Tobacco Withdrawal

INDICATIONS & USAGE SECTION

Tobacco Withdrawal Formulated for symptoms associated with tobacco use such as anxiety, cravings, irritability, respiratory conditions and stress caused by abstinence.

DOSAGE & ADMINISTRATION SECTION

Directions: Adults, take 6 pellets orally as needed or as directed by a healthcare professional. Sensitive persons begin with 1 pellet and gradually increase to full dose.

OTC - ACTIVE INGREDIENT SECTION

Arsenicum alb. 15x, Benzoicum acidum 15x, Berber. vulg. 15x, Bryonia 15x, Caladium seguinum 15x, Cantharis 15x, Ceanothus 15x, Chelidonium majus 15x, Chionanthus virginica 15x, Cinchona 15x, Daphne indica 15x, Ignatia 15x, Iris versicolor 15x, Lycopodium 15x, Nicotinum 15x, Nux vom. 15x, Rhus toxicodendron 15x, Scutellaria lateriflora 15x, Tabacum 15x, Echinacea 3x, Taraxacum 3x, Valeriana 3x.

OTC - PURPOSE SECTION

Formulated for symptoms associated with tobacco use such as anxiety, cravings, irritability, respiratory conditions and stress caused by abstinence.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

OTC - PREGNANCY OR BREAST FEEDING SECTION

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for


more than a few days

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

www.newtonlabs.net
Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warnings: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
homeopathics 
Nurturing Naturally Since 1987™
NDC# 55714-2259-1

Tobacco Withdrawal

Formulated for symptoms associated with tobacco use such as anxiety, cravings, irritability, respiratory conditions and stress caused by abstinence.

1 oz (28.35 g)

Directions: Adults, take 6 pellets orally as needed or as directed by a healthcare professional. Sensitive persons begin with 1 pellet and gradually increase to full dose.
Active Ingredients: Arsenicum alb. 15x, Benzoicum acidum 15x, Berber. vulg. 15x, Bryonia 15x, Caladium seguinum 15x, Cantharis 15x, Ceanothus 15x, Chelidonium majus 15x, Chionanthus virginica 15x, Cinchona 15x, Daphne indica 15x, Ignatia 15x, Iris versicolor 15x, Lycopodium 15x, Nicotinum 15x, Nux vom. 15x, Rhus toxicodendron 15x, Scutellaria lateriflora 15x, Tabacum 15x, Echinacea 3x, Taraxacum 3x, Valeriana 3x.
Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# N030 Lot#

TOBACCO WITHDRAWAL

arsenicum alb., benzoicum acidum, berber. vulg., bryonia, caladium seguinum, cantharis, ceanothus, chelidonium majus, chionanthus virginica, cinchona, daphne indica, ignatia, iris versicolor, lycopodium, nicotinum, nux vom., rhus toxicodendron, scutellaria lateriflora, tabacum, echinacea, taraxacum, valeriana pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-2259
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 g
Benzoic Acid (UNII: 8SKN0B0MIM) (Benzoic Acid - UNII:8SKN0B0MIM)	Benzoic Acid	15 [hp_X] in 1 g
Berberis Vulgaris Root Bark (UNII: 1TH8Q20J0U) (Berberis Vulgaris Root Bark - UNII:1TH8Q20J0U)	Berberis Vulgaris Root Bark	15 [hp_X] in 1 g
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 g

Dieffenbachia Seguine (UNII: 01800C6E6B) (Dieffenbachia Seguine - UNII:01800C6E6B)	Dieffenbachia Seguine	15 [hp_X] in 1 g
Lytta Vesicatoria (UNII: 3Q034RO3BT) (Lyttia Vesicatoria - UNII:3Q034RO3BT)	Lytta Vesicatoria	15 [hp_X] in 1 g
Ceanothus Americanus Leaf (UNII: 25B1Y14T8N) (Ceanothus Americanus Leaf - UNII:25B1Y14T8N)	Ceanothus Americanus Leaf	15 [hp_X] in 1 g
Chelidonium Majus (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN)	Chelidonium Majus	15 [hp_X] in 1 g
Chionanthus Virginicus Bark (UNII: S9Y4B22U2E) (Chionanthus Virginicus Bark - UNII:S9Y4B22U2E)	Chionanthus Virginicus Bark	15 [hp_X] in 1 g
Cinchona Officinalis Bark (UNII: S003A158SB) (Cinchona Officinalis Bark - UNII:S003A158SB)	Cinchona Officinalis Bark	15 [hp_X] in 1 g
Daphne Odora Bark (UNII: JSJ34YQJ5D) (Daphne Odora Bark - UNII:JSJ34YQJ5D)	Daphne Odora Bark	15 [hp_X] in 1 g
Strychnos Ignatii Seed (UNII: 1NM3M2487K) (Strychnos Ignatii Seed - UNII:1NM3M2487K)	Strychnos Ignatii Seed	15 [hp_X] in 1 g
Iris Versicolor Root (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC)	Iris Versicolor Root	15 [hp_X] in 1 g
Lycopodium Clavatum Spore (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 g
Nicotine (UNII: 6M3C89ZY6R) (Nicotine - UNII:6M3C89ZY6R)	Nicotine	15 [hp_X] in 1 g
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 g
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 g
Scutellaria Lateriflora (UNII: 7BP4DH5PDC) (Scutellaria Lateriflora - UNII:7BP4DH5PDC)	Scutellaria Lateriflora	15 [hp_X] in 1 g
Tobacco Leaf (UNII: 6YR2608RSU) (Tobacco Leaf - UNII:6YR2608RSU)	Tobacco Leaf	15 [hp_X] in 1 g
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	3 [hp_X] in 1 g
Taraxacum Officinale (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375)	Taraxacum Officinale	3 [hp_X] in 1 g
Valerian (UNII: JWF5YAW3QW) (Valerian - UNII:JWF5YAW3QW)	Valerian	3 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2259-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-2259-2	56.7 g in 1 BOTTLE, GLASS		
3	NDC:55714-2259-0	7.08 g in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-2259)

Revised: 3/2011

Newton Laboratories, Inc.