

## **MAGNESIUM CITRATE- magnesium citrate liquid**

**Walmart Inc.,**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Equate 162.000 162AA rev 1 162AB**

### **TEP**

DO NOT USE IF TAMPER EVIDENT TWIST- OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

### **active ingredient**

Magnesium citrate 1.745g per fl oz

### **Purpose**

Saline Laxative

### **Use**

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

### **Warnings**

#### **Ask a doctor before use if you have**

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

#### **Ask a doctor or pharmacist before use if you are**

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

#### **Stop use and ask a doctor if**

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**if pregnant or breast-feeding**

ask health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30° C)

**Directions**

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

**Other information**

- each fl oz contains: **magnesium 290 mg**
- each fl oz contains: **sodium 1 mg**

**Inactive ingredients**

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**adverse reaction**

Satisfaction guaranteed - For questions or comments please call 1-888-287=1915

DISTRIBUTED BY: Walmart, Inc.,

Bentonville, AR 72716

**principal display panel**

NDC 49035-592-38

equate

Magnesium

Citrate

Saline

Laxative

- Relief of occasional constipation
- For use in bowel cleansing systems for surgery or exam preparation

Grape Flavor

Empty & Replace Cap

PLASTIC

BOTTLE

how2recycle.info

Alcohol content

0.0013%

(from flavoring)

10 FL OZ (296 mL)

NDC 49035-592-38

**equate™**

**Magnesium Citrate**

**Saline Laxative**

• Relief of occasional constipation

• For use in bowel cleansing systems for surgery or exam preparation

Alcohol content 0.0013% (from flavoring)

**10 FL OZ (296mL)**

Grape Flavor

Empty & Replace Cap

PLASTIC BOTTLE

how2recycle.info

**Do not use if tamper evident twist-off cap is missing, broken or separated from neck ring.**

Drug Facts		Drug Facts (continued)	
<b>Active ingredient (in each fl oz) Purpose</b> Magnesium citrate 1.745 g.....Saline laxative		or contact a Poison Control Center right away. Store at temperatures between 46° and 86°F (8° and 30°C)	
<b>Uses</b> ■ for relief of occasional constipation (irregularity). ■ Generally produces bowel movement in ½ to 6 hours		<b>Directions</b> ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses	
<b>Warnings</b> <b>Ask a doctor before use if you have</b> ■ kidney disease ■ a magnesium restricted diet ■ abdominal pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks ■ already used a laxative for a period longer than 1 week <b>Ask a doctor or pharmacist before use if you are</b> ■ taking any other drug. ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work. <b>Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.</b> <b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help</b>		adults and children 12 years of age and over 6.5 to 10 fl oz maximum 10 fl oz in 24 hours children 6 to under 12 years of age 3 to 7 fl oz maximum 7 fl oz in 24 hours children 2 to under 6 years of age 2 to 3 fl oz maximum 3 fl oz in 24 hours children under 2 years of age ask a doctor	
		<b>Other information</b> ■ each fl oz contains: magnesium 290 mg ■ each fl oz contains: sodium 1 mg	
		<b>Inactive ingredients</b> benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water	
		<b>Questions?</b> 1-888-287-1915	

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

6 5128215118 81131128711

L0018320SA 539627

## MAGNESIUM CITRATE

magnesium citrate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-592
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
<b>MAGNESIUM CITRATE</b> (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)			MAGNESIUM CITRATE	1.745 g in 29.6 mL
Inactive Ingredients				
Ingredient Name				Strength
<b>BENZOIC ACID</b> (UNII: 8SKNOB0MIM)				
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)				
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)				
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)				
<b>WATER</b> (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-592-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/06/2019	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part334	05/06/2019	

**Labeler** - Walmart Inc., (051957769)

**Registrant** - Vi-Jon, LLC (790752542)

Establishment			
Name	Address	ID/FEI	Business Operations
Vi-Jon, LLC		790752542	manufacture(49035-592)

Establishment			
Name	Address	ID/FEI	Business Operations
Vi-Jon, LLC		088520668	manufacture(49035-592)