

ALLERGIEMITTEL- cardiospermum halicacabum flowering top, galphimia glauca flowering top, luffa operculata fruit tablet
Schwabe North America, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Allergiemittel Tablets

Boericke and Tafel Brand

ACTIVE INGREDIENTS:

Cardiospermum halicabum 3X

Galphimia glauca 3X

Luffa operculate 4X

Inactive Ingredients:

Lactose monohydrate

Magnesium stearate

Microcrystalline cellulose

OTC Purpose

☐Temporarily relieves minor allergic symptoms: sneezing, runny, stuffy, itchy nose, red, itchy, watery eyes, scratchy throat.

Keep out of reach of children.

Indications and Usage:

For temporary relief of minor allergic symptoms such as sneezing; runny, stuffy, itchy nose; red, watery, or itching eyes; scratchy throat.

WARNINGS:

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur..

In the event of severe allergic reactions, consult a doctor immediately.

Dosage and Administration:

Sublingual medication: Place under tongue and let dissolve.

Take before exposure to allergen or as soon after symptoms appear as possible, at least 15 minutes before or half an hour after eating, brushing teeth, or drinking anything except water.

Adults and Children 12 Years and older: Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times per day until relieved.

Children 6 to 12: Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved.

Children under 2: Consult a doctor.

Preventative use: Take 4-6 weeks before allergy season starts: 1 tablet 3 times a day

Pregnancy or Breast Feeding:

If pregnant or breastfeeding, ask a healthcare professional before use.

Overdosage:

In case of overdose, seek medical help or contact a Poison Control Center immediately.

Ask the Doctor:

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur.

In the event of severe allergic reactions, consult a doctor immediately.

Allergiemittel AllerAide® RELIEVES SYMPTOMS OF ALLERGIES††

MULTI-SYMPTOM RELIEF

Allergiemittel AllerAide® relieves a wide variety of allergic symptoms.†† It contains no antihistamines or central nervous system stimulants.

Drug Facts

Active ingredient (199.40 mg in each tablet) *Cardiospermum halicacabum* 3X, *Galphimia glauca* 3X, *Luffa operculata* 4X.....Temporary relief of allergy symptoms†† **Purpose**

Uses Temporarily relieves minor allergic symptoms:
 ■ sneezing†† ■ runny, stuffy itchy nose†† ■ red, itchy, watery eyes†† ■ scratchy throat††

Warnings

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur.
 ■ In the event of severe allergic reactions, consult a doctor immediately.

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children.**
 In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions ■ Sublingual medication. Place under tongue and let dissolve. ■ Take before exposure to allergen or as soon after symptoms appear as possible at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water. ■ **Preventative use**, take 4-6 weeks before allergy season starts, 1 tablet 3 times a day.

Age	Dose
Adults & children 12 years of age and older	Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times a day until relieved.
Children 6-12 years of age	Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved.
Children under 6 years of age	Consult a doctor.

Other information ■ Store at room temperature 20-25° C (68-77° F). ■ Keep in a dry place out of direct sunlight.

Inactive ingredients cellulose, lactose monohydrate, magnesium stearate

Questions? 1-800-9NATURE / naturesway.com

††There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. Each tablet is enclosed in a sealed blister unit with specially imprinted foil backing. Do not use if blister unit or foil backing is torn or missing.

Print Carton
 Dtelhne: turnkey
 Contact: Sue McVey
 sue.mcvey@naturesway.com
 920.469.1313 X61550



All plates change from previous version.

For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††

M788-04

BLK759
 LBN21812590.05



©2017 Distributed by: Boencke & Tafel
 a Division of Nature's Way Brands, LLC
 Green Bay, WI 54311 USA
 Product of Mexico
 Allertmed®
 EST. 1835
 BOENCKE & TAFEL



Allergiemittel

HOMEOPATHIC

SNEEZING, ITCHY EYES, NASAL CONGESTION††

NDC 53499-9590-1

For Relief of



For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††

Allergiemittel
 AllerAide®
 • Grass, Bush & Tree Pollen
 • Dust & Mold • Pet Dander

MULTI-SYMPTOM RELIEF

- SNEEZING††
- ITCHY EYES††
- NASAL††
- WATERY EYES††
- RUNNY NOSE††
- CONGESTION††

RELIEVES SYMPTOMS OF:

ALLERGY RELIEF

Multi-Symptom Relief
 No Drowsiness

Allergy Relief††

Allergiemittel AllerAide® RELIEVES SYMPTOMS OF ALLERGIES††

MULTI-SYMPTOM RELIEF

Allergiemittel AllerAide® relieves a wide variety of allergic symptoms.†† It contains no antihistamines or central nervous system stimulants.

Drug Facts

Active ingredient (199.40 mg in each tablet) *Cardiospermum halicacabum* 3X, *Galphimia glauca* 3X, *Luffa operculata* 4X.....Temporary relief of allergy symptoms†† **Purpose**

Uses Temporarily relieves minor allergic symptoms:
 ■ sneezing†† ■ runny, stuffy itchy nose†† ■ red, itchy, watery eyes†† ■ scratchy throat††

Warnings

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur.
 ■ In the event of severe allergic reactions, consult a doctor immediately.

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children.**
 In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions ■ Sublingual medication. Place under tongue and let dissolve. ■ Take before exposure to allergen or as soon after symptoms appear as possible at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water. ■ **Preventative use**, take 4-6 weeks before allergy season starts, 1 tablet 3 times a day.

Age	Dose
Adults & children 12 years of age and older	Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times a day until relieved.
Children 6-12 years of age	Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved.
Children under 6 years of age	Consult a doctor.

Other information ■ Store at room temperature 20-25° C (68-77° F). ■ Keep in a dry place out of direct sunlight.

Inactive ingredients cellulose, lactose monohydrate, magnesium stearate

Questions? 1-800-9NATURE / naturesway.com

††There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. Each tablet is enclosed in a sealed blister unit with specially imprinted foil backing. Do not use if blister unit or foil backing is torn or missing.

Print Carton
 Dtelhne: turnkey sue.mcvey@naturesway.com
 920.469.1313 X61550



All plates change from previous version.

For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††

M788-04

BLK759
 LBN21812590.05



©2017 Distributed by: Boencke & Tafel
 a Division of Nature's Way Brands, LLC
 Green Bay, WI 54311 USA
 Product of Mexico
 Allertmed®
 EST. 1835
 BOENCKE & TAFEL



Allergiemittel

HOMEOPATHIC

SNEEZING, ITCHY EYES, NASAL CONGESTION††

NDC 53499-9590-1

For Relief of



For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††

Allergiemittel
 AllerAide®
 • Grass, Bush & Tree Pollen
 • Dust & Mold • Pet Dander

MULTI-SYMPTOM RELIEF

- SNEEZING††
- ITCHY EYES††
- NASAL††
- WATERY EYES††
- RUNNY NOSE††
- CONGESTION††

RELIEVES SYMPTOMS OF:

ALLERGY RELIEF††

Multi-Symptom Relief
 No Drowsiness

Allergy Relief††

Allergiemittel AllerAide® RELIEVES SYMPTOMS OF ALLERGIES††

MULTI-SYMPTOM RELIEF

Allergiemittel AllerAide® relieves a wide variety of allergic symptoms.†† It contains no antihistamines or central nervous system stimulants.

Drug Facts

Active ingredient (199.40 mg in each tablet) *Cardiospermum halicacabum* 3X, *Galphimia glauca* 3X, *Luffa operculata* 4X.....Temporary relief of allergy symptoms†† **Purpose**

Uses Temporarily relieves minor allergic symptoms:
 ■ sneezing†† ■ runny, stuffy itchy nose†† ■ red, itchy, watery eyes†† ■ scratchy throat††

Warnings

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur.
 ■ In the event of severe allergic reactions, consult a doctor immediately.

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children.**
 In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions ■ Sublingual medication. Place under tongue and let dissolve. ■ Take before exposure to allergen or as soon after symptoms appear as possible at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water. ■ **Preventative use**, take 4-6 weeks before allergy season starts, 1 tablet 3 times a day.

Age	Dose
Adults & children 12 years of age and older	Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times a day until relieved.
Children 6-12 years of age	Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved.
Children under 6 years of age	Consult a doctor.

Other information ■ Store at room temperature 20-25° C (68-77° F). ■ Keep in a dry place out of direct sunlight.

Inactive ingredients cellulose, lactose monohydrate, magnesium stearate

Questions? 1-800-9NATURE / naturesway.com

††There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. Each tablet is enclosed in a sealed blister unit with specially imprinted foil backing. Do not use if blister unit or foil backing is torn or missing.

Print Carton
 Dtelhne: turnkey
 Contact: Sue McVey
 sue.mcvey@naturesway.com
 920.469.1313 X61550



All plates change from previous version.

For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††

M788-04

BLK759
 LBN21812590.05



©2017 Distributed by: Boencke & Tafel
 a Division of Nature's Way Brands, LLC
 Green Bay, WI 54311 USA
 Product of Mexico
 Allertmed®
 EST. 1835
 BOENCKE & TAFEL



Allergiemittel

HOMEOPATHIC

SNEEZING, ITCHY EYES, NASAL CONGESTION††

NDC 53499-9590-1

For Relief of



For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††

Allergiemittel
 AllerAide®
 • Grass, Bush & Tree Pollen
 • Dust & Mold • Pet Dander

MULTI-SYMPTOM RELIEF

- SNEEZING††
- ITCHY EYES††
- NASAL††
- WATERY EYES††
- RUNNY NOSE††
- CONGESTION††

RELIEVES SYMPTOMS OF:

ALLERGY RELIEF

Multi-Symptom Relief
 No Drowsiness

Allergy Relief††

Allergiemittel AllerAide® RELIEVES SYMPTOMS OF ALLERGIES††

MULTI-SYMPTOM RELIEF

Allergiemittel AllerAide® relieves a wide variety of allergic symptoms.†† It contains no antihistamines or central nervous system stimulants.

Drug Facts

Active ingredient (199.40 mg in each tablet) *Cardiospermum halicacabum* 3X, *Galphimia glauca* 3X, *Luffa operculata* 4X.....Temporary relief of allergy symptoms†† **Purpose**

Uses Temporarily relieves minor allergic symptoms:
 ■ sneezing†† ■ runny, stuffy, itchy nose†† ■ red, itchy, watery eyes†† ■ scratchy throat††

Warnings

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur.
 ■ In the event of severe allergic reactions, consult a doctor immediately.

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children.**
 In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions ■ Sublingual medication. Place under tongue and let dissolve. ■ Take before exposure to allergen or as soon after symptoms appear as possible at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water. ■ **Preventative use**, take 4-6 weeks before allergy season starts, 1 tablet 3 times a day.

Age	Dose
Adults & children 12 years of age and older	Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times a day until relieved.
Children 6-12 years of age	Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved.
Children under 6 years of age	Consult a doctor.

Other information ■ Store at room temperature 20-25° C (68-77° F). ■ Keep in a dry place out of direct sunlight.

Inactive ingredients cellulose, lactose monohydrate, magnesium stearate

Questions? 1-800-9NATURE / naturesway.com

††There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. Each tablet is enclosed in a sealed blister unit with specially imprinted foil backing. Do not use if blister unit or foil backing is torn or missing.

Print Carton
 Dtelhne: turnkey
 Contact: Sue McVey
 sue.mcvay@naturesway.com
 920.469.1313 X61550



All plates change from previous version.

For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††

M788-04

BLK759
 LBN21812590.05



©2017 Distributed by: Boencke & Tafel
 a Division of Nature's Way Brands, LLC
 Green Bay, WI 54311 USA
 Product of Mexico
 Allertmed®
 EST. 1835
 BOENCKE & TAFEL



For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††
 HOMEOPATHIC
 40 tablets



For Relief of
Allergiemittel
 AllerAide®
 SNEEZING, ITCHY EYES, NASAL CONGESTION††

NDC 53499-9590-1

Allergiemittel
 AllerAide®
 • Grass, Bush & Tree Pollen
 • Dust & Mold • Pet Dander
 MULTI-SYMPTOM RELIEF

- WATERY EYES††
- RUNNY NOSE††
- SNEEZING††
- ITCHY EYES††
- NASAL††
- CONGESTION††

RELIEVES SYMPTOMS OF:
ALLERGY RELIEF††

Multi-Symptom Relief
 No Drowsiness

Allergy Relief††

ALLERGIEMITTEL

cardiospermum halicacabum flowering top, galphimia glauca flowering top, luffa operculata fruit tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-9590
Route of Administration	SUBLINGUAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARDIOSPERMUM HALICACABUM FLOWERING TOP (UNII: MZP2508BRR) (CARDIOSPERMUM HALICACABUM FLOWERING TOP - UNII:MZP2508BRR)	CARDIOSPERMUM HALICACABUM FLOWERING TOP	3 [hp_X]
GALPHIMIA GLAUCA FLOWERING TOP (UNII: 93PH5Q8M7E) (GALPHIMIA GLAUCA FLOWERING TOP - UNII:93PH5Q8M7E)	GALPHIMIA GLAUCA FLOWERING TOP	3 [hp_X]
LUFFA OPERCULATA FRUIT (UNII: C4MO6809HU) (LUFFA OPERCULATA FRUIT - UNII:C4MO6809HU)	LUFFA OPERCULATA FRUIT	4 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

Product Characteristics

Color	white (BT)	Score	no score
Shape	ROUND (BT)	Size	10mm
Flavor		Imprint Code	B;T
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53499-9590-1	4 in 1 CARTON	04/01/2017	01/30/2025
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/01/2017	01/30/2025

Labeler - Schwabe North America, Inc. (831153908)**Establishment**

Name	Address	ID/FEI	Business Operations
Schwabe Mexico S.A. de C.V.		812805901	manufacture(53499-9590)

