

MEDIF TOOTH- silicon dioxide, alcloxa paste, dentifrice
MEDIF CO.,LTD

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ACTIVE INGREDIENT

Active ingredients: SILICON DIOXIDE 14.0%, ALCLOXA 0.05%

INACTIVE INGREDIENT

Inactive ingredients: D-Sorbitol Solution, Propolis Powder, Concentrated Glycerin, Sodium Cocoyl Glutamate, Xantangum, L-Menthol, Peppermint Oil, Charcoal, Grapefruit Seed Extract, Hydroxyapatite, Xylitol, Anetol Oil, Glucosyl Stevia, Chamomile Extract, Eucalyptus Extract, Sage Extract, Aloe Extract, Glycyrrhiza Extract Powder, Silver foil, Water

PURPOSE

Purpose: Anticarries

WARNINGS

Warnings: Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN

Keep out of the reach of children under 6 years of age.

Uses

Uses: Helps protect against cavities.

Directions

Directions:

Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or physician

Children 2 to 6 years: Use only a pea sized amount and supervise child's brushing and rinsing (to minimize swallowing)

Children under 2 years: Ask a dentist or physician

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

의약외품

메디프랜치약
잇몸질환예방치약

Kbiz 중소기업중앙회
PL 보험 1억원장 가입

메디프랜치약은 순은 성분과 자연유래 성분을 함유하였으며 잇몸질환 및 치주 질환에 효과가 있고 구취를 제거하며 치아를 튼튼하고 건강하게 만들어줌으로 상쾌한 기분을 느낄 수 있습니다.

[효능효과]
아를 회개 유지하고 튼튼하게 한다.
치은염, 치주염(치조농루)의 예방
구강 내를 청결히 유지한다.
충치예방, 구취를 제거한다.
치주질환, 잇몸질환의 예방
구강 내를 상쾌하게 한다.
치태제거(안티프로그)
심미효과를 높인다.

[전성분]
유효성분 (덴탈타입실리카, 알란토인글로로 히드록시알루미늄) 기타첨가제 (프로폴리스 추출물(동물유래성분, 벌), D-소비톨릭, L-멘톨, 김초엑스, 농글리세린, 마트리카리아엑스, 세이지엑스, 아네몰, 알로에엑스(O9), 유칼립투스추출물, 은박, 자몽종자추출물, 자일리톨, 잔탄검, 경제수, 코코일글루타민산나트륨, 페퍼민트오일, 하이드록시아파타이트, 활성탄, 효소처리스티베아)

[사용상의 주의사항]
(1) 삼키지 않도록 주의하고, 사용 후에는 입안을 충분히 헹구어 낼 것 (2) 이 치약의 사용으로 잇몸이나 입안이 상하는 등 이상이 발생하는 경우, 사용을 중지하고 의사 또는 치과의사와 상의할 것 (3) 만 6세 이하의 어린이가 사용할 경우, 1회당 완두콩 크기 정도의 소량의 치약을 사용하고, 빨아 먹거나 삼키지 않도록 보호자의 지도 하에 사용할 것 (4) 만 6세 이하의 어린이가 많은 양을 삼켰을 경우, 즉시 의사 또는 치과의사와 상의할 것 (5) 만 6세 이하 어린이의 손에 닿지 않는 곳에 보관할 것 (6) 본 제품은 무보존제 제품으로 외부 오염을 방지하기 위하여 사용 후 습한 환경 및 고온에서의 보관을 피하고 반드시 두껍을 닫아 보관하여 주십시오.

[제품명] 메디프랜치약
[중량] 130 g / 4.59 Oz
[보관방법] 기밀용기, 실온(1~30°C)보관
[용법용량] 적당량을 칫솔에 묻혀 칫솔질에 의해 치아를 닦는다.
[제조원] (주)동일제약
충북 음성군 단양읍 선단길 26
[판매원] (주)메디프랜
대구시 수성구 화랑로 34길 173 기업보육실 8호
[제조번호 및 사용기한] 단상자 상단표기

소비자 상담실
070-8833-2875

의약외품

메디프랜치약
잇몸질환예방치약

Kbiz 중소기업중앙회
PL 보험 1억원장 가입

메디프랜치약은 순은 성분과 자연유래 성분을 함유하였으며 잇몸질환 및 치주 질환에 효과가 있고 구취를 제거하며 치아를 튼튼하고 건강하게 만들어줌으로 상쾌한 기분을 느낄 수 있습니다.

[효능효과]
아를 회개 유지하고 튼튼하게 한다.
치은염, 치주염(치조농루)의 예방
구강 내를 청결히 유지한다.
충치예방, 구취를 제거한다.
치주질환, 잇몸질환의 예방
구강 내를 상쾌하게 한다.
치태제거(안티프로그)
심미효과를 높인다.

[전성분]
유효성분 (덴탈타입실리카, 알란토인글로로 히드록시알루미늄) 기타첨가제 (프로폴리스 추출물(동물유래성분, 벌), D-소비톨릭, L-멘톨, 김초엑스, 농글리세린, 마트리카리아엑스, 세이지엑스, 아네몰, 알로에엑스(O9), 유칼립투스추출물, 은박, 자몽종자추출물, 자일리톨, 잔탄검, 경제수, 코코일글루타민산나트륨, 페퍼민트오일, 하이드록시아파타이트, 활성탄, 효소처리스티베아)

[사용상의 주의사항]
(1) 삼키지 않도록 주의하고, 사용 후에는 입안을 충분히 헹구어 낼 것 (2) 이 치약의 사용으로 잇몸이나 입안이 상하는 등 이상이 발생하는 경우, 사용을 중지하고 의사 또는 치과의사와 상의할 것 (3) 만 6세 이하의 어린이가 사용할 경우, 1회당 완두콩 크기 정도의 소량의 치약을 사용하고, 빨아 먹거나 삼키지 않도록 보호자의 지도 하에 사용할 것 (4) 만 6세 이하의 어린이가 많은 양을 삼켰을 경우, 즉시 의사 또는 치과의사와 상의할 것 (5) 만 6세 이하 어린이의 손에 닿지 않는 곳에 보관할 것 (6) 본 제품은 무보존제 제품으로 외부 오염을 방지하기 위하여 사용 후 습한 환경 및 고온에서의 보관을 피하고 반드시 두껍을 닫아 보관하여 주십시오.

[제품명] 메디프랜치약
[중량] 130 g / 4.59 Oz
[보관방법] 기밀용기, 실온(1~30°C)보관
[용법용량] 적당량을 칫솔에 묻혀 칫솔질에 의해 치아를 닦는다.
[제조원] (주)동일제약
충북 음성군 단양읍 선단길 26
[판매원] (주)메디프랜
대구시 수성구 화랑로 34길 173 기업보육실 8호
[제조번호 및 사용기한] 단상자 상단표기

소비자 상담실
070-8833-2875

의약외품

메디프랜치약
잇몸질환예방치약

Kbiz 중소기업중앙회
PL 보험 1억원장 가입

메디프랜치약은 순은 성분과 자연유래 성분을 함유하였으며 잇몸질환 및 치주 질환에 효과가 있고 구취를 제거하며 치아를 튼튼하고 건강하게 만들어줌으로 상쾌한 기분을 느낄 수 있습니다.

[효능효과]
아를 회개 유지하고 튼튼하게 한다.
치은염, 치주염(치조농루)의 예방
구강 내를 청결히 유지한다.
충치예방, 구취를 제거한다.
치주질환, 잇몸질환의 예방
구강 내를 상쾌하게 한다.
치태제거(안티프로그)
심미효과를 높인다.

[전성분]
유효성분 (덴탈타입실리카, 알란토인글로로 히드록시알루미늄) 기타첨가제 (프로폴리스 추출물(동물유래성분, 벌), D-소비톨릭, L-멘톨, 김초엑스, 농글리세린, 마트리카리아엑스, 세이지엑스, 아네몰, 알로에엑스(O9), 유칼립투스추출물, 은박, 자몽종자추출물, 자일리톨, 잔탄검, 경제수, 코코일글루타민산나트륨, 페퍼민트오일, 하이드록시아파타이트, 활성탄, 효소처리스티베아)

[사용상의 주의사항]
(1) 삼키지 않도록 주의하고, 사용 후에는 입안을 충분히 헹구어 낼 것 (2) 이 치약의 사용으로 잇몸이나 입안이 상하는 등 이상이 발생하는 경우, 사용을 중지하고 의사 또는 치과의사와 상의할 것 (3) 만 6세 이하의 어린이가 사용할 경우, 1회당 완두콩 크기 정도의 소량의 치약을 사용하고, 빨아 먹거나 삼키지 않도록 보호자의 지도 하에 사용할 것 (4) 만 6세 이하의 어린이가 많은 양을 삼켰을 경우, 즉시 의사 또는 치과의사와 상의할 것 (5) 만 6세 이하 어린이의 손에 닿지 않는 곳에 보관할 것 (6) 본 제품은 무보존제 제품으로 외부 오염을 방지하기 위하여 사용 후 습한 환경 및 고온에서의 보관을 피하고 반드시 두껍을 닫아 보관하여 주십시오.

[제품명] 메디프랜치약
[중량] 130 g / 4.59 Oz
[보관방법] 기밀용기, 실온(1~30°C)보관
[용법용량] 적당량을 칫솔에 묻혀 칫솔질에 의해 치아를 닦는다.
[제조원] (주)동일제약
충북 음성군 단양읍 선단길 26
[판매원] (주)메디프랜
대구시 수성구 화랑로 34길 173 기업보육실 8호
[제조번호 및 사용기한] 단상자 상단표기

소비자 상담실
070-8833-2875

Date of use	Efficacy	Ingredients	Warnings	Directions	Distributor
36months from the date of manufacture	Keep your tooth white and strong. Keep your mouth clean. Refresh inside of the mouth. To prevent tooth decay and remove bad breath. Increase esthetic effect. Prevention of gingivitis and periodontal disease. Prevention of periodontal disease and gum disease. Removal of plaque (anti-plaque)	Dental Type Silica, Aluminium Chlorophoxy, Aluminium, D-Sorbitol, Salicin, Concentrated Glycerin, Chamomile Extract, Eucalypt Extract, Glycerin Extract, Active Carbon, Argentinum, Hydroxyapatite, Xylitol, Steviol, L-Menthol, Peppermint Oil, Anetol, Sodium Cocoyl Citrurate, Water, Xanthan gum, Grapefruit Seed Extract, Sage Extract, Aloe Extract, Propolis Extract	Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or physician. Children 2 to 6 years: Use only a pea sized amount and supervise child's brushing and rinsing (to minimize swallowing). Children under 2 years: Ask a dentist or physician	Boston Dental Room 8,173, Hwang-ro 34-gil, Seong-gu, Daegu, Republic of Korea Manufacturer Daegu Pharmaceutical Co., Ltd. 26, Bongsan-gil, Mangyong-myeon, Eunseong-gu, Chungbuk, Chungbuk
Active Ingredient Dental Type Silica - 14.0% Aluminium Chlorophoxy Aluminonate - 0.05%	Purpose Anticavity				Amount 130 g / 4.59 Oz

MEDIF TOOTH			
silicon dioxide, alcloxa paste, dentifrice			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72346-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	18.20 g in 130 g
ALCLOXA (UNII: 18B8O9DQA2) (ALLANTOIN - UNII:344S277G0Z)	ALCLOXA	0.06 g in 130 g

Inactive Ingredients

Ingredient Name	Strength
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72346-010-02	1 in 1 CARTON	05/01/2018	
1	NDC:72346-010-01	130 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/01/2018	

Labeler - MEDIF CO.,LTD (694955391)**Registrant** - MEDIF CO.,LTD (694955391)**Establishment**

Name	Address	ID/FEI	Business Operations
DONG IL PHARMS CO., LTD.		557810721	manufacture(72346-010)

Revised: 11/2023

MEDIF CO.,LTD