

TOLNAFTATE- tolnaftate jock itch powder spray - talc free aerosol, spray
Meijer Distribution Inc

Meijer Antifungal Tolnaftate Jock Itch Powder Spray - Talc Free

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning and chafing associated with jock itch

Warnings

For external use only.

Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product

- avoid contact with eyes
- use only as directed

Stop use and ask a doctor if

- irritation occurs
- no improvement within 2 weeks

Do not use

on children under 2 years of age unless directed by a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- use daily for 2 weeks; if condition persists, consult a doctor
- if nozzle clogs, clean with a pin

Other information

store between 20° and 30°C (68° and 86°F)

Inactive ingredients

BHT, isobutane, kaolin, PPG-12-buteth-16, SD alcohol 40-B, zea mays (corn) starch

Questions?

Call 1-866-964-0939

Principal Display Panel

meijer

MEDICATED

jock itch

Tolnaftate | Antifungal

Powder Spray

TALC-FREE

Cures most jock itch

Relieves itching, chafing & burning

NET WT 4.6 OZ (130 g)



NDC 41250-563-46

Compare to Tinactin®
Jock Itch Powder Spray
active ingredient*

MEDICATED jock itch

Tolnaftate | Antifungal

Powder Spray

TALC-FREE

Cures most jock itch
Relieves itching, chafing
& burning

NET WT 4.6 OZ (130 g)

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark "Tinactin".

Drug Facts

Active ingredient

Tolnaftate 1%.....Antifungal

Purpose

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning and chafing associated with jock itch

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store above 120° F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product ■ avoid contact with eyes
■ use only as directed

Stop use and ask a doctor if ■ irritation occurs
■ no improvement within 2 weeks

Do not use on children under 2 years of age unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists, consult a doctor
- if nozzle clogs, clean with a pin

Other information

store between 20° and 30°C (68° and 86°F)

Inactive ingredients

BHT, isobutane, kaolin, PPG-12-buteth-16, SD alcohol 40-B, zea mays (corn) starch

Questions? Call 1-866-964-0939



how2recycle.info



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com
MADE IN USA WITH U.S.
AND IMPORTED PARTS



PID 4723876

50-174ME

TOLNAFTATE

tolnaftate jock itch powder spray - talc free aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-563
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1.3 g in 130 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
KAOLIN (UNII: 24H4NWX5CO)	
ZEA MAYS SUBSP. MAYS WHOLE (UNII: 1G5HNE09V8)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

PPG-12-BUTETH-16 (UNII: 58CG7042J1)

ISOBUTANE (UNII: BXR49TP611)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-563-46	130 g in 1 CAN; Type 0: Not a Combination Product	09/19/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	09/19/2020	

Labeler - Meijer Distribution Inc (006959555)

Revised: 1/2024

Meijer Distribution Inc