

**DEXTROMETHORPHAN HYDROBROMIDE, GUAIFENESIN, AND PHENYLEPHRINE HYDROCHLORIDE- dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride liquid**  
**Westminster Pharmaceuticals, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Dextromethorphan HBr, Guaifenesin, and Phenylephrine HCl**

**Drug Facts**

<b>Active ingredients (in each 15 mL (TBSP))</b>	<b>Purpose</b>
Dextromethorphan HBr 18 mg	Cough Suppressant
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

**Warnings**

**Do Not Use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- a cough that occurs with too much phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland

## When using this product do not use more than directed

### Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occurs
- symptoms do not improve within 7 days or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose get medical help or contact Poison Control Center right away.

### Directions

- do not take more than 6 doses in any 24-hour period
- use enclosed dosage cup or tablespoon (TBSP)
- dose as follows or as directed by doctor.

Adults and children 12 years of age and over:	15 mL (1 TBSP) every 4 hours, not to exceed 90 mL (6 TBSP) in a 24 hour period
Children 6 to under 12 years of age:	7.5 mL (1/2 TBSP) every 4 hours, not to exceed 45 mL (3 TBSP) in a 24 hour period
Children under 6 years of age:	Consult a doctor.

### Other information

- Each 15 mL (TBSP) contains **Sodium 8 mg.**
- store at 68°-86°F (20°-30°C)

### Other ingredients

citric acid anhydrous, glycerin, masking agent, propylene glycol, purified water, raspberry flavor, sodium benzoate, sodium citrate dihydrate, sodium saccharin, sorbitol.

### Questions or Comments?

- Call weekdays from 9 AM to 5 PM EST at 1-844-7294. You may also report serious side effects to this phone number.

## PRINCIPAL DISPLAY PANEL - 240 mL Bottle Label

NDC 69367-184-08

Cough  
Cold/Congestion

Dextromethorphan HBr

Guaifenesin  
Phenylephrine HCl

Each 15 mL (TBSP) contains:  
Dextromethorphan HBr 18 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 10 mg

Cough Suppressant • Expectorant • Nasal Decongestant

Raspberry Flavor

Alcohol Free/ Sugar Free  
Gluten Free/ Dye Free

8 fl. oz. (240 mL)

Westminster  
Pharmaceuticals

Non-Varnish Area: .75" x 2.625"

NDC 69367-184-08

**Cough  
Cold/Congestion**

**Dextromethorphan HBr  
Guaifenesin  
Phenylephrine HCl**

Each 15 mL (TBSP) contains:  
Dextromethorphan HBr.....18 mg  
Guaifenesin.....200 mg  
Phenylephrine HCl.....10 mg

**Cough Suppressant • Expectorant • Nasal Decongestant**

Raspberry Flavor  
Alcohol Free/ Sugar Free  
Gluten Free/ Dye Free  
8 fl. oz. (240 mL)

**WP Westminster  
Pharmaceuticals**

### Drug Facts

Active ingredients (in each 15 mL (TBSP))	Purpose
Dextromethorphan HBr 18 mg.....	Cough Suppressant
Guaifenesin 200 mg.....	Expectorant
Phenylephrine HCl 10 mg.....	Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

**Warnings**

**Do Not Use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Tamper evident by foil seal under cap. Do not use if foil seal is broken or missing  
Manufactured for: Westminster Pharmaceuticals, LLC  
Nashville, TN 37217  
Rev: 05/21

OPEN  
HERE

3 69367 18408 3

### Drugs Facts (continued)

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- a cough that occurs with too much phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland

**When using this product do not use more than directed**

**Stop use and ask a doctor if:**

- nervousness, dizziness or sleeplessness occurs
- symptoms do not improve within 7 days or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose get medical help or contact Poison Control Center right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- use enclosed dosage cup or tablespoon (TBSP)
- dose as follows or as directed by doctor.

### Drugs Facts (continued)

Adults and children 12 years of age and over:	15 mL (1 TBSP) every 4 hours, not to exceed 90 mL (6 TBSP) in a 24 hour period
Children 6 to under 12 years of age:	7.5 mL (1/2 TBSP) every 4 hours, not to exceed 45 mL (3 TBSP) in a 24 hour period
Children under 6 years of age:	Consult a doctor.

**Other information**

- Each 15 mL (TBSP) contains **Sodium 8 mg.**
- store at 68°-86°F (20°-30°C)

**Other ingredients**  
citric acid anhydrous, glycerin, masking agent, propylene glycol, purified water, raspberry flavor, sodium benzoate, sodium citrate dihydrate, sodium saccharin, sorbitol.

**Questions or Comments?**

- Call weekdays from 9 AM to 5 PM EST at 1-844-7294. You may also report serious side effects to this phone number.

**Manufactured for:**  
Westminster Pharmaceuticals, LLC  
Nashville, TN 37217 Rev: 05/21

**WP Westminster  
Pharmaceuticals**

Hinge

# DEXTROMETHORPHAN HYDROBROMIDE, GUAIFENESIN, AND PHENYLEPHRINE HYDROCHLORIDE

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69367-184
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	18 mg in 15 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 15 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 15 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	RASPBERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69367-184-08	240 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/15/2018	

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC MONOGRAPH FINAL	part341	03/15/2018	

**Labeler** - Westminster Pharmaceuticals, LLC (079516651)

Revised: 11/2021

Westminster Pharmaceuticals, LLC