PHYTOPECIA HAIR TONIC- panthenol, niacinamide, salicylic acid liquid Phytos Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Phytopecia Hair Tonic

Panthenol (1%) Niacinamide (0.5%) Biotin (0.01%)

Hair tonic

Keep out of reach of children

Do not swallow. In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

Keeps scalp feed essential nutrients. Helps scalp maintenance healthy and elastic hair.

Warnings

For external use only

Do not use on damaged or broken scalp

When using this product

Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.

Stop use and ask doctor if rash or irritation on scalp develops and lasts.


☐ Store at room temperature

Directions

- 1. After shampoo, spray 1-2 times on desired area on dry scalp and gently massage with the fingertips.
- 2. Use 1-2 times a day. Continuous use at least for 3 months.
- 3. No tangling hair and unpleasant smell, so you can use before you go outside.
- 4. Do not spray on hair.

Water, Alcohol Denat., Dimethyl Sulfone, 1,2-Hexanediol, Copper Tripeptide-1, Lecithin, Camellia Sinensis Leaf Extract, Human Oligopeptide-1, rh-Oligopeptide-2, rh-Polypeptide-1, rh-Polypeptide-9, rh-Polypeptide-11, Dipotassium Glycyrrhizate, Polysorbate 80, Menthol, Chamomilla Recutita (Matricaria) Flower Extract, Morus Alba Bark Extract, Rosmarinus Officinalis (Rosemary) Extract, Tocopheryl Acetate, Poloxamer 407, Glucosyl Hesperidin, Salicylic Acid, Phytosphingosine Phosphate

Phytopecia Hair Tonic



Drug Facts

Active Ingredient Purpose Niacinamide (0.5%)--hair tonic Biotin (0.01%) -

Uses Keeps scalp feed essential nutrients. Helps scalp maintenance healthy and elastic hair.

Warnings For external use only Do not use on damaged or broken

When using this product

 Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with

Stop use and ask doctor if rash or irritation on scalp develops and lasts. Keep out of reach of children

- · Do not swallow. In case of accidental ingestion, get medical help or contact a Poison Control Center right away
- Store at room temperature

Directions
1. After shampoo, spray 1-2 times on desired area on dry scalp and gently massage with the fingertips.

- 2. Use 1-2 times a day. Continuous use at least for 3 months. 3. No tangling hair and unpleasant smell, so you can use before you go
- 4. Do not spray on hair.



They provide an intensive hair care system for ongoing hair troublers by genetic disorder and environmental stress.



Hair Tonic

Drug Facts (Continued)

Inactive Ingredients Water, Alcohol Denat., Dimethyl Sulfone, 1,2-Hexanediol, Copper Tripeptide-1, Lecithin, Camellia Sinensis Leaf Extract, Human Oligopeptide-1, rh-Oligopeptide-2, rh-Polypeptide-1, rh-Polypeptide-9, rh-Polypeptide-11, Dipotassium Glycyrrhizate, Polysorbate 80, Menthol, Chamomilla Recutita (Matricaria) Flower Extract, Morus Alba Bark Extract, Rosmarinus Officinalis (Rosemary) Extract, Tocopheryl Acetate, Poloxamer 407, Glucosyl Hesperidin, Salicylic Acid, Phytosphingosine Phosphate

Manufactured by Pytos Co., Ltd. Rm 609, 268, Hagui-ro, Dongan-gu, Anyang-si, Gyeonggi-do, 14056,

Question or Comments Call +82-70-7404-8642

피토페시아 헤어 토닉 Phytopecia Hair Tonic

(주)때맞스에서 개발한 때맞스밍고신모스페이트를 리포종 가슴에 정목시켜 만든 헤어토니으로 두대에 영양을 원합히 공급하여 단력 있고 건강한 모발로 가꾸어 줍니다.

- 1. 상무 후 적당당 (0.5ml~1ml)를 환부에 뿌린 다음 두피에 1. 영수 후 역당정 RSm1-1m()를 본무에 무슨 나를 구되게 집 스메들도록 손끝으로 가면게 마사지하른다(1월 1~2호) 2. 최소 3개월 이상 가르지 않고 꾸준히 사용한다. 3. 머리카리이 얼키가나 불쾌한 냄새가 없으므로 외출 전
- 4. 고가의 제품이므로 머리카락에 묻어남네되지 않도록 주의한다.

- L는에 들어갔을 때에는 에반을 성분으로 인해 따가을 수 있으니 했던 바라지말고 즉시 요르는 물로 충달한 첫 아래 것

 L 보험 및 원근성이 주의 사장
 가 으소이의 손이 달자 이나라는 곳에 보관할 것

 L 사라의 사는 문은 연물 성분이 의해 최근기점을 느낄수 있다.

 X등의 사용하시는 편은 연물 성분이 의해 최근기점을 느낄수 있다.

본 재품에 이상이 있을 경우 공장거래위원회고시 '소비자 분정 해결 기준'에 의해 보상해 드립니다. 소비자상당실: 070-7702-1184

展表的中央:xil10-1003532号 특하성분 :피도스핑고신 포스테이트(PIP)

제조변호일 사용기한:용기일면표기

(제조판매업자 (주)미토스/경기도 안당시 동안구 학의로 268,609호 (제조업재 (주)아란디화장품/강원도 용성군 용성읍청용길15

> 용량:60ml www.phytos.co.kr Made in Korea



PHYTOPECIA HAIR TONIC

panthenol, niacinamide, salicylic acid liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69579-106
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Panthenol (UNII: WV9CM0O67Z) (PANTHENOL - UNII:WV9CM0O67Z)	Panthenol	0.01 in 60 mL	
Niacinamide (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	Niacinamide	0.005 in 60 mL	
biotin (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	biotin	0.0001 in 60 mL	

Inactive Ingredients		
Ingredient Name	Strength	
water (UNII: 059QF0KO0R)		
ALCOHOL (UNII: 3K9958V90M)		
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)		
1,2-Hexanediol (UNII: TR046 Y3K1G)		
PREZATIDE COPPER (UNII: 6BJQ43T1I9)		
EGG PHO SPHOLIPIDS (UNII: 1Z74184RGV)		
GREEN TEA LEAF (UNII: W2ZU1RY8B0)		
MECASERMIN (UNII: 7GR912683O)		
BASIC FIBROBLAST GROWTH FACTOR (HUMAN) (UNII: S3529 G9 M9 V)		
FIBROBLAST GROWTH FACTOR-1 (UNII: G53298 VN9 Y)		
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0 FE3FX)		
Polysorbate 80 (UNII: 6OZP39ZG8H)		
Menthol (UNII: L7T10 EIP3A)		
CHAMO MILE (UNII: FGL3685T2X)		
MORUS ALBA BARK (UNII: 7071A48 NDP)		
ROSEMARY (UNII: IJ67X351P9)		
.ALPHATO COPHEROL ACETATE (UNII: 9E8X80D2L0)		
Poloxamer 407 (UNII: TUF2IVW3M2)		
Glucosyl Hesperidin (UNII: 432C95B6YE)		
Salicylic Acid (UNII: O414PZ4LPZ)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69579-106- 02	1 in 1 BOX		
1	NDC:69579-106- 01	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		12/18/20 15		

Labeler - Phytos Co., Ltd. (689196775)

Registrant - Phytos Co., Ltd. (689196775)

Establishment				
Name	Address	ID/FEI	Business Operations	
Phytos Co., Ltd.		689196775	manufacture(69579-106)	

Revised: 12/2015 Phytos Co., Ltd.