

**CAREONE NASAL AND SINUS DECONGESTANT- pseudoephedrine hcl tablet, film coated, extended release**

**American Sales Company**

-----

**American Sales Company Nasal & Sinus Decongestant Drug Facts**

**Active ingredient (in each tablet)**

Pseudoephedrine HCl 120 mg

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product**

**do not exceed recommended dosage**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 1 tablet every 12 hours</li><li>• do not take more than 2 tablets in 24 hours</li></ul>
children under 12 years	do not use this product in children under 12 years of age

## Other information

- **each tablet contains:** calcium 45 mg
- store at 20-25°C (68-77°F) in a dry place
- protect from light
- **do not use if blister unit is broken or torn**
- see carton end panel for lot number and expiration date
- this product meets the requirements of USP Drug Release Test 3

## Inactive ingredients

carnauba wax, colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

## Questions or comments?

**1-800-719-9260**

## Principal Display Panel

Compare to the active ingredient in Sudafed<sup>®</sup> Sinus Congestion 12 Hour Caplets

NASAL & SINUS DECONGESTANT

Pseudoephedrine Hydrochloride Extended Release Tablets, 120 mg

Nasal Decongestant

Maximum Strength

Sinus Pressure

Congestion

Actual Size

Non-Drowsy

12hr

OUR PHARMACISTS RECOMMEND

20 COATED CAPLETS\*

\*Capsule-Shaped Tablets

\*\*This product is not manufactured or distributed by McNeil Consumer Healthcare Division of McNeil-PPC, Inc., distributor of Sudafed® Sinus Congestion 12 Hour Caplets.

Gluten Free  
 DISTRIBUTED BY FOODHOLD U.S.A., LLC  
 LANDOVER, MD 20785 • 1-877-846-9949  
 ©2019 S&S Brands, LLC  
 Quality guaranteed or your money back.

NDC 41520-429-60

**CAREone**®

Compare to the active ingredient in  
 Sudafed® Sinus Congestion 12 Hour Caplets\*\*

**NASAL & SINUS DECONGESTANT**

**Pseudoephedrine Hydrochloride Extended Release Tablets, 120 mg  
 Nasal Decongestant**

**Maximum Strength**

- Sinus Pressure
  - Congestion
- Non-Drowsy



Actual Size



**20 COATED CAPLETS\***

\*Capsule-Shaped Tablets



05460 OF C2

**CODE AREA**

**Drug Facts**

**Active ingredient (in each tablet)**    **Purpose**  
 Pseudoephedrine HCl 120 mg.....Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

**Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease    ■ high blood pressure
- thyroid disease    ■ diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Drug Facts (continued)**

**Directions**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>■ take 1 tablet every 12 hours</li> <li>■ do not take more than 2 tablets in 24 hours</li> </ul>
children under 12 years	do not use this product in children under 12 years of age

**Other information**

- each tablet contains calcium 45 mg
- store at 20-25°C (68-77°F) in a dry place
- protect from light
- do not use if blister unit is broken or torn
- see carton end panel for lot number and expiration date
- this product meets the requirements of USP Drug Release Test 3

**Inactive ingredients** carnauba wax, colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyorbate 80, titanium dioxide

**Questions or comments?** 1-800-719-9260





## CAREONE NASAL AND SINUS DECONGESTANT

pseudoephedrine hcl tablet, film coated, extended release

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-429
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

### Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	L054
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-429-52	10 in 1 CARTON	09/15/2016	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:41520-429-60	20 in 1 CARTON	09/15/2016	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075153	09/15/2016	

**Labeler** - American Sales Company (809183973)

Revised: 6/2019

American Sales Company