

OXYGEN- oxygen gas
Linde Gas & Equipment Inc.

Oxygen - Human - 001

Oxygen Shoulder Label

UN1072 OXYGEN, COMPRESSED USP WARNING! HIGH-PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil, grease and combustibles away. Keep away from heat, sparks and flame. Store and use with adequate ventilation to prevent oxygen accumulation. Use with equipment rated for cylinder pressure and cleaned for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125 deg F (52 deg C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS form P-4638 and safety booklets P-3499, P-14-153, and P-15-276; obtain from your local supplier. KEEP OUT OF REACH OF CHILDREN. WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Rx ONLY CAS 7782-44-7 PRODUCED BY AIR LIQUEFACTION IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY DO NOT REMOVE THIS LABEL PMG-6 (07/08) Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113 DISTRIBUTED BY PRAXAIR, INC., DANBURY



Oxygen Body Label

UN1072 OXYGEN, COMPRESSED USP DANGER! COMPRESSED, OXIDIZING GAS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Keep/store away from combustible materials. Keep reduction

valves free from grease and oil. In case of fire: stop leak if safe to do so. Open valve slowly. Close valve after each use and when empty. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow preventive device in the piping. Protect from sunlight when ambient temperature exceeds 52 deg C/125 deg F. Cylinder temperature should not exceed 52 deg C/125 deg F. Store and use in a well-ventilated place. Use per Praxair MSDS form P-4638, and safety booklets P-3499, P-14-153, and P-15-276; obtain from your local supplier. KEEP OUT OF REACH OF CHILDREN. Do not handle until all safety precautions have been read and understood. WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment DO NOT REMOVE THIS LABEL Rx ONLY CAS 7782-44-7 PRODUCED BY AIR LIQUEFACTION IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY PMGB-6 (03/11) Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113

**UN1072
OXYGEN,
COMPRESSED
USP**



DANGER! COMPRESSED, OXIDIZING GAS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Keep/store away from combustible materials. Keep reduction valves free from grease and oil. In case of fire: stop leak if safe to do so. Open valve slowly. Close valve after each use and when empty. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow preventive device in the piping. Protect from sunlight when ambient temperature exceeds 52°C/125°F. Cylinder temperature should not exceed 52°C/125°F. Store and use in a well-ventilated place. Use per Praxair MSDS form P-4638, and safety booklets P-3499, P-14-153, and P-15-276; obtain from your local supplier. **KEEP OUT OF REACH OF CHILDREN.** Do not handle until all safety precautions have been read and understood.

WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DO NOT REMOVE THIS LABEL

IN CASE OF EMERGENCY: CALL 1-800-645-4633
PRODUCED BY AIR LIQUEFACTION CAS: 7782-44-7



PMGB-6 (03/11)

DISTRIBUTED BY PRAXAIR, INC.,
DANBURY, CT 06810-5113

Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc.

Oxygen Refrigerated

UN1073

OXYGEN, REFRIGERATED LIQUID USP

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑

DO NOT CHANGE OR FORCE-FIT CONNECTIONS

LOT NUMBER _____

NET CONTENTS _____

DANGER!

**MAY CAUSE OR INTENSIFY FIRE;
OXIDIZER**

**CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON
IGNITION OR IMPACT.**

IN CASE OF EMERGENCY:CALL 1-800-645-4633

CAS: 7782-44-7

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in an upright position. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:**Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical attention.

WARNING:For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY.**Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

PRODUCED BY AIR LIQUEFACTION

Medipure™
Medical gases

PRAXAIR

PMG-8 (8/16)

MADE IN USA

DO NOT REMOVE THIS PRODUCT LABEL

**DISTRIBUTED BY PRAXAIR DISTRIBUTION, INC.
DANBURY, CT 06810-6268**

UN1073
OXYGEN, REFRIGERATED LIQUID USP



↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑
DO NOT CHANGE OR FORCE-FIT CONNECTIONS

LOT NUMBER _____
 NET CONTENTS _____

DANGER!
 MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
 CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.
 COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in an upright position. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, its only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

PRODUCED BY AIR LIQUEFACTION

Medipure
 Lundberg Sciences

PRAXAIR

IN CASE OF EMERGENCY: CALL 1-800-645-4633
 CAS: 7782-44-7

PMG-8 (8/18)
 MADE IN USA

DO NOT REMOVE THIS LABEL

DISTRIBUTED BY PRAXAIR DISTRIBUTION, INC.
 DANBURY, CT 06810-6288

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59579-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59579-001-01	16424 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
2	NDC:59579-001-02	14130 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
3	NDC:59579-001-03	10987 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
4	NDC:59579-001-04	9543 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
5	NDC:59579-001-05	7985 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
6	NDC:59579-001-06	7051 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
7	NDC:59579-001-07	4361 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
8	NDC:59579-001-08	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	

9	NDC:59579-001-09	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
10	NDC:59579-001-10	708 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
11	NDC:59579-001-11	595 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
12	NDC:59579-001-12	425 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
13	NDC:59579-001-13	142 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
14	NDC:59579-001-14	198 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
15	NDC:59579-001-15	7730 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
16	NDC:59579-001-16	4332 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
17	NDC:59579-001-17	2520 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
18	NDC:59579-001-18	934 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
19	NDC:59579-001-19	680 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
20	NDC:59579-001-20	142 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
21	NDC:59579-001-23	74566 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
22	NDC:59579-001-24	103757 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
23	NDC:59579-001-25	114228 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
24	NDC:59579-001-26	120574 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
25	NDC:59579-001-27	127237 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
26	NDC:59579-001-28	135487 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
27	NDC:59579-001-29	142785 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
28	NDC:59579-001-30	155794 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
29	NDC:59579-001-31	162140 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
30	NDC:59579-001-32	178957 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
31	NDC:59579-001-33	291916 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
32	NDC:59579-001-34	428355 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	10/01/2007	

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		001355176	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		002246916	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Capitol Welders Supply Co. Inc.		003851466	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		008966082	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		009210840	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		009850954	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas North America LLC		010596159	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		013321604	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		021450408	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		027514424	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		033993759	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		037432010	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		039755707	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		045252439	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		047022553	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		049964372	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		054547505	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		054637900	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		054646935	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		054877498	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		058020215	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		059067186	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		059209143	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		059209218	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		059231360	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		059231444	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		059231485	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		063205512	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		063889091	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		078290325	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		078510774	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		079091556	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		079175491	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		079361330	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		079418557	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		079854623	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		084408371	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		098717010	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		099430951	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		102278991	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		117650419	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		117785938	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		118788132	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		120247002	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		146659946	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		148052277	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		153670138	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		159890391	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		161317490	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		167418326	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		174085381	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		196953322	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		360672935	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		364098731	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		555510726	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		623107070	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		623107088	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		803778844	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		809888688	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		824679554	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		826346673	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		832625532	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		879317022	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		884877440	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		938961455	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		948364559	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
LINDE GAS & EQUIPMENT INC.		958511151	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		960054559	manufacture(59579-001)