

NITROGEN - nitrogen gas
Rochester Welding Supply Corp.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

NITROGEN COMPRESSED LABEL

NITROGEN COMPRESSED UN 1066 NITROGEN NF NON-FLAMMABLE-2

WARNING: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. STORE AND USE WITH ADEQUATE VENTILATION. USER SHALL SECURE CYLINDER IN USE AND IN STORAGE. USE IN UPRIGHT POSITION. USE ONLY WITH EQUIPMENT DESIGNATED FOR NITROGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 DEGREES C (125 DEGREES F) CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. KEEP VALVE PROTECTIVE CAP IN PLACE WHEN NOT IN USE, IS SO EQUIPPED. USE IN ACCORDANCE WITH RWS MSDS-NIT.

DO NOT REMOVE THIS PRODUCT LABEL MADE IN THE USA PRESSURE _____ PSIG AT 70 F SIZE _____ CONTENTS _____ LITERS RETURN WITH 25 PSIG

RWSLB4 REV 01/09 CAS 7727-37-9



NITROGEN REFRIGERATED LIQUID LABEL

NITROGEN REFRIGERATED LIQUID N.F. UN 1977 NON-FLAMMABLE-2

GROSS WT _____ LBS OZ NET WT _____ LBS OZ SIZE _____ CONTENTS _____ LITERS

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION DO NOT CHANGE OR FORCE FIT CONNECTIONS

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT DESIGNATED FOR NITROGEN SERVICE AND RATED FOR CYLINDER PRESSURE. CONTAINER TEMPERATURE SHOULD NEVER EXCEED 52 DEGREES C (125 DEGREES F) USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. DON NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE HAND TRUCK SPECIFICALLY DESIGNED FOR LIQUID CYLINDER MOVEMENT. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE IN ACCORDANCE WITH THE RWS MSDS-G045.

DO NOT VENT CYLINDER IN CONFINED SPACES. DO NOT ENTER CONFINED SPACE

WHERE GAS MAY BE PRESENT UNLESS AREA HAS BEEN WELL VENTED AND SPACE HAS BEEN TESTED FOR ADEQUATE OXYGEN LEVEL (AT LEAST 19%) WITH AN APPROVED OXYGEN MEASURING INSTRUMENT OR WEARING AN APPROVED AIR SUPPLIED BREATHING APPARATUS WITH A SECOND PERSON PRESENT, SIMILARLY EQUIPPED.

DO NOT REMOVE THIS PRODUCT LABEL CAS 7727-37-9 TO BE REFILLED BY RWS AUTHORIZED FACILITY ONLY RWSLB1 REV 01/09

 **ROCHESTER**
WELDING SUPPLY Corp.
510 STATE STREET, ROCHESTER, NY 14608

NITROGEN,
REFRIGERATED LIQUID
N.F. UN 1977



Gross Wt.:	lbs.	oz.	
Net Wt.:	lbs.	oz.	
Size:		Contents	Liters

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. Store and use with adequate ventilation. Use only with equipment designed for Nitrogen service and rated for cylinder pressure. Container temperature should not exceed 52 degrees C (125 degrees F). Use a back flow preventive device in the piping. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck specifically designed for liquid cylinder movement. Close valve after each use and when empty. Use in accordance with RWS MSDS-0045.

Do not vent cylinder in confined spaces. Do not enter confined space where gas may be present unless area has been well vented and space has been tested for adequate oxygen level (at least 19%) with an approved oxygen measuring instrument, or wearing an approved air supplied breathing apparatus, with a second person present, similarly equipped.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

Rx ONLY.

 **FIRST AID**

IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
IN CASE OF FROSTBITE, obtain medical treatment immediately.

TO BE REFILLED BY RWS AUTHORIZED FACILITY ONLY. CAS 7727-37-9

RWSLB1 Rev 01/09

DO NOT REMOVE THIS PRODUCT LABEL.

PRODUCT WARNINGS AND PRECAUTIONS

WARNING: ADMINISTRATION OF NITROGEN MAY BE HAZARDOUS OR CONTRAINDICATED. FOR USE ONLY BY OR UNDER THE SUPERVISION OF A LICENSED PRACTITIONER WHO IS EXPERIENCED IN THE USE AND ADMINISTRATION OF NITROGEN AND IS FAMILIAR WITH THE INDICATION, EFFECTS, DOSAGES, METHODS AND FREQUENCY AND DURATION OF ADMINISTRATION, AND WITH THE HAZARDS, CONTRAINDICATIONS AND SIDE EFFECTS AND THE PRECAUTIONS TO BE TAKEN.

FIRST AID: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH. IF BREATHING DIFFICULT GIVE OXYGEN. CALL A PHYSICIAN. IN CASE OF FROSTBITE OBTAIN PROFESSIONAL MEDICAL TREATMENT IMMEDIATELY.

RX ONLY

NITROGEN

nitrogen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:53828-006
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53828-006-01	4 L in 1 DEWAR		
2	NDC:53828-006-02	5 L in 1 DEWAR		
3	NDC:53828-006-03	10 L in 1 DEWAR		
4	NDC:53828-006-04	15 L in 1 DEWAR		
5	NDC:53828-006-05	18 L in 1 DEWAR		
6	NDC:53828-006-06	20 L in 1 DEWAR		
7	NDC:53828-006-07	25 L in 1 DEWAR		
8	NDC:53828-006-08	30 L in 1 DEWAR		
9	NDC:53828-006-09	35 L in 1 DEWAR		
10	NDC:53828-006-10	47 L in 1 DEWAR		
11	NDC:53828-006-11	75925 L in 1 DEWAR		
12	NDC:53828-006-12	101233 L in 1 DEWAR		
13	NDC:53828-006-13	361 L in 1 CYLINDER		
14	NDC:53828-006-14	597 L in 1 CYLINDER		
15	NDC:53828-006-15	2945 L in 1 CYLINDER		
16	NDC:53828-006-16	5918 L in 1 CYLINDER		
17	NDC:53828-006-17	8467 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1935	

Labeler - Rochester Welding Supply Corp. (013133509)

Registrant - Rochester Welding Supply Corp. (013133509)

Establishment

Name	Address	ID/FEI	Business Operations
Rochester Welding Supply Corp.		013133509	manufacture

Revised: 1/2010

Rochester Welding Supply Corp.