

**REVIVE- lactic acid liquid  
IBA**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Revive**

**ACTIVE INGREDIENT**

LACTIC/CAPRIC ACID.....1.0%  
EMOLLIENT SYSTEM.....70%

**INERT INGREDIENTS**

INERT INGREDIENTS.....29%  
TOTAL.....100%  
pH OF 3.8 AT TIME OF MANUFACTURE

**INDICATIONS AND USAGE**

**GENERAL RECOMMENDATIONS**

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment
4. Wash Teat Dip cups after each milking.

**RECOMMENDED PROCEDURES FOR TEAT SANITATION**

**A. PRE-MILKING (PRE-DIPPING)**

1. REMOVE VISIBLE SOILS FROM THE TEATS.
2. OBSERVE FOREMILK BY STRIPPING TWO OR THREE STREAMS OF MILK INTO A STRIP CUP.
3. DIP OR SPRAY THE COW'S TEATS FULL LENGTH WITH Revive TEAT DIP or your choice if another IBA Pre-dip product..
4. WAIT APPROXIMATELY 30 SECONDS.
5. REMOVE ALL TEAT DIP BY THOROUGHLY DRYING THE TEATS AND TEAT ORIFICES WITH A CLEAN, SINGLE SERVICE PAPER TOWEL(S).
6. ATTACH MILKING UNIT

**B. POST-MILKING (POST DIPPING)**

Immediately after milking dip all teats full length with REVIVE Teat Dip Ensure good coverage of all sides of the teats and teat orifices.

**WARNING**

DO NOT DILUTE THIS PRODUCT

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER  
ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER  
CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.  
PROTECT THIS PRODUCT FROM FREEZING.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.  
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.**

### **FIRST AID PROCEDURES**

EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID  
WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF  
EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE  
BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN  
UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS  
KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION  
INTO THE LUNGS.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES  
CALL 1-800-424-9300**

**Revive**

Revive

NDC 29983-1024-4



A HIGHLY EFFECTIVE  
SANITIZING TEAT DIP

CONTAINS 70%  
SKIN CONDITIONERS

# REVIVE

## ALL WEATHER TEAT DIP

HELPS HEAL OR PREVENT DAMAGED TEATS DUE  
TO SUDDEN AND/OR SEVERE TEMPERATURE CHANGES

**ACTIVE INGREDIENTS:**

Lactic / Capric Acid .....	1.00%
Emollient System .....	70.00%
<b>INERT INGREDIENTS:</b> .....	29.00%
<b>TOTAL:</b> .....	100.00%

pH of 3.8 at time of manufacture

**GENERAL RECOMMENDATIONS**

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

**FIRST AID PROCEDURES**

**EYE CONTACT:** AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH EYE WITH LARGE QUANTITIES OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUE. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

**SKIN CONTACT:** FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

**INGESTION:** DRINK TWO GLASSES OF WATER AND CONSULT A PHYSICIAN.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION  
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**

**RECOMMENDED PROCEDURES  
FOR TEAT SANITATION**

**A. PRE-MILKING (PRE-DIPPING)**

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Dip or spray the cow's teats full length with REVIVE Teat Dip or your choice of another IBA-pre-dip product.
4. Wait approximately 30 seconds.
5. Remove all teat dip by thoroughly drying the teats and teat orifices with a clean, single service paper towel(s).
6. Attach milking unit.

**B. POST-MILKING (POST-DIPPING)**


1. Immediately after milking, dip all teats full length with undiluted REVIVE Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.

**WARNING**

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.



**A PART OF THE COMPLETE IBA SANITATION PROGRAM**

EXP. DATE: LOT NO.: NET CONTENTS: 5 GALLONS IBA STOCK # 260533 1021W

**REVIVE**

lactic acid liquid

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:29983-1024
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	.60 kg in 100 kg
<b>CAPRIC ACID</b> (UNII: 4G9EDB6V73) (CAPRIC ACID - UNII:4G9EDB6V73)	CAPRIC ACID	.40 kg in 100 kg

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:29983-1024-4	19.64 kg in 1 PAIL		
2	NDC:29983-1024-6	58.92 kg in 1 DRUM		
3	NDC:29983-1024-8	216.04 kg in 1 DRUM		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		06/25/2015	

**Labeler** - IBA (019494160)

**Registrant** - IBA (019494160)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Morgan Gallacher Inc DBA Custom Chemical Formulators		028311595	manufacture, api manufacture, pack

Revised: 11/2024

IBA