

HAY FEVER- apis mellifica, echinacea, hydrastis canadensis, taraxacum officinale, aconitum napellus, alfalfa, allium cepa, ambrosia artemisiaefolia, ammonium carbonicum, aralia racemosa, arsenicum album, artemisia vulgaris, arundo mauritanica, bellis perennis, berberis vulgaris, bryonia, calluna vulgaris, flos, chelidonium majus, chenopodium anthelminticum, cistus canadensis, drosera, dulcamara, eupatorium perfoliatum, euphrasia officinalis, fagus sylvatica, fraxinus americana, gelsemium sempervirens liquid
Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hay 2562L

INDICATIONS & USAGE SECTION

Formulated for associated symptoms of late Summer and Fall pollens such as itchy eyes, sneezing, post-nasal drip, sore throat and sinus pressure.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

OTC - ACTIVE INGREDIENT SECTION

Equal parts of Apis mellifica 6x, Echinacea 6x, Hydrastis canadensis 6x, Taraxacum officinale 6x, Aconitum napellus 15x, Alfalfa 15x, Allium cepa 15x, Ambrosia artemisiaefolia 15x, Ammonium carbonicum 15x, Aralia racemosa 15x, Arsenicum album 15x, Artemisia vulgaris 15x, Arundo mauritanica 15x, Bellis perennis 15x, Berberis vulgaris 15x, Bryonia 15x, Calluna vulgaris, flos 15x, Chelidonium majus 15x, Chenopodium anthelminticum 15x, Cistus canadensis 15x, Drosera 15x, Dulcamara 15x, Eupatorium perfoliatum 15x, Euphrasia officinalis 15x, Fagus sylvatica 15x, Fraxinus americana 15x, Gelsemium sempervirens 15x, Hepar sulphuris calcareum 15x, Histaminum hydrochloricum 15x, Kali bichromicum 15x, Kali iodatum 15x, Lachesis mutus 15x, Ledum palustre 15x, Lillium tigrinum 15x, Lycopodium clavatum 15x, Natrum muriaticum 15x, Onosmodium virginianum 15x, Populus candicans 15x, Populus tremuloides 15x, Pulsatilla 15x, Quercus glandium spiritus 15x, Rosa damascena 15x, Sabadilla 15x, Salix nigra 15x, Sanguinaria canadensis 15x, Solidago virgaurea 15x, Stramonium 15x, Trillium pendulum 15x, Triticum repens 15x, Urtica urens 15x, Ustilago maidis 15x, Wyethia helenoides 15x, Xerophyllum asphodeloides 15x, Parthenium 16x, Ulmus fulva 16x.

OTC - PURPOSE SECTION

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

QUESTIONS SECTION

newtonlabs.net – Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

WARNINGS SECTION

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.


OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

newtonlabs.net ~ Questions? 800.448.7256
Newton Laboratories, Inc. FDA Est# 1051203 • Gampers, GA 30013
Label statements have not been reviewed by the FDA.

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

NEWTON homeopathics 
Since 1987

NDC#
55714-2562-1

Hay Fever

Formulated for associated symptoms of late Summer and Fall pollens such as itchy eyes, sneezing, post-nasal drip, sore throat and sinus pressure.

1 FL OZ (30 ML)

Directions: Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

Active Ingredients: Equal parts of Apis mel. 6x, Echinacea 6x, Hydrastis 6x, Taraxacum 6x, Aconitum nap. 15x, Alfalfa 15x, Allium cepa 15x, Ambrosia 15x, Ammon. carb. 15x, Aralia rac. 15x, Arsenicum alb. 15x, Artemisia 15x, Arundo 15x, Bellis 15x, Berber. vulg. 15x, Bryonia 15x, Calluna vulgaris, flos 15x, Chelidonium maj. 15x, Chenopodium anth. 15x, Cistus canadensis 15x, Drosera 15x, Dulcamara 15x, Eupatorium perf. 15x, Euphrasia 15x, Fagus syl. 15x, Frax. amer. 15x, Gelsemium 15x, Hepar sulph. calc. 15x, Histaminum hydrochloricum 15x, Kali bic. 15x, Kali iod. 15x, Lachesis 15x, Ledum 15x, Liliium 15x, Lycopodium 15x, Nat. mur. 15x, Onosmodium virginianum 15x, Populus can. 15x, Populus trem. 15x, Pulsatilla 15x, Quercus gland. sp. 15x, Rosa dam. 15x, Sabadilla 15x, Salix nig. 15x, Sanguinaria 15x, Solidago 15x, Stramonium 15x, Trillium 15x, Triticum 15x, Urtica ur. 15x, Ustilago maidis 15x, Wyethia 15x, Xerophyllum 15x, Parthenium 16x, Ulmus fulv. 16x.

Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

Stock# N007 Lot#

HAY FEVER

apis mellifica, echinacea, hydrastis canadensis, taraxacum officinale, aconitum napellus, alfalfa, allium cepa, ambrosia artemisiaefolia, ammonium carbonicum, aralia racemosa, arsenicum album, artemisia vulgaris, arundo mauritanica, bellis perennis, berberis vulgaris, bryonia, calluna vulgaris, flos, chelidonium majus, chenopodium anthelminticum, cistus canadensis, drosera, dulcamara, eupatorium perfoliatum, euphrasia officinalis, fagus sylvatica, fraxinus americana, gelsemium sempervirens liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-2562
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LILIUM LANCIFOLIUM WHOLE FLOWERING (UNII: X67Z2963PI) (LILIUM LANCIFOLIUM WHOLE FLOWERING - UNII:X67Z2963PI)	LILIUM LANCIFOLIUM WHOLE FLOWERING	15 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	15 [hp_X] in 1 mL
POPULUS BALSAMIFERA LEAF BUD (UNII: 9CQ6C00G3C) (POPULUS BALSAMIFERA LEAF BUD - UNII:9CQ6C00G3C)	POPULUS BALSAMIFERA LEAF BUD	15 [hp_X] in 1 mL
ANEMONE PULSATILLA (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	15 [hp_X] in 1 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	15 [hp_X] in 1 mL
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	15 [hp_X] in 1 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	15 [hp_X] in 1 mL
ONOSMODIUM VIRGINIANUM (UNII: 604NK4250S) (ONOSMODIUM VIRGINIANUM - UNII:604NK4250S)	ONOSMODIUM VIRGINIANUM	15 [hp_X] in 1 mL
SCHOENOCAULON OFFICINALE SEED (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	15 [hp_X] in 1 mL
SANGUINARIA CANADENSIS ROOT (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	15 [hp_X] in 1 mL
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	15 [hp_X] in 1 mL
TRILLIUM ERECTUM ROOT (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII:AHW6F0T2X0)	TRILLIUM ERECTUM ROOT	15 [hp_X] in 1 mL
ULMUS RUBRA BARK (UNII: 91QY4PXU8Q) (ULMUS RUBRA BARK - UNII:91QY4PXU8Q)	ULMUS RUBRA BARK	16 [hp_X] in 1 mL
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	15 [hp_X] in 1 mL
XEROPHYLLUM ASPHODELOIDES (UNII: 9I4XB1GP2B) (XEROPHYLLUM ASPHODELOIDES - UNII:9I4XB1GP2B)	XEROPHYLLUM ASPHODELOIDES	15 [hp_X] in 1 mL
USTILAGO MAYDIS (UNII: 4K7Z7K7SWG) (USTILAGO MAYDIS - UNII:4K7Z7K7SWG)	USTILAGO MAYDIS	15 [hp_X] in 1 mL
PARTHENIUM HYSTEROPHORUS (UNII: 151F45R21P) (PARTHENIUM HYSTEROPHORUS - UNII:151F45R21P)	PARTHENIUM HYSTEROPHORUS	16 [hp_X] in 1 mL
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	POTASSIUM IODIDE	15 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 mL
POPULUS TREMULOIDES LEAF (UNII: 7IIF57D9E0) (POPULUS TREMULOIDES LEAF - UNII:7IIF57D9E0)	POPULUS TREMULOIDES LEAF	15 [hp_X] in 1 mL
ROSA X DAMASCENA FLOWERING TOP (UNII: 21W82Q764G) (ROSA X DAMASCENA FLOWERING TOP - UNII:21W82Q764G)	ROSA X DAMASCENA FLOWERING TOP	15 [hp_X] in 1 mL
SALIX NIGRA BARK (UNII: QU52J3A5B3) (SALIX NIGRA BARK - UNII:QU52J3A5B3)	SALIX NIGRA BARK	15 [hp_X] in 1 mL
ELYMUS REPENS ROOT (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)	ELYMUS REPENS ROOT	15 [hp_X] in 1 mL
DATURA STRAMONIUM (UNII: G6W4F0V8Z3) (DATURA STRAMONIUM - UNII:G6W4F0V8Z3)	DATURA STRAMONIUM	15 [hp_X] in 1 mL
URTICA URENS (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS	15 [hp_X] in 1 mL
WYETHIA HELENIOIDES ROOT (UNII: J10PD1AQ0N) (WYETHIA HELENIOIDES ROOT - UNII:J10PD1AQ0N)	WYETHIA HELENIOIDES ROOT	15 [hp_X] in 1 mL
QUERCUS ROBUR NUT (UNII: Q7MU1F4GLY) (QUERCUS ROBUR NUT - UNII:Q7MU1F4GLY)	QUERCUS ROBUR NUT	15 [hp_X] in 1 mL
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 mL

GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_X] in 1 mL
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	6 [hp_X] in 1 mL
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	15 [hp_X] in 1 mL
ALFALFA (UNII: DJO934BRBD) (ALFALFA - UNII:DJO934BRBD)	ALFALFA	15 [hp_X] in 1 mL
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	15 [hp_X] in 1 mL
AMBROSIA ARTEMISIIFOLIA (UNII: 9W34L2CQ9A) (AMBROSIA ARTEMISIIFOLIA - UNII:9W34L2CQ9A)	AMBROSIA ARTEMISIIFOLIA	15 [hp_X] in 1 mL
AMMONIUM CARBONATE (UNII: NJ5VT0FKLJ) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CARBONATE	15 [hp_X] in 1 mL
ARALIA RACEMOSA ROOT (UNII: T90W4582DU) (ARALIA RACEMOSA ROOT - UNII:T90W4582DU)	ARALIA RACEMOSA ROOT	15 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	15 [hp_X] in 1 mL
ARTEMISIA VULGARIS ROOT (UNII: 32MP823R8S) (ARTEMISIA VULGARIS ROOT - UNII:32MP823R8S)	ARTEMISIA VULGARIS ROOT	15 [hp_X] in 1 mL
ARUNDO PLINIANA ROOT (UNII: ZXE7LB03WC) (ARUNDO PLINIANA ROOT - UNII:ZXE7LB03WC)	ARUNDO PLINIANA ROOT	15 [hp_X] in 1 mL
BELLIS PERENNIS (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	15 [hp_X] in 1 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	15 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 mL
CALLUNA VULGARIS FLOWERING TOP (UNII: D9PC510CQV) (CALLUNA VULGARIS FLOWERING TOP - UNII:D9PC510CQV)	CALLUNA VULGARIS FLOWERING TOP	15 [hp_X] in 1 mL
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	15 [hp_X] in 1 mL
DYSPHANIA AMBROSIOIDES (UNII: 4H5RSU087I) (DYSPHANIA AMBROSIOIDES - UNII:4H5RSU087I)	DYSPHANIA AMBROSIOIDES	15 [hp_X] in 1 mL
HELIANTHEMUM CANADENSE (UNII: 46G3W789Q3) (HELIANTHEMUM CANADENSE - UNII:46G3W789Q3)	HELIANTHEMUM CANADENSE	15 [hp_X] in 1 mL
DROSERANGLICA (UNII: J61BY05EGY) (DROSERANGLICA - UNII:J61BY05EGY)	DROSERANGLICA	15 [hp_X] in 1 mL
SOLANUM DULCAMARA TOP (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	15 [hp_X] in 1 mL
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 mL
FAGUS SYLVATICA NUT (UNII: I57ERU2601) (FAGUS SYLVATICA NUT - UNII:I57ERU2601)	FAGUS SYLVATICA NUT	15 [hp_X] in 1 mL
FRAXINUS AMERICANA BARK (UNII: 0B24UR101S) (FRAXINUS AMERICANA BARK - UNII:0B24UR101S)	FRAXINUS AMERICANA BARK	15 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	15 [hp_X] in 1 mL
POTASSIUM DICHROMATE (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LKY4BFN2V)	POTASSIUM DICHROMATE	15 [hp_X] in 1 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 1 mL
RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01I20P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01I20P)	RHODODENDRON TOMENTOSUM LEAFY TWIG	15 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2562-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/18/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/18/2020	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-2562)

Revised: 5/2020

Newton Laboratories, Inc.