CHILDRENS IBUPROFEN- ibuprofen suspension PAI Holdings, LLC dba PAI Pharma

Childrens Ibuprofen Oral Suspension USP

Important: Read all product information before using. Keep this insert for important information. This product is intended for use in children.

Drug Facts

Active ingredient (in each 5 mL)

Ibuprofen 100 mg (NSAID)¹

1 nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

temporarily:

- relieves minor aches and pains due to the common cold, flu, sore throat, headache and toothache
- reduces fever

Warnings

Allergy alert: Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if your child:

has had stomach ulcers or bleeding problems

- takes a blood thinning (anticoagulant) or steroid drug
- takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- takes more or for a longer time than directed

Heart attack and stroke warning: NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by doctor.

Do not use

- if the child has ever had an allergic reaction to Ibuprofen or any other pain reliever/fever reducer
- right before or after heart surgery

Ask a doctor before use if

- stomach bleeding warning applies to your child
- child has a history of stomach problems, such as heartburn
- child has problems or serious side effects from taking pain relievers or fever reducers
- child has not been drinking fluids
- child has lost a lot of fluid due to vomiting or diarrhea
- child has high blood pressure, heart disease, liver cirrhosis, kidney disease, or had a stroke
- child has asthma
- child is taking a diuretic

Ask a doctor or pharmacist before use if the child is

- under a doctor's care for any serious condition
- taking any other drug

When using this product

take with food or milk if stomach upset occurs

Stop use and ask a doctor if

- child experiences any of the following signs of stomach bleeding:
 - feels faint
 - vomits blood
 - has bloody or black stools
 - · has stomach pain that does not get better
- child has symptoms of heart problems or stroke:
 - chest pain
 - trouble breathing
 - weakness in one part or side of body
 - slurred speech

- leg swelling
- the child does not get any relief within first day (24 hours) of treatment
- fever or pain gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- any new symptoms appear

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed
- shake well before using
- mL = milliliter
- find right dose on chart. If possible, use weight to dose; otherwise use age
- if needed repeat dose every **6-8 hours**
- do not use more than 4 times a day

Dosing Chart

Weight (lb)	Age (yr)	Dose (mL)*	
under 24	under 2 years	ask a doctor	
24-35 lbs	2-3 years	5 mL	
36-47 lbs	4-5 years	7.5 mL	
48-59 lbs	6-8 years	10 mL	
60-71 lbs	9-10 years	12.5 mL	
72-95 lbs	11 years	15 mL	
* or as directed by a doctor			

Other information

- each 5 mL contains: sodium 2 mg
- store between 20° to 25°C (68° to 77°F)

Children's Ibuprofen Oral Suspension is a clear, berry flavored suspension supplied in the following oral dosage forms:

NDC 0121-1022-05: 5 mL unit dose cup, in a tray of ten cups.

NDC 0121-1022-00; Case contains 100 unit dose cups of 5 mL (0121-1022-05)

packaged in 10 trays of 10 unit dose cups each.

NDC 0121-2044-10: 10 mL Unit dose cup

NDC 0121-2044-00: Case contains 100 unit dose cups of 10 mL (0121-2044-10)

packaged in 10 trays of 10 unit dose cups each.

Inactive ingredients: Acesulfame potassium, anhydrous citric acid,

carboxymethylcellulose sodium, flavors, glycerin, microcrystalline cellulose, polysorbate 80, propylene glycol, purified water, sodium benzoate, sucrose, and xanthan gum

Questions or comments? Call 1-800-845-8210.

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Children's Motrin® Dye-Free Berry Flavor.

PACKAGED BY

R07/23

PAI Pharma Greenville, SC 29605

Principal Display Panel

Delivers 5 mL NDC 0121-1022-05

Children's Ibuprofen Oral Suspension, USP (NSAID)

100 mg per 5 mL

Pain Reliever/Fever Reducer Berry Flavored/Dye Free/Alcohol Free

SHAKE WELL

Package Not Child-Resistant

PAI Pharma Greenville, SC 29605

SEE DRUG FACTS



Principal Display Panel

NDC 0121-2044-10

Children's Ibuprofen Oral Suspension, USP 200 mg per 10 mL $\,$



Lidding

CHILDRENS IBUPROFEN

ibuprofen suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0121-1022(NDC:76281-128)

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength IBUPROFEN (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM) IBUPROFEN (UNII: WK2XYI10QM) IBUPROFEN 100 mg in 5 mL

Inactive Ingredients			
Ingredient Name	Strength		
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)			
GLYCERIN (UNII: PDC6A3C0OX)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYSORBATE 80 (UNII: 60ZP39ZG8H)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SUCROSE (UNII: C151H8M554)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics				
Color		Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0121- 1022-05	10 in 1 TRAY	11/03/2023			
1		5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product				
2	NDC:0121- 1022-00	10 in 1 CASE	11/03/2023			
2		5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product				

Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End	
Category	Citation	Date	Date	

ANDA ANDA210602 11/03/2023

CHILDRENS IBUPROFEN

ibuprofen suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0121-2044(NDC:76281-119)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IBUPROFEN (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg in 10 mL

Inactive Ingredients Ingredient Name Strength ACESULFAME POTASSIUM (UNII: 230V73Q5G9) ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) GLYCERIN (UNII: PDC6A3C0OX) MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) POLYSORBATE 80 (UNII: 60ZP39ZG8H) PROPYLENE GLYCOL (UNII: 6DC9Q167V3) WATER (UNII: 059QF0KOOR) SODIUM BENZOATE (UNII: OJ245FE5EU) SUCROSE (UNII: C151H8M554) XANTHAN GUM (UNII: TTV12P4NEE)

Product Characteristics			
Color	orange	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0121- 2044-10	10 in 1 TRAY	11/03/2023		
1		10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product			
2	NDC:0121- 2044-00	10 in 1 CASE	11/03/2023		
2		10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product			

Marketing I	nformation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210602	11/03/2023	

Labeler - PAI Holdings, LLC dba PAI Pharma (044940096)

Revised: 4/2024 PAI Holdings, LLC dba PAI Pharma