

CHILDRENS ALLERGY RELIEF - cetirizine hydrochloride solution
A-S Medication Solutions

ACTIVE INGREDIENT(S)

(in each 5 mL)

Cetirizine Hydrochloride USP 5mg

PURPOSE

Antihistamine

USE(S)

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

WARNINGS

DO NOT USE

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

ASK A DOCTOR BEFORE USE IF

you have liver or kidney disease. Your doctor should determine if you need a different dose.

ASK A DOCTOR OR PHARMACIST BEFORE USE IF

you are taking tranquilizers or sedatives.

WHEN USING THIS PRODUCT

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery

STOP USE AND ASK A DOCTOR IF

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other Information

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is opened or bottle wrap imprinted “SAFETY SEAL®”**

is broken or missing

- see top panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, flavors, non crystallizing sorbitol solution, propylene glycol, purified water, sodium benzoate and sucralose.

Questions?

call **1-888-588-1418**

Distributed by:
Camber Consumer Care, Inc.
Piscataway, NJ 08854, USA.

Mfg. Lic. No.: 22/RR/AP/2001/F/R

cetirizine hydrochloride



CHILDRENS ALLERGY RELIEF			
cetirizine hydrochloride solution			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-4741(NDC:69230-316)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name		Basis of Strength	Strength	
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)		CETIRIZINE HYDROCHLORIDE	1 mg in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
SORBITOL (UNII: 506T60A25R)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Product Characteristics				
Color	YELLOW (Colorless to Yellow)	Score		
Shape		Size		
Flavor	GRAPE	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-4741-0	1 in 1 CARTON	11/21/2019	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA210622	03/13/2019		

Labeler - A-S Medication Solutions (830016429)

Establishment

Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-4741)

Revised: 12/2023

A-S Medication Solutions