

VITASTEM- tetracycline hydrochloride ointment
ViaDerma Distribution, Inc.

Vitastem

Drug Facts

Active Ingredient

Tetracycline-HCl 30mg

Purpose

First Aid/Antibiotic

Indications:

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings:

For external use only. May be harmful if swallowed.

Do not use if allergic to any ingredient listed on this label. **Allergy Alert:**

Do not use

- In eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious trauma

Stop use and ask a doctor

if condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison control Center right away.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.

- May be covered with a sterile bandage.
- This product is an OTC antibiotic for human use
- Contains no alcohol, no animal ingredients
- Blended for typical skin color
- May stain cloth
- No claims regarding stem cell healing are implied for this product.

Stop use if product is misused

Inactive Ingredients:

Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

Package Labeling:

Drug Facts

Active Ingredient Tetracycline-HCl 30mg	Purpose First Aid/Antibiotic
---	--

Indications: First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings: For external use only. May be harmful if swallowed.

Allergy Alert: Do not use if allergic to any ingredient listed on this label.

Do not use

- In eyes ■ over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds ■ animal bites
- serious trauma

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison control Center right away.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Stop use if product is misused

- This product is an OTC antibiotic for human use
- Contains no alcohol, no animal ingredients
- Blended for typical skin color
- May stain cloth
- No claims regarding stem cell healing are implied for this product.

Inactive Ingredients: Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxyethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

SIDE EFFECT:
SAME AS OTHER TETRACYCLINE PRODUCTS.

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic
Topical Ointment



KEEP THIS AND ALL DRUGS AWAY FROM CHILDREN. IN CASE OF ACCIDENTAL INGESTION, SEEK MEDICAL ASSISTANCE OR CONTACT A POISON CONTROL IMMEDIATELY.

Topical Ointment

First Aid & Antibiotic

VITASTEM[™]

VIA DERMA[®]
Distribution

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic

Topical Ointment

Tetracycline Hydrochloride 3%
(active ingredient)

Topical Ointment

Tetracycline Hydrochloride 3%
(active ingredient)

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic

Topical Ointment

Tetracycline Hydrochloride 3%
(active ingredient)



0.5 FL OZ (15ml)

Licensed to ViaDerma Distribution by: ViaDerma, Inc.
Distributed by: ViaDerma Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd, Suite 152
Las Vegas, NV 89119 | Tel: 1-800-585-8685 | www.Vitastem.net

Patent Pending



NDC# 71262-002-15

VITASTEM-tetracycline hydrochloride ointment, 60 ml (71262-002-01)

Drug Facts

Active Ingredient	Purpose
Tetracycline-HCl 30mg	First Aid/Antibiotic

Indications: First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings: For external use only. May be harmful if swallowed.

Allergy Alert: Do not use if allergic to any ingredient listed on this label.

Do not use

- In eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious trauma

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Stop use if product is misused

- This product is an OTC antibiotic for human use
- Contains no alcohol, no animal ingredients
- Blended for typical skin color
- May stain cloth
- No claims regarding stem cell healing are implied for this product.

Inactive Ingredients: Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxyethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

SIDE EFFECT:
SAME AS OTHER TETRACYCLINE PRODUCTS.

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic
Topical Ointment



KEEP THIS AND ALL DRUGS AWAY FROM CHILDREN. IN CASE OF ACCIDENTAL INGESTION, SEEK MEDICAL ASSISTANCE OR CONTACT A POISON CONTROL IMMEDIATELY.

Topical Ointment

First Aid & Antibiotic

VITASTEM[™]

VIA DERMA[®]
Distribution

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic
Topical Ointment

Tetracycline Hydrochloride 3% (active ingredient)

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic
Topical Ointment

Tetracycline Hydrochloride 3% (active ingredient)



Licensed to ViaDerma Distribution by: ViaDerma, Inc.
Distributed by: ViaDerma Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd, Suite 152
Las Vegas, NV 89119 | Tel: 1-800-585-8685 | www.Vitastem.net

Patent Pending

8 65393 00040 8

NDC# 71262-002-15

VITASTEM-tetracycline hydrochloride ointment, 100 ml (71262-002-02)

Drug Facts

Active Ingredient **Purpose**
Tetracycline-HCl 30mg First Aid/Antibiotic

Indications: First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings: For external use only. May be harmful if swallowed.

Allergy Alert: Do not use if allergic to any ingredient listed on this label.

Do not use

- In eyes ■ over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds ■ animal bites
- serious trauma

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison control Center right away.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Stop use if product is misused

- This product is an OTC antibiotic for human use
- Contains no alcohol, no animal ingredients
- Blended for typical skin color
- May stain cloth
- No claims regarding stem cell healing are implied for this product.

Inactive Ingredients: Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxyethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

SIDE EFFECT:
SAME AS OTHER TETRACYCLINE PRODUCTS.

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic
Topical Ointment



KEEP THIS AND ALL DRUGS AWAY FROM CHILDREN. IN CASE OF ACCIDENTAL INGESTION, SEEK MEDICAL ASSISTANCE OR CONTACT A POISON CONTROL IMMEDIATELY.

Topical Ointment

First Aid & Antibiotic

VITASTEM[™]

VIA DERMA[®]
Distribution

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic

Topical Ointment

Tetracycline
Hydrochloride 3%
(active ingredient)

3.38 FL OZ (100ml)

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic

Topical Ointment

Tetracycline
Hydrochloride 3%
(active ingredient)



Licensed to ViaDerma Distribution by: ViaDerma, Inc.
Distributed by: ViaDerma Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd, Suite 152
Las Vegas, NV 89119 | Tel: 1-800-585-8685 | www.Vitastem.net

Patent Pending



NDC# 71262-002-15

Licensed to **ViaDerma Distribution** by:
ViaDerma, Inc. Distributed by: **ViaDerma**
Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd,
 Suite 152 Las Vegas, NV 89119
 Tel: 1-800-585-8685 | **NDC#** 71262-002-15



VITASTEM™

First Aid & Antibiotic

Topical Ointment

Tetracycline
 Hydrochloride 3%

3.38 FL OZ (100ml)

KEEP THIS AND ALL DRUGS AWAY FROM
 CHILDREN. IN CASE OF ACCIDENTAL INGESTION,
 SEEK MEDICAL ASSISTANCE OR CONTACT
 A POISON CONTROL IMMEDIATELY.

VITASTEM

tetracycline hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TETRACYCLINE HYDROCHLORIDE (UNII: P6R62377KV) (TETRACYCLINE - UNII:F8VB5M810T)	TETRACYCLINE HYDROCHLORIDE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045WJ989B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-002-00	1 in 1 BOX	02/09/2017	
1		5 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:71262-002-15	1 in 1 BOX	07/01/2017	
2		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:71262-002-01	1 in 1 BOX	11/08/2016	
3		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:71262-002-02	1 in 1 BOX	11/08/2016	
4		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	11/08/2016	

Labeler - ViaDerma Distribution, Inc. (081113521)

Revised: 12/2023

ViaDerma Distribution, Inc.