

**ACETAMINOPHEN- acetaminophen tablet, extended release  
H-E-B**

-----  
**Drug Facts**

**ACTIVE INGREDIENT (IN EACH CAPLET)**

Acetaminophen USP, 650 mg

**PURPOSE**

Pain reliever/fever reducer

**USES**

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

**WARNINGS**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**DIRECTIONS**

- **do not take more than directed (see overdose warning)**

---

adults	<ul style="list-style-type: none"><li>▪ take 2 caplets every 8 hours with water.</li><li>▪ swallow whole; do not crush, chew, split or dissolve</li><li>▪ do not take more than 6 caplets in 24 hours</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
under 18 years of age	<ul style="list-style-type: none"><li>▪ ask a doctor</li></ul>

---

**OTHER INFORMATION**

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

**INACTIVE INGREDIENTS**

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

**QUESTIONS?**

call **1-800-406-7984**

**Contains No Aspirin**

**Keep the carton.**

**It contains important information.**

**MADE WITH PRIDE & CARE FOR H-E-B**

**SAN ANTONIO, TX 78204**

**5108051/R0514**

**PRINCIPAL DISPLAY PANEL**

**Compare to Tylenol<sup>®</sup> Arthritis Pain the active ingredient\*\***

**H-E-B<sup>®</sup>**

**ARTHRITIS PAIN RELIEF**

**acetaminophen**

**Extended-Release Tablets, USP 650 mg**

**Pain Reliever/Fever Reducer**

**Lasts up to 8 hrs**

• For the Temporary Relief of Minor Arthritis Pain

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**See New Warning**

**Use only as directed.**

**50 CAPLETS\***

**(\*Capsule-Shaped Tablets)**



## ACETAMINOPHEN

acetaminophen tablet, extended release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-333
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONES (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	Cor116
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-333-50	1 in 1 CARTON	10/24/2005	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:37808-333-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	10/24/2005	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	04/30/2002	

**Labeler** - H-E-B (007924756)

**Registrant** - Ranbaxy Pharmaceuticals Inc. (937890044)

### Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(37808-333)