

**MEDIRELIEF- lidocaine patch**  
**FARLA MEDICAL HEALTHCARE LTD**

-----  
**MediRelief Lidocaine 4% Patch**

**Drug Facts**

**Active Ingredients & Purpose**

---

***Active ingredients (in each patch) Purpose***

Lidocaine 4%.....Topical analgesic

---

**Uses**

For the temporary relief of pain.

**Warnings**

**FOR EXTERNAL USE ONLY.** Avoid contact with the eyes.

**Do not use**

- in large quantities, particularly over raw surfaces or blistered areas
- on sensitive skin
- if allergic to any ingredients in this product

**Stop use and ask a doctor if**

- condition worsens
- redness is present
- symptoms persist for more than 7 days or clear up and occur again within a few days

**If pregnant of breast-feeding**

ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults & children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- clean dry affected area

- remove film from patch and apply to skin (see illustration)
- children under 12 years of age: consult a doctor

### Other Information

- store at room temperature 68-77°F (20-25°C)
- do not store in direct sunlight or expose to excessive heat and moisture

**TAMPER EVIDENT:** Do not use if pouch containing the patch is torn or broken.

### Inactive Ingredients

dihydroxyaluminum aminoacetate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, povidones, propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water

### Principal Display Panel

NDC: 73486-102-25

Count: (3.9"x5.5") 5 Patches

The image shows the principal display panel for MediRelief Pain Relieving Patch Lidocaine 4%. It features a purple and white color scheme. On the left, there are five numbered illustrations showing the steps to apply the patch: 1. Pull apart, 2. Peel off one side of the film, 3. Place on affected area, 4. Peel off the remaining film, 5. Press patch firmly. Below these is a 'Drug Facts' table. The right side of the panel features the product name 'MediRelief a Farla brand Unscented Pain Relieving Patch Lidocaine 4%' and a graphic of a human back with a patch on the lower back. Text on the right includes 'FOR TEMPORARY PAIN RELIEF' and '5 Individual Patches 3.9 in. x 5.5 in. (10 cm x 14 cm)'. A 'REF 885015' label is visible in the top right corner.

Active ingredients (in each patch)	Purpose
Lidocaine 4%	Topical analgesic

**Use**  
For the temporary relief of pain.

**Warnings**  
FOR EXTERNAL USE ONLY. Avoid contact with the eyes.

**Do not use**

- in large quantities, particularly over raw surfaces or blistered areas
- on sensitive skin
- if allergic to any ingredients in this product

**Stop use and consult a doctor if**

- condition worsens
- redness is present
- symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.  
KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults & children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- clean, dry affected area
- remove film from patch and apply to skin (see illustration)
- children under 12 years of age: consult a doctor

**Other information**

- store at room temperature 68-77°F (20-25°C)
- do not store in direct sunlight or expose to excessive heat and moisture
- TAMPER EVIDENT: Do not use if pouch containing the patch is torn or broken.

**Inactive ingredients**  
dihydroxyaluminum aminoacetate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, povidones, propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water

## MEDIRELIEF

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73486-102
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g

Inactive Ingredients	
Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
POVIDONE (UNII: FZ989GH94E)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
KAOLIN (UNII: 24H4NWX5CO)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TARTARIC ACID (UNII: W4888I119H)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73486-102-25	5 in 1 CARTON	05/26/2020	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/26/2020	

**Labeler - FARLA MEDICAL HEALTHCARE LTD (230061759)**

Revised: 2/2024

FARLA MEDICAL HEALTHCARE LTD