

**CIRCLE K ALLERGY ANTIHISTAMINE- diphenhydramine hydrochloride tablet,  
film coated**

**Lil' Drug Store Products, Inc.**

-----  
**Circle K™ Allergy**

**Antihistamine**

***Drug Facts***

**Active ingredient (in each tablet)**

Diphenhydramine HCl 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks

- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

### Other information

- **each tablet may contain:** calcium 25 mg
- store at room temperature 68°-77°F (20°-25°C)
- protect from light and moisture

### Inactive ingredients

carnauba wax <sup>1</sup>, colloidal silicon dioxide, croscarmellose sodium, D&C red #27, dicalcium phosphate <sup>1</sup>, hypromellose, lactose <sup>1</sup>, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80 <sup>1</sup>, titanium dioxide

<sup>1</sup> may contain

### Questions or comments?

Call toll-free **1-877-507-6516 (M-F 8AM - 4:30PM CST)**

**Proudly distributed by Circle K Stores Inc.**

**PRINCIPAL DISPLAY PANEL - 4 Tablet Pouch Carton - NDC 66715-5654-2**

**Compare to the Active Ingredient  
in Benadryl® Allergy\*\***

**CIRCLE K™**

**Allergy**

Diphenhydramine HCl 25 mg, Antihistamine

ACTUAL SIZE

**Relieves**

- Runny Nose - Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

**4 Tablets**

2 POUCHES, 2 TABLETS PER POUCH

Compare to the Active Ingredient in Benadryl® Allergy\*\*

**CIRCLE K**

# Allergy

Diphenhydramine HCl 25 mg, Antihistamine



**Relieves**

- Runny Nose - Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat

**6 Tablets**  
3 POUCHES, 2 TABLETS PER POUCH

6 Tablets

**CIRCLE K**

**Allergy**

**DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!**

**Drug Facts**

Active ingredient (in each tablet)	Purpose
Diphenhydramine HCl 25 mg	Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking** tranquilizers or sedatives.

**LIFT PANEL FOR CONTINUED DRUG FACTS**

**Drug Facts (continued)**

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

**Other information**

- each tablet may contain: calcium 25 mg
- store at room temperature 68°-77°F (20°-25°C)
- protect from light and moisture

**Allergy**

**CIRCLE K**

**Drug Facts (continued)**

**Inactive ingredients**

carnauba wax\*, colloidal silicon dioxide, croscarmellose sodium, D&C red #27, dicalcium phosphate\*, hypromellose, lactose\*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80\*, titanium dioxide  
\*may contain

**Questions or comments?**  
Call toll-free 1-877-507-6516 (M-F 8AM - 4:30PM CST)

**Product manufactured for:**  
Lil' Drug Store Products, Inc., 9300 Earhart Lane SW  
Cedar Rapids, IA 52404 57543C-US-05-18-A  
Proudly distributed by Circle K Stores Inc.

\*\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

**CIRCLE K**

**Allergy**

6 Tablets

LOT  
EXP

1 94283 65020 2

# RELIEVES SYMPTOMS OF HAY FEVER & OTHER ALLERGIES

Compare to the active ingredient in  
**Benadryl® Allergy ULTRATABS®\*\***

**CIRCLE K™**

**multi-symptom**

**allergy**


**Diphenhydramine HCl 25 mg,**

**Antihistamine**

[tablet image]

**actual size**

**6 tablets (2 per pouch)**



## CIRCLE K ALLERGY ANTIHISTAMINE

diphenhydramine hydrochloride tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-5654
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	061;T
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5654-2	2 in 1 CARTON	10/17/2016	04/14/2024
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-5654-3	3 in 1 CARTON	10/15/2019	04/14/2024
2		2 in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/01/2014	04/14/2024

## CIRCLE K ALLERGY ANTIHISTAMINE

diphenhydramine hydrochloride tablet, film coated

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-5554
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	048;D
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5554-2	2 in 1 CARTON	10/17/2016	04/14/2024
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-5554-3	3 in 1 CARTON	10/15/2019	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/01/2014	

Revised: 12/2023

Lil' Drug Store Products, Inc.