SOLIMO SPORT SPF 50 BROAD SPECTRUM SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene aerosol, spray Amazon.com Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SOLIMO SPORT SPF 50 BROAD SPECTRUM SUNSCREEN SPRAY

Active ingredients

Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0%

Octocrylene 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging casued by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

• on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Spray liberally and spread evenly by hand 15 minutes before sun exposure

Hold can 4-6 inches away from the skin to apply

Do not spray directly into face. Spray into hands then apply to face

Do not apply in windy conditions

Use in a well-ventilated area

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

children under 6 months of age: ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol, fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

Questions or comments?

Call toll free 1-877-485-0385 SOLIMO SPORT SPF 50 BROAD SPECTRUM SUNSCREEN SPRAY 11 OZ. (312g) NDC 72288-209-38

Drug Facts Purpose Active ingredients Purpose Archick ingredients Sunscreen Octoarleate 5.0% Sunscreen Usage - hops privent surburn - if used as directed with other sun protection measures (see Directions), decreases Uses - hops privent surburn - if used as directed with other sun protection measures (see Directions), decreases	SOUMO
Warnings For external use only FLAMMABLE: • 0 on dt use next heat, fame or while smoking • oxid long term storage above 104" (40°C)	Sport
Do not use • on damaged or broken skin. When using this product • keep out of eyes. Rives with water to remove. • keep away from face to avoid breathing it. • do not putcular or increases Contents under pressure. • 0 and store at temperatures above 120° F.	Sunscreen
Stop use and sex à doctor if • rish occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poisson Control Center right away. Directions • Spay liberally and spread evenly by hand 15 minutes before sun exposure	Spray
Hold can + 6 inches away from the kin to apply On of strey directly in kinks ex. Spray into hands then apply to face On on tapp in winky conditions Use in a well-welltaked streat reapply: effet 80 minutes of swimming or sweeting	BROAD SPECTRUM SPF 50
immodability dish fused driving immodability dish fused driving ideal every 2 how an example of the set a doctor or bildree under 6 months of age: text a doctor or and easy drivin prior. To decrease the init in the sun increases your risk of skin cancer add easy drivin prior. To decrease the init risk regularly use a subcorder with a wear long-decrease System (in the sun protection measures including: entril time in the sun, expectably from 10 a.m 2 p.m. entril time in the sun expectably from 10 a.m 2 p.m. entril time in the sun, expectably from 10 a.m 2 p.m. entril time in the sun, expectably from 10 a.m 2 p.m. entril time in the sun, expectably from 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m 2 p.m. entril time in the sun expectably form 10 a.m. entril time in the sun expectably form 10 a.m. entril time in the sun expectably form 10 a.m. entril time in the sun expe	Water resistant (80 minutes) Formulated Without Parabens & Phthalates Octinoxate & Oxybenzone Free UVA/UVB protection
Imag dealer to dealing before transformations of an analog Inactive ingredients alcohol denat, butylocify satisfields, acrylates/acdylarytamide copolymer, partiteriol, toopherd, fragance, starsystimethytiskine, capylocicopic trgb/cerke, glycartin Questions or comments? Call bit free 1377-485-0355	NET WT 11 OZ (312 g)
DISTRIBUTED BY: Amazon.com Services, Inc. Seattle, WA 98109 1-877-485-0385 © 2020 Amazon.com, Inc. or its affiliates. All rights reserved. Solimo and all related logos are trademarks of Amazon.com, Inc. or its affiliates.	

SOLIMO SPORT SPF 50 BROAD SPECTRUM SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information					
Product T ype	HUMAN OTC DRUG	Item Code (S	Source) NDC:72	NDC:72288-209	
Route of Administration	TOPICAL				
Active Ingredient/Active Mo	iety				
~	iety gredient Name		Basis of Strength	Strength	
Active Ingredient/Active Mo In AVOBENZONE (UNII: G63QQF2NOX	gredient Name	QF2NOX)	Basis of Strength AVOBENZONE	Strength 30 mg in 1 g	

	NOSALATE (UNII:	LATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)HOMOSALATE100 n					mg in 1 g
ост	OCRYLENE (UNII	5A68WGF6WM)	(OCTOCRYLENE - UNII:5A68WGF6)	WM)	OCTOCRYLEN		
Ina	ctive Ingredieı	nts					
Ingredient Name							Strengt
тос	COPHEROL (UNII: 1	R0ZB2556P8)					
BUT	YLOCTYL SALIC	YLATE (UNII: 2EF	113UN8D3)				
	YLATE/ISOBUTY KHR8 VWK)	L METHACRYLA	TE/N-TERT-OCTYLACRYLAMIDE	COPOLYM	IER (75000 MW)	(UNII:	
ALC	OHOL (UNII: 3K99	58 V90 M)					
PAN	THENOL (UNII: WV	/9CM0O67Z)					
GLY	CERIN (UNII: PDC6	A3C0OX)					
STE	AROXYTRIMETHY	YLSILANE (UNII:	9862TW94B2)				
	DIUM-CHAIN TRIG		I: C9H2L21V7U)				
			I: C9H2L21V7U)				
			I: C9H2L21V7U)				
MED			I: C9H2L21V7U)				
MED Pac	DIUM-CHAIN TRIG	LYCERIDES (UNI	ckage Description	Marketin	ng Start Date	Marketing	End Date
MED Pac #	DIUM-CHAIN TRIG	LYCERIDES (UNI Pa		Marketi 05/28/2020	_	Marketing	End Date
MED Pac #	DIUM-CHAIN TRIG Skaging Item Code	LYCERIDES (UNI Pa	ckage Description		_	Marketing	End Dat
MED Pac #	DIUM-CHAIN TRIG Skaging Item Code	LYCERIDES (UNI Pa	ckage Description		_	Marketing	End Dat
MED # 1 NI	DIUM-CHAIN TRIG Raging Item Code DC:72288-209-38	LYCERIDES (UNI Pa 312 g in 1 CAN; T	ckage Description		_	Marketing	End Dat
MED # 1 Ni	DIUM-CHAIN TRIG Skaging Item Code	LYCERIDES (UNI Pa 312 g in 1 CAN; T	ckage Description		_		
MED # 1 NI	DIUM-CHAIN TRIG Raging Item Code DC:72288-209-38	Pa 312 g in 1 CAN; T	ckage Description	05/28/2020	_	Marketing	

Labeler - Amazon.com Services LLC (128990418)

Revised: 10/2020

Amazon.com Services LLC